

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL073120\
 Data File : PL060393.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 30 Jul 2020 15:42
 Operator : DD\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Manual Integrations
 APPROVED

Ankita
 7/31/2020 1:35:38 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 31 00:57:42 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL073020.M
 Quant Title : GC Extractables
 QLast Update : Thu Jul 30 04:13:43 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.464	4.011	102.8E6	136.4E6	51.554	52.143
28)	SA Decachlor...	8.222	9.100	71829767	84794724	47.068	47.144
Target Compounds							
2)	A alpha-BHC	3.901	4.401	151.6E6	201.5E6	51.978	52.645
3)	MA gamma-BHC...	4.184	4.686	132.0E6	188.0E6	52.022	52.208
4)	MA Heptachlor	4.487	5.197	118.7E6	173.5E6	50.952	50.969
5)	MB Aldrin	4.735	5.503	103.0E6	157.3E6	51.938	51.267
6)	B beta-BHC	4.436	4.856	52154391	78420258	51.425	52.151
7)	B delta-BHC	4.640	5.074	118.8E6	150.3E6	52.382	59.358
8)	B Heptachlo...	5.178	5.891	94913916	134.6E6	50.067	55.558
9)	A Endosulfan I	5.517	6.249	85494509	131.5E6	51.129	48.637
10)	B gamma-Chl...	5.406	6.126	92601018	142.4E6	51.109	50.373
11)	B alpha-Chl...	5.464	6.199	92212402	142.9E6	51.171	48.948
12)	B 4,4'-DDE	5.629	6.356	81852961	129.8E6	48.553	49.082
13)	MA Dieldrin	5.760	6.506	90075196	134.0E6	50.893	48.870
14)	MA Endrin	6.016	6.724	82941777	113.7E6	49.758m	48.538
15)	B Endosulfa...	6.290	6.935	81041331	111.7E6	47.737	46.386
16)	A 4,4'-DDD	6.145	6.848	75643448	106.5E6	52.352	51.109
17)	MA 4,4'-DDT	6.386	7.147	63630789	89703024	46.581	44.354
18)	B Endrin al...	6.458	7.059	69007040	96307241	48.035	48.065
19)	B Endosulfa...	6.671	7.282	77905287	104.7E6	48.891	47.628
20)	A Methoxychlor	6.933	7.608	38527711	51245666	47.095	44.500
21)	B Endrin ke...	7.161	7.754	82831138	106.1E6	49.130	48.150
22)	Mirex	7.351	8.211	64010593	75589940	46.887	48.271

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL073120\
Data File : PL060393.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Jul 2020 15:42
Operator : DD\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampled :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/31/2020 1:35:38 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 31 00:57:42 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL073020.M
Quant Title : GC Extractables
QLast Update : Thu Jul 30 04:13:43 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.464 min
Delta R.T.: -0.001 min
Response: 102750829
Conc: 51.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/31/2020 1:35:38 PM




#1 Tetrachloro-m-xylene

R.T.: 4.011 min
Delta R.T.: -0.002 min
Response: 136384515
Conc: 52.14 ng/ml




#2 alpha-BHC

R.T.: 3.901 min
Delta R.T.: 0.000 min
Response: 151595198
Conc: 51.98 ng/ml



#2 alpha-BHC

R.T.: 4.401 min
Delta R.T.: -0.001 min
Response: 201509319
Conc: 52.65 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.184 min
Delta R.T.: -0.001 min
Response: 132024638
Conc: 52.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/31/2020 1:35:38 PM




#3 gamma-BHC (Lindane)

R.T.: 4.686 min
Delta R.T.: -0.001 min
Response: 188015805
Conc: 52.21 ng/ml




#4 Heptachlor

R.T.: 4.487 min
Delta R.T.: -0.001 min
Response: 118742879
Conc: 50.95 ng/ml



#4 Heptachlor

R.T.: 5.197 min
Delta R.T.: 0.000 min
Response: 173481698
Conc: 50.97 ng/ml




#5 Aldrin

R.T.: 4.735 min
Delta R.T.: -0.001 min
Response: 102950594
Conc: 51.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/31/2020 1:35:38 PM




#5 Aldrin

R.T.: 5.503 min
Delta R.T.: 0.000 min
Response: 157329886
Conc: 51.27 ng/ml




#6 beta-BHC

R.T.: 4.436 min
Delta R.T.: -0.001 min
Response: 52154391
Conc: 51.42 ng/ml



#6 beta-BHC

R.T.: 4.856 min
Delta R.T.: -0.002 min
Response: 78420258
Conc: 52.15 ng/ml




#7 delta-BHC

R.T.: 4.640 min
Delta R.T.: -0.001 min
Response: 118820695
Conc: 52.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/31/2020 1:35:38 PM




#7 delta-BHC

R.T.: 5.074 min
Delta R.T.: 0.000 min
Response: 150251022
Conc: 59.36 ng/ml




#8 Heptachlor epoxide

R.T.: 5.178 min
Delta R.T.: -0.001 min
Response: 94913916
Conc: 50.07 ng/ml



#8 Heptachlor epoxide

R.T.: 5.891 min
Delta R.T.: 0.000 min
Response: 134622413
Conc: 55.56 ng/ml




#9 Endosulfan I

R.T.: 5.517 min
Delta R.T.: 0.000 min
Response: 85494509
Conc: 51.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/31/2020 1:35:38 PM




#9 Endosulfan I

R.T.: 6.249 min
Delta R.T.: 0.000 min
Response: 131517661
Conc: 48.64 ng/ml




#10 gamma-Chlordane

R.T.: 5.406 min
Delta R.T.: -0.001 min
Response: 92601018
Conc: 51.11 ng/ml



#10 gamma-Chlordane

R.T.: 6.126 min
Delta R.T.: 0.000 min
Response: 142432338
Conc: 50.37 ng/ml




#11 alpha-Chlordane

R.T.: 5.464 min
Delta R.T.: 0.000 min
Response: 92212402
Conc: 51.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/31/2020 1:35:38 PM




#11 alpha-Chlordane

R.T.: 6.199 min
Delta R.T.: 0.000 min
Response: 142896893
Conc: 48.95 ng/ml




#12 4,4'-DDE

R.T.: 5.629 min
Delta R.T.: -0.001 min
Response: 81852961
Conc: 48.55 ng/ml



#12 4,4'-DDE

R.T.: 6.356 min
Delta R.T.: 0.000 min
Response: 129824398
Conc: 49.08 ng/ml




#13 Dieldrin

R.T.: 5.760 min
Delta R.T.: -0.001 min
Response: 90075196
Conc: 50.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/31/2020 1:35:38 PM




#13 Dieldrin

R.T.: 6.506 min
Delta R.T.: 0.000 min
Response: 134002258
Conc: 48.87 ng/ml




#14 Endrin

R.T.: 6.016 min
Delta R.T.: -0.003 min
Response: 82941777
Conc: 49.76 ng/ml m



#14 Endrin

R.T.: 6.724 min
Delta R.T.: 0.000 min
Response: 113679936
Conc: 48.54 ng/ml




#15 Endosulfan II

R.T.: 6.290 min
Delta R.T.: -0.001 min
Response: 81041331
Conc: 47.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/31/2020 1:35:38 PM




#15 Endosulfan II

R.T.: 6.935 min
Delta R.T.: 0.000 min
Response: 111729426
Conc: 46.39 ng/ml




#16 4,4'-DDD

R.T.: 6.145 min
Delta R.T.: 0.000 min
Response: 75643448
Conc: 52.35 ng/ml



#16 4,4'-DDD

R.T.: 6.848 min
Delta R.T.: 0.000 min
Response: 106469690
Conc: 51.11 ng/ml




#17 4,4'-DDT

R.T.: 6.386 min
Delta R.T.: 0.000 min
Response: 63630789
Conc: 46.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/31/2020 1:35:38 PM




#17 4,4'-DDT

R.T.: 7.147 min
Delta R.T.: 0.000 min
Response: 89703024
Conc: 44.35 ng/ml




#18 Endrin aldehyde

R.T.: 6.458 min
Delta R.T.: -0.001 min
Response: 69007040
Conc: 48.04 ng/ml



#18 Endrin aldehyde

R.T.: 7.059 min
Delta R.T.: 0.000 min
Response: 96307241
Conc: 48.06 ng/ml




#19 Endosulfan Sulfate

R.T.: 6.671 min
Delta R.T.: -0.001 min
Response: 77905287
Conc: 48.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/31/2020 1:35:38 PM




#19 Endosulfan Sulfate

R.T.: 7.282 min
Delta R.T.: 0.000 min
Response: 104707907
Conc: 47.63 ng/ml




#20 Methoxychlor

R.T.: 6.933 min
Delta R.T.: 0.000 min
Response: 38527711
Conc: 47.09 ng/ml



#20 Methoxychlor

R.T.: 7.608 min
Delta R.T.: 0.003 min
Response: 51245666
Conc: 44.50 ng/ml




#21 Endrin ketone

R.T.: 7.161 min
Delta R.T.: 0.000 min
Response: 82831138
Conc: 49.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
7/31/2020 1:35:38 PM




#21 Endrin ketone

R.T.: 7.754 min
Delta R.T.: 0.001 min
Response: 106113220
Conc: 48.15 ng/ml




#22 Mirex

R.T.: 7.351 min
Delta R.T.: -0.002 min
Response: 64010593
Conc: 46.89 ng/ml



#22 Mirex

R.T.: 8.211 min
Delta R.T.: 0.001 min
Response: 75589940
Conc: 48.27 ng/ml




#28 Decachlorobiphenyl

R.T.: 8.222 min
Delta R.T.: -0.001 min
Response: 71829767
Conc: 47.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Manual Integrations
APPROVED

Ankita
7/31/2020 1:35:38 PM



#28 Decachlorobiphenyl

R.T.: 9.100 min
Delta R.T.: 0.005 min
Response: 84794724
Conc: 47.14 ng/ml