

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL073124\
 Data File : PL090709.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 Jul 2024 15:57
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 01 01:36:10 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071524.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 15 14:16:48 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.547	2.788	97777735	84477491	46.959	50.196
28)	SA Decachlor...	9.061	7.932	67442456	72749626	50.752	49.894
Target Compounds							
2)	A alpha-BHC	4.002	3.292	138.4E6	122.0E6	46.649	50.513
3)	MA gamma-BHC...	4.335	3.623	127.2E6	114.9E6	45.414	49.835
4)	MA Heptachlor	4.924	3.963	116.5E6	107.9E6	45.756	48.911
5)	MB Aldrin	5.266	4.244	114.5E6	107.8E6	45.836	50.647
6)	B beta-BHC	4.531	3.921	62567764	50907114	49.323	49.319
7)	B delta-BHC	4.778	4.151	122.4E6	111.1E6	45.637	50.520
8)	B Heptachlo...	5.691	4.746	108.1E6	96757382	45.985	49.610
9)	A Endosulfan I	6.076	5.117	99050145	89762714	46.313	49.084
10)	B gamma-Chl...	5.947	4.996	112.6E6	101.1E6	48.438	49.857
11)	B alpha-Chl...	6.026	5.061	105.7E6	100.3E6	46.055	49.635
12)	B 4,4'-DDE	6.199	5.250	93665652	90407003	46.323	50.588
13)	MA Dieldrin	6.351	5.381	103.6E6	96712264	46.643	49.320
14)	MA Endrin	6.581	5.656	84953467	80561804	46.210	46.808
15)	B Endosulfa...	6.800	5.951	92563383	83872968	47.061	49.095
16)	A 4,4'-DDD	6.715	5.804	85300366	77873681	50.527	51.976
17)	MA 4,4'-DDT	7.029	6.055	76962944	68645192	45.722	46.852
18)	B Endrin al...	6.929	6.129	70575640	64008988	47.570	48.991
19)	B Endosulfa...	7.164	6.352	83428091	79611112	47.504	49.371
20)	A Methoxychlor	7.504	6.629	42002467	38143338	47.573	47.175
21)	B Endrin ke...	7.648	6.858	95917092	94688926	50.245	51.813
22)	Mirex	8.122	7.040	70821411	74326305	50.007	49.998
23)	Chlordane-1	0.000	3.792	0	17450	N.D.	0.282 #
24)	Chlordane-2	5.266f	4.381	114.5E6	1814980	1118.848	23.931 #
25)	Chlordane-3	5.947	4.996	112.6E6	101.1E6	340.187	489.074 #
26)	Chlordane-4	6.026	5.061	105.7E6	100.3E6	265.443	512.488 #
27)	Chlordane-5	0.000	5.749f	0	194912	N.D.	3.234 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL073124\
Data File : PL090709.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 31 Jul 2024 15:57
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 01 01:36:10 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071524.M
Quant Title : GC Extractables
QLast Update : Mon Jul 15 14:16:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.547 min
Delta R.T.: 0.000 min
Response: 97777735
Conc: 46.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.788 min
Delta R.T.: -0.002 min
Response: 84477491
Conc: 50.20 ng/ml




#2 alpha-BHC

R.T.: 4.002 min
Delta R.T.: 0.000 min
Response: 138426106
Conc: 46.65 ng/ml



#2 alpha-BHC


R.T.: 3.292 min
Delta R.T.: -0.001 min
Response: 122043929
Conc: 50.51 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.335 min
Delta R.T.: 0.000 min
Response: 127178757
Conc: 45.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.623 min
Delta R.T.: -0.001 min
Response: 114919104
Conc: 49.84 ng/ml




#4 Heptachlor

R.T.: 4.924 min
Delta R.T.: 0.000 min
Response: 116452233
Conc: 45.76 ng/ml



#4 Heptachlor


R.T.: 3.963 min
Delta R.T.: -0.001 min
Response: 107900573
Conc: 48.91 ng/ml



#5 Aldrin


R.T.: 5.266 min
Delta R.T.: 0.000 min
Response: 114517621
Conc: 45.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.244 min
Delta R.T.: -0.001 min
Response: 107750231
Conc: 50.65 ng/ml




#6 beta-BHC

R.T.: 4.531 min
Delta R.T.: 0.000 min
Response: 62567764
Conc: 49.32 ng/ml



#6 beta-BHC


R.T.: 3.921 min
Delta R.T.: 0.000 min
Response: 50907114
Conc: 49.32 ng/ml



#7 delta-BHC


R.T.: 4.778 min
Delta R.T.: 0.000 min
Response: 122355843
Conc: 45.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.151 min
Delta R.T.: 0.000 min
Response: 111131432
Conc: 50.52 ng/ml




#8 Heptachlor epoxide

R.T.: 5.691 min
Delta R.T.: 0.000 min
Response: 108083298
Conc: 45.99 ng/ml



#8 Heptachlor epoxide


R.T.: 4.746 min
Delta R.T.: -0.002 min
Response: 96757382
Conc: 49.61 ng/ml



#9 Endosulfan I


R.T.: 6.076 min
Delta R.T.: 0.000 min
Response: 99050145
Conc: 46.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.117 min
Delta R.T.: -0.001 min
Response: 89762714
Conc: 49.08 ng/ml




#10 gamma-Chlordane

R.T.: 5.947 min
Delta R.T.: 0.000 min
Response: 112620194
Conc: 48.44 ng/ml



#10 gamma-Chlordane


R.T.: 4.996 min
Delta R.T.: -0.002 min
Response: 101081797
Conc: 49.86 ng/ml



#11 alpha-Chlordane


R.T.: 6.026 min
Delta R.T.: 0.000 min
Response: 105728080
Conc: 46.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.061 min
Delta R.T.: 0.000 min
Response: 100292915
Conc: 49.63 ng/ml




#12 4,4'-DDE

R.T.: 6.199 min
Delta R.T.: 0.000 min
Response: 93665652
Conc: 46.32 ng/ml



#12 4,4'-DDE


R.T.: 5.250 min
Delta R.T.: -0.001 min
Response: 90407003
Conc: 50.59 ng/ml



#13 Dieldrin


R.T.: 6.351 min
Delta R.T.: 0.000 min
Response: 103633123
Conc: 46.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.381 min
Delta R.T.: -0.001 min
Response: 96712264
Conc: 49.32 ng/ml




#14 Endrin

R.T.: 6.581 min
Delta R.T.: 0.000 min
Response: 84953467
Conc: 46.21 ng/ml



#14 Endrin


R.T.: 5.656 min
Delta R.T.: -0.002 min
Response: 80561804
Conc: 46.81 ng/ml



#15 Endosulfan II


R.T.: 6.800 min
Delta R.T.: 0.000 min
Response: 92563383
Conc: 47.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.951 min
Delta R.T.: -0.001 min
Response: 83872968
Conc: 49.09 ng/ml




#16 4,4'-DDD

R.T.: 6.715 min
Delta R.T.: 0.000 min
Response: 85300366
Conc: 50.53 ng/ml



#16 4,4'-DDD


R.T.: 5.804 min
Delta R.T.: -0.001 min
Response: 77873681
Conc: 51.98 ng/ml



#17 4,4'-DDT


R.T.: 7.029 min
Delta R.T.: -0.001 min
Response: 76962944
Conc: 45.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.055 min
Delta R.T.: 0.000 min
Response: 68645192
Conc: 46.85 ng/ml




#18 Endrin aldehyde

R.T.: 6.929 min
Delta R.T.: 0.000 min
Response: 70575640
Conc: 47.57 ng/ml



#18 Endrin aldehyde


R.T.: 6.129 min
Delta R.T.: -0.001 min
Response: 64008988
Conc: 48.99 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.164 min
Delta R.T.: 0.000 min
Response: 83428091
Conc: 47.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.352 min
Delta R.T.: -0.002 min
Response: 79611112
Conc: 49.37 ng/ml




#20 Methoxychlor

R.T.: 7.504 min
Delta R.T.: 0.000 min
Response: 42002467
Conc: 47.57 ng/ml



#20 Methoxychlor


R.T.: 6.629 min
Delta R.T.: -0.002 min
Response: 38143338
Conc: 47.18 ng/ml



#21 Endrin ketone


R.T.: 7.648 min
Delta R.T.: -0.001 min
Response: 95917092
Conc: 50.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.858 min
Delta R.T.: -0.002 min
Response: 94688926
Conc: 51.81 ng/ml




#22 Mirex

R.T.: 8.122 min
Delta R.T.: -0.001 min
Response: 70821411
Conc: 50.01 ng/ml



#22 Mirex


R.T.: 7.040 min
Delta R.T.: -0.002 min
Response: 74326305
Conc: 50.00 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.710 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.792 min
Delta R.T.: 0.000 min
Response: 17450
Conc: 0.28 ng/ml




#24 Chlordane-2

R.T.: 5.266 min
Delta R.T.: 0.026 min
Response: 114517621
Conc: 1118.85 ng/ml



#24 Chlordane-2


R.T.: 4.381 min
Delta R.T.: 0.012 min
Response: 1814980
Conc: 23.93 ng/ml



#25 Chlordane-3


R.T.: 5.947 min
Delta R.T.: -0.003 min
Response: 112620194
Conc: 340.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 4.996 min
Delta R.T.: -0.003 min
Response: 101081797
Conc: 489.07 ng/ml




#26 Chlordane-4

R.T.: 6.026 min
Delta R.T.: -0.005 min
Response: 105728080
Conc: 265.44 ng/ml



#26 Chlordane-4


R.T.: 5.061 min
Delta R.T.: -0.002 min
Response: 100292915
Conc: 512.49 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.880 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.749 min
Delta R.T.: 0.021 min
Response: 194912
Conc: 3.23 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.061 min
Delta R.T.: -0.002 min
Response: 67442456
Conc: 50.75 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.932 min
Delta R.T.: -0.002 min
Response: 72749626
Conc: 49.89 ng/ml