

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL073125\
 Data File : PL096657.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 Jul 2025 09:54
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 01 02:48:17 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL072825.M
 Quant Title : GC Extractables
 QLast Update : Tue Jul 29 08:58:13 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.535	2.828	172.3E6	261.6E6	54.184	54.751
28)	SA Decachlor...	9.016	7.992	132.2E6	250.4E6	55.447	57.713
Target Compounds							
2)	A alpha-BHC	3.982	3.334	252.2E6	394.2E6	54.508	55.704
3)	MA gamma-BHC...	4.311	3.666	238.6E6	364.3E6	53.950	55.171
4)	MA Heptachlor	4.903	4.014	227.1E6	359.1E6	54.647	53.908
5)	MB Aldrin	5.242	4.297	230.0E6	341.5E6	53.487	55.023
6)	B beta-BHC	4.497	3.962	99306098	152.3E6	55.018	53.978
7)	B delta-BHC	0.000	4.195	0	355.9E6	N.D.	54.978 #
8)	B Heptachlo...	5.662	4.799	213.0E6	314.0E6	55.222	54.986
9)	A Endosulfan I	6.044	5.170	195.7E6	289.0E6	54.402	52.252
10)	B gamma-Chl...	5.916	5.051	211.2E6	324.2E6	55.501	55.132
11)	B alpha-Chl...	5.996	5.115	209.2E6	316.4E6	54.282	53.631
12)	B 4,4'-DDE	6.166	5.304	175.9E6	305.5E6	54.787	55.396
13)	MA Dieldrin	6.316	5.435	204.3E6	327.8E6	55.056	55.505
14)	MA Endrin	6.543	5.709	160.2E6	285.7E6	52.938	52.858
15)	B Endosulfa...	6.755	6.001	169.7E6	282.4E6	52.992	54.978
16)	A 4,4'-DDD	6.675	5.857	145.6E6	263.8E6	57.583	56.072
17)	MA 4,4'-DDT	6.990	6.109	149.4E6	258.8E6	52.081	51.164
18)	B Endrin al...	6.884	6.179	123.3E6	215.9E6	57.435	58.700
19)	B Endosulfa...	7.118	6.402	158.3E6	286.0E6	55.084	56.223
20)	A Methoxychlor	7.462	6.681	74687574	141.5E6	50.865	51.615
21)	B Endrin ke...	7.597	6.907	172.3E6	311.5E6	57.301	55.934
22)	Mirex	8.076	7.097	139.5E6	239.7E6	56.278	54.961
24)	Chlordane-2	5.242f	0.000	230.0E6	0	1314.518	N.D. #
25)	Chlordane-3	5.916	5.051	211.2E6	324.2E6	316.187	466.246 #
26)	Chlordane-4	5.996	5.115	209.2E6	316.4E6	252.795	508.351 #
27)	Chlordane-5	0.000	6.001	0	282.4E6	N.D.	1106.894 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL073125\
Data File : PL096657.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 31 Jul 2025 09:54
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 01 02:48:17 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL072825.M
Quant Title : GC Extractables
QLast Update : Tue Jul 29 08:58:13 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.535 min
Delta R.T.: 0.000 min
Response: 172346919
Conc: 54.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.828 min
Delta R.T.: 0.000 min
Response: 261586520
Conc: 54.75 ng/ml




#2 alpha-BHC

R.T.: 3.982 min
Delta R.T.: 0.000 min
Response: 252174979
Conc: 54.51 ng/ml



#2 alpha-BHC


R.T.: 3.334 min
Delta R.T.: 0.000 min
Response: 394216354
Conc: 55.70 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.311 min
Delta R.T.: 0.000 min
Response: 238645564
Conc: 53.95 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.666 min
Delta R.T.: 0.000 min
Response: 364311126
Conc: 55.17 ng/ml




#4 Heptachlor

R.T.: 4.903 min
Delta R.T.: 0.000 min
Response: 227095609
Conc: 54.65 ng/ml



#4 Heptachlor


R.T.: 4.014 min
Delta R.T.: 0.000 min
Response: 359134284
Conc: 53.91 ng/ml



#5 Aldrin


R.T.: 5.242 min
Delta R.T.: 0.000 min
Response: 230049681
Conc: 53.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.297 min
Delta R.T.: 0.000 min
Response: 341532655
Conc: 55.02 ng/ml




#6 beta-BHC

R.T.: 4.497 min
Delta R.T.: 0.000 min
Response: 99306098
Conc: 55.02 ng/ml



#6 beta-BHC


R.T.: 3.962 min
Delta R.T.: 0.000 min
Response: 152266956
Conc: 53.98 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T.: 4.743 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.195 min
Delta R.T.: 0.000 min
Response: 355910236
Conc: 54.98 ng/ml




#8 Heptachlor epoxide

R.T.: 5.662 min
Delta R.T.: 0.000 min
Response: 212967128
Conc: 55.22 ng/ml



#8 Heptachlor epoxide


R.T.: 4.799 min
Delta R.T.: 0.000 min
Response: 314044193
Conc: 54.99 ng/ml



#9 Endosulfan I


R.T.: 6.044 min
Delta R.T.: 0.000 min
Response: 195651354
Conc: 54.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.170 min
Delta R.T.: 0.000 min
Response: 289024762
Conc: 52.25 ng/ml




#10 gamma-Chlordane

R.T.: 5.916 min
Delta R.T.: 0.000 min
Response: 211193235
Conc: 55.50 ng/ml



#10 gamma-Chlordane


R.T.: 5.051 min
Delta R.T.: 0.000 min
Response: 324181958
Conc: 55.13 ng/ml



#11 alpha-Chlordane


R.T.: 5.996 min
Delta R.T.: 0.000 min
Response: 209238270
Conc: 54.28 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.115 min
Delta R.T.: 0.000 min
Response: 316363330
Conc: 53.63 ng/ml




#12 4,4'-DDE

R.T.: 6.166 min
Delta R.T.: 0.000 min
Response: 175933193
Conc: 54.79 ng/ml



#12 4,4'-DDE


R.T.: 5.304 min
Delta R.T.: 0.000 min
Response: 305477960
Conc: 55.40 ng/ml



#13 Dieldrin


R.T.: 6.316 min
Delta R.T.: 0.000 min
Response: 204322735
Conc: 55.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.435 min
Delta R.T.: 0.000 min
Response: 327845132
Conc: 55.51 ng/ml




#14 Endrin

R.T.: 6.543 min
Delta R.T.: 0.000 min
Response: 160232128
Conc: 52.94 ng/ml



#14 Endrin


R.T.: 5.709 min
Delta R.T.: 0.000 min
Response: 285748622
Conc: 52.86 ng/ml



#15 Endosulfan II


R.T.: 6.755 min
Delta R.T.: 0.000 min
Response: 169713488
Conc: 52.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.001 min
Delta R.T.: 0.000 min
Response: 282382013
Conc: 54.98 ng/ml




#16 4,4'-DDD

R.T.: 6.675 min
Delta R.T.: 0.000 min
Response: 145591065
Conc: 57.58 ng/ml



#16 4,4'-DDD


R.T.: 5.857 min
Delta R.T.: 0.000 min
Response: 263836144
Conc: 56.07 ng/ml



#17 4,4'-DDT


R.T.: 6.990 min
Delta R.T.: 0.000 min
Response: 149352433
Conc: 52.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.109 min
Delta R.T.: 0.000 min
Response: 258804645
Conc: 51.16 ng/ml




#18 Endrin aldehyde

R.T.: 6.884 min
Delta R.T.: 0.000 min
Response: 123250653
Conc: 57.43 ng/ml



#18 Endrin aldehyde


R.T.: 6.179 min
Delta R.T.: 0.000 min
Response: 215859482
Conc: 58.70 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.118 min
Delta R.T.: 0.000 min
Response: 158294432
Conc: 55.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.402 min
Delta R.T.: 0.000 min
Response: 285960533
Conc: 56.22 ng/ml




#20 Methoxychlor

R.T.: 7.462 min
Delta R.T.: 0.000 min
Response: 74687574
Conc: 50.86 ng/ml



#20 Methoxychlor


R.T.: 6.681 min
Delta R.T.: 0.000 min
Response: 141451589
Conc: 51.62 ng/ml



#21 Endrin ketone


R.T.: 7.597 min
Delta R.T.: 0.000 min
Response: 172288579
Conc: 57.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.907 min
Delta R.T.: 0.000 min
Response: 311536499
Conc: 55.93 ng/ml




#22 Mirex

R.T.: 8.076 min
Delta R.T.: 0.000 min
Response: 139532394
Conc: 56.28 ng/ml



#22 Mirex


R.T.: 7.097 min
Delta R.T.: 0.000 min
Response: 239679389
Conc: 54.96 ng/ml



#24 Chlordane-2


R.T.: 5.242 min
Delta R.T.: 0.029 min
Response: 230049681
Conc: 1314.52 ng/m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.418 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.916 min
Delta R.T.: 0.000 min
Response: 211193235
Conc: 316.19 ng/ml



#25 Chlordane-3


R.T.: 5.051 min
Delta R.T.: 0.000 min
Response: 324181958
Conc: 466.25 ng/ml



#26 Chlordane-4


R.T.: 5.996 min
Delta R.T.: -0.005 min
Response: 209238270
Conc: 252.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.115 min
Delta R.T.: 0.000 min
Response: 316363330
Conc: 508.35 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.838 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 6.001 min
Delta R.T.: -0.008 min
Response: 282382013
Conc: 1106.89 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.016 min
Delta R.T.: 0.000 min
Response: 132221255
Conc: 55.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.992 min
Delta R.T.: 0.000 min
Response: 250375628
Conc: 57.71 ng/ml