

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080119\
 Data File : PL050977.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 01 Aug 2019 21:29
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Manual Integrations
 APPROVED

Ankita
 8/2/2019 2:06:25 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 02 01:05:46 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 19 01:19:13 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.318	3.928	492.6E6	133.7E6	49.022	46.844
28)	SA Decachlor...	7.978	8.956	537.4E6	137.4E6	53.077	48.578
Target Compounds							
2)	A alpha-BHC	3.746	4.316	819.6E6	197.5E6	48.910	47.866
3)	MA gamma-BHC...	4.021	4.599	763.7E6	187.0E6	49.649	48.286
4)	MA Heptachlor	4.305	5.100	807.0E6	197.1E6	49.181	47.535
5)	MB Aldrin	4.542	5.402	761.0E6	181.9E6	49.125	48.277
6)	B beta-BHC	4.275	4.776	318.7E6	86358222	48.615	49.951
7)	B delta-BHC	4.468	4.989	805.1E6	186.0E6	49.067	48.097
8)	B Heptachlo...	4.979	5.789	711.3E6	174.2E6	48.148	45.549
9)	A Endosulfan I	5.308	6.144	692.8E6	165.0E6	47.639	47.992
10)	B gamma-Chl...	5.201	6.023	754.2E6	178.7E6	47.783	48.370
11)	B alpha-Chl...	5.256	6.094	728.7E6	176.5E6	47.764	48.152
12)	B 4,4'-DDE	5.423	6.255	730.1E6	175.0E6	48.722	48.563
13)	MA Dieldrin	5.547	6.400	748.4E6	172.5E6	48.293	48.718
14)	MA Endrin	5.800	6.617	693.3E6	145.9E6	47.095	47.038
15)	B Endosulfa...	6.075	6.829	665.4E6	153.6E6	47.543	48.323
16)	A 4,4'-DDD	5.934	6.745	591.0E6	129.3E6	49.316	48.556
17)	MA 4,4'-DDT	6.168	7.041	587.3E6	132.8E6	47.418	49.183
18)	B Endrin al...	6.241	6.952	540.6E6	130.6E6	46.862	48.066m
19)	B Endosulfa...	6.452	7.176	609.3E6	143.4E6	47.826	49.654
20)	A Methoxychlor	6.713	7.502	296.8E6	74354393	47.580	50.675
21)	B Endrin ke...	6.934	7.644	747.6E6	148.2E6	54.660	51.268
22)	Mirex	7.107	8.093	465.3E6	113.1E6	47.460	49.237

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080119\
 Data File : PL050977.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 01 Aug 2019 21:29
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1



Instrument :
 ECD_L
 ClientSampled :
 PSTDCCC050


Manual Integrations
 APPROVED

Ankita
 8/2/2019 2:06:25 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 02 01:05:46 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 19 01:19:13 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.318 min
Delta R.T.: 0.000 min
Response: 492563209
Conc: 49.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/2/2019 2:06:25 PM




#1 Tetrachloro-m-xylene

R.T.: 3.928 min
Delta R.T.: -0.002 min
Response: 133654706
Conc: 46.84 ng/ml




#2 alpha-BHC

R.T.: 3.746 min
Delta R.T.: 0.000 min
Response: 819612983
Conc: 48.91 ng/ml



#2 alpha-BHC

R.T.: 4.316 min
Delta R.T.: -0.003 min
Response: 197495670
Conc: 47.87 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.021 min
Delta R.T.: 0.000 min
Response: 763688522
Conc: 49.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/2/2019 2:06:25 PM




#3 gamma-BHC (Lindane)

R.T.: 4.599 min
Delta R.T.: -0.002 min
Response: 187022136
Conc: 48.29 ng/ml




#4 Heptachlor

R.T.: 4.305 min
Delta R.T.: 0.000 min
Response: 806962682
Conc: 49.18 ng/ml



#4 Heptachlor

R.T.: 5.100 min
Delta R.T.: -0.003 min
Response: 197113935
Conc: 47.54 ng/ml




#5 Aldrin

R.T.: 4.542 min
Delta R.T.: 0.000 min
Response: 761018703
Conc: 49.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/2/2019 2:06:25 PM




#5 Aldrin

R.T.: 5.402 min
Delta R.T.: -0.003 min
Response: 181923183
Conc: 48.28 ng/ml




#6 beta-BHC

R.T.: 4.275 min
Delta R.T.: 0.000 min
Response: 318712300
Conc: 48.61 ng/ml



#6 beta-BHC

R.T.: 4.776 min
Delta R.T.: -0.002 min
Response: 86358222
Conc: 49.95 ng/ml




#7 delta-BHC

R.T.: 4.468 min
Delta R.T.: 0.000 min
Response: 805122121
Conc: 49.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/2/2019 2:06:25 PM




#7 delta-BHC

R.T.: 4.989 min
Delta R.T.: -0.002 min
Response: 186020570
Conc: 48.10 ng/ml




#8 Heptachlor epoxide

R.T.: 4.979 min
Delta R.T.: 0.000 min
Response: 711321840
Conc: 48.15 ng/ml



#8 Heptachlor epoxide




R.T.: 5.789 min
Delta R.T.: -0.003 min
Response: 174218207
Conc: 45.55 ng/ml




Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Manual Integrations
APPROVED

Ankita
8/2/2019 2:06:25 PM






#11 alpha-Chlordane

R.T.: 5.256 min
Delta R.T.: -0.001 min
Response: 728685912
Conc: 47.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/2/2019 2:06:25 PM




#11 alpha-Chlordane

R.T.: 6.094 min
Delta R.T.: -0.004 min
Response: 176485310
Conc: 48.15 ng/ml




#12 4,4'-DDE

R.T.: 5.423 min
Delta R.T.: -0.001 min
Response: 730137216
Conc: 48.72 ng/ml



#12 4,4'-DDE

R.T.: 6.255 min
Delta R.T.: -0.003 min
Response: 174992110
Conc: 48.56 ng/ml




#13 Dieldrin

R.T.: 5.547 min
Delta R.T.: -0.001 min
Response: 748385083
Conc: 48.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/2/2019 2:06:25 PM




#13 Dieldrin

R.T.: 6.400 min
Delta R.T.: -0.004 min
Response: 172518522
Conc: 48.72 ng/ml




#14 Endrin

R.T.: 5.800 min
Delta R.T.: -0.002 min
Response: 693264563
Conc: 47.10 ng/ml



#14 Endrin

R.T.: 6.617 min
Delta R.T.: -0.005 min
Response: 145884023
Conc: 47.04 ng/ml




#15 Endosulfan II

R.T.: 6.075 min
Delta R.T.: -0.002 min
Response: 665356129
Conc: 47.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/2/2019 2:06:25 PM




#15 Endosulfan II

R.T.: 6.829 min
Delta R.T.: -0.004 min
Response: 153627354
Conc: 48.32 ng/ml




#16 4,4'-DDD

R.T.: 5.934 min
Delta R.T.: -0.001 min
Response: 590998847
Conc: 49.32 ng/ml



#16 4,4'-DDD

R.T.: 6.745 min
Delta R.T.: -0.004 min
Response: 129300206
Conc: 48.56 ng/ml




#17 4,4'-DDT

R.T.: 6.168 min
Delta R.T.: -0.002 min
Response: 587308703
Conc: 47.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/2/2019 2:06:25 PM




#17 4,4'-DDT

R.T.: 7.041 min
Delta R.T.: -0.004 min
Response: 132774259
Conc: 49.18 ng/ml




#18 Endrin aldehyde

R.T.: 6.241 min
Delta R.T.: -0.002 min
Response: 540613599
Conc: 46.86 ng/ml



#18 Endrin aldehyde

R.T.: 6.952 min
Delta R.T.: -0.006 min
Response: 130623364
Conc: 48.07 ng/ml m




#19 Endosulfan Sulfate

R.T.: 6.452 min
Delta R.T.: -0.002 min
Response: 609288016
Conc: 47.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/2/2019 2:06:25 PM




#19 Endosulfan Sulfate

R.T.: 7.176 min
Delta R.T.: -0.004 min
Response: 143413692
Conc: 49.65 ng/ml




#20 Methoxychlor

R.T.: 6.713 min
Delta R.T.: -0.001 min
Response: 296848726
Conc: 47.58 ng/ml



#20 Methoxychlor

R.T.: 7.502 min
Delta R.T.: -0.005 min
Response: 74354393
Conc: 50.68 ng/ml




#21 Endrin ketone

R.T.: 6.934 min
Delta R.T.: -0.002 min
Response: 747611815
Conc: 54.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/2/2019 2:06:25 PM




#21 Endrin ketone

R.T.: 7.644 min
Delta R.T.: -0.004 min
Response: 148229040
Conc: 51.27 ng/ml




#22 Mirex

R.T.: 7.107 min
Delta R.T.: -0.002 min
Response: 465312052
Conc: 47.46 ng/ml



#22 Mirex

R.T.: 8.093 min
Delta R.T.: -0.005 min
Response: 113097662
Conc: 49.24 ng/ml




#28 Decachlorobiphenyl

R.T.: 7.978 min
Delta R.T.: -0.003 min
Response: 537427943
Conc: 53.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Manual Integrations
APPROVED

Ankita
8/2/2019 2:06:25 PM



#28 Decachlorobiphenyl

R.T.: 8.956 min
Delta R.T.: -0.006 min
Response: 137374216
Conc: 48.58 ng/ml