

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080123\
 Data File : PL084379.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 Jul 2023 15:18
 Operator : AR\AJ
 Sample : PSTDICC075
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC075

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 31 17:01:11 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080123.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 31 17:00:24 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.476	2.687	165.8E6	80187150	73.775	74.546
2)	SA Decachlor...	9.025	7.869	105.3E6	85601840	72.261	73.574
Target Compounds							
2)	A alpha-BHC	3.934	3.192	257.9E6	125.9E6	75.830	76.415
3)	MA gamma-BHC...	4.268	3.523	244.1E6	121.2E6	75.641	76.176
4)	MA Heptachlor	4.860	3.864	253.5E6	112.0E6	74.902	75.982
5)	MB Aldrin	5.202	4.144	249.9E6	115.6E6	75.450	76.736
6)	B beta-BHC	4.467	3.825	99204181	49867091	72.650	73.790
7)	B delta-BHC	4.713	4.053	246.5E6	120.8E6	75.864	76.635
8)	B Heptachlo...	5.632	4.650	218.6E6	102.0E6	74.018	76.035
9)	A Endosulfan I	6.018	5.021	190.1E6	95318335	74.269	76.097
10)	B gamma-Chl...	5.890	4.904	208.6E6	104.8E6	74.902	76.663
11)	B alpha-Chl...	5.970	4.968	204.4E6	104.6E6	74.491	76.203
12)	B 4,4'-DDE	6.148	5.166	170.7E6	97156431	76.238	77.957
13)	MA Dieldrin	6.295	5.288	195.0E6	106.3E6	75.023	76.820
14)	MA Endrin	6.524	5.563	160.3E6	94091318	75.012	76.162
15)	B Endosulfa...	6.745	5.861	151.7E6	91604582	74.151	75.968
16)	A 4,4'-DDD	6.667	5.724	122.1E6	80650381	76.341	77.744
17)	MA 4,4'-DDT	6.983	5.976	130.6E6	90398972	75.412	77.031
18)	B Endrin al...	6.876	6.043	118.9E6	74316231	72.774	74.031
19)	B Endosulfa...	7.111	6.267	139.8E6	89193005	73.897	75.612
20)	A Methoxychlor	7.464	6.560	65856714	50181407	74.007	74.113
21)	B Endrin ke...	7.596	6.772	142.6E6	108.8E6	74.082	75.498
22)	Mirex	8.072	6.953	110.5E6	81876853	71.414	74.197



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080123\
Data File : PL084379.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 31 Jul 2023 15:18
Operator : AR\AJ
Sample : PSTDICC075
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC075

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 31 17:01:11 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080123.M
Quant Title : GC Extractables
QLast Update : Mon Jul 31 17:00:24 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.476 min
Delta R.T.: 0.000 min
Response: 165769529
Conc: 73.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#1 Tetrachloro-m-xylene

R.T.: 2.687 min
Delta R.T.: 0.000 min
Response: 80187150
Conc: 74.55 ng/ml




#2 alpha-BHC

R.T.: 3.934 min
Delta R.T.: 0.000 min
Response: 257908365
Conc: 75.83 ng/ml



#2 alpha-BHC


R.T.: 3.192 min
Delta R.T.: 0.000 min
Response: 125904341
Conc: 76.42 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.268 min
Delta R.T.: 0.000 min
Response: 244131629
Conc: 75.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#3 gamma-BHC (Lindane)

R.T.: 3.523 min
Delta R.T.: 0.000 min
Response: 121235002
Conc: 76.18 ng/ml




#4 Heptachlor

R.T.: 4.860 min
Delta R.T.: 0.000 min
Response: 253537580
Conc: 74.90 ng/ml



#4 Heptachlor


R.T.: 3.864 min
Delta R.T.: 0.000 min
Response: 112019249
Conc: 75.98 ng/ml



#5 Aldrin


R.T.: 5.202 min
Delta R.T.: 0.000 min
Response: 249916906
Conc: 75.45 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#5 Aldrin

R.T.: 4.144 min
Delta R.T.: 0.000 min
Response: 115588720
Conc: 76.74 ng/ml




#6 beta-BHC

R.T.: 4.467 min
Delta R.T.: 0.000 min
Response: 99204181
Conc: 72.65 ng/ml



#6 beta-BHC


R.T.: 3.825 min
Delta R.T.: 0.000 min
Response: 49867091
Conc: 73.79 ng/ml



#7 delta-BHC


R.T.: 4.713 min
Delta R.T.: 0.000 min
Response: 246456499
Conc: 75.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#7 delta-BHC

R.T.: 4.053 min
Delta R.T.: 0.000 min
Response: 120820732
Conc: 76.64 ng/ml




#8 Heptachlor epoxide

R.T.: 5.632 min
Delta R.T.: 0.000 min
Response: 218563100
Conc: 74.02 ng/ml



#8 Heptachlor epoxide


R.T.: 4.650 min
Delta R.T.: 0.000 min
Response: 101959285
Conc: 76.03 ng/ml



#9 Endosulfan I


R.T.: 6.018 min
Delta R.T.: 0.000 min
Response: 190129801
Conc: 74.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#9 Endosulfan I

R.T.: 5.021 min
Delta R.T.: 0.000 min
Response: 95318335
Conc: 76.10 ng/ml




#10 gamma-Chlordane

R.T.: 5.890 min
Delta R.T.: 0.000 min
Response: 208634528
Conc: 74.90 ng/ml



#10 gamma-Chlordane


R.T.: 4.904 min
Delta R.T.: 0.000 min
Response: 104819494
Conc: 76.66 ng/ml



#11 alpha-Chlordane


R.T.: 5.970 min
Delta R.T.: 0.000 min
Response: 204397512
Conc: 74.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#11 alpha-Chlordane

R.T.: 4.968 min
Delta R.T.: 0.000 min
Response: 104638455
Conc: 76.20 ng/ml




#12 4,4'-DDE

R.T.: 6.148 min
Delta R.T.: 0.000 min
Response: 170719515
Conc: 76.24 ng/ml



#12 4,4'-DDE


R.T.: 5.166 min
Delta R.T.: 0.000 min
Response: 97156431
Conc: 77.96 ng/ml



#13 Dieldrin


R.T.: 6.295 min
Delta R.T.: 0.000 min
Response: 194969691
Conc: 75.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#13 Dieldrin

R.T.: 5.288 min
Delta R.T.: 0.000 min
Response: 106319788
Conc: 76.82 ng/ml




#14 Endrin

R.T.: 6.524 min
Delta R.T.: -0.001 min
Response: 160310344
Conc: 75.01 ng/ml



#14 Endrin


R.T.: 5.563 min
Delta R.T.: 0.000 min
Response: 94091318
Conc: 76.16 ng/ml



#15 Endosulfan II


R.T.: 6.745 min
Delta R.T.: 0.000 min
Response: 151738549
Conc: 74.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#15 Endosulfan II

R.T.: 5.861 min
Delta R.T.: 0.000 min
Response: 91604582
Conc: 75.97 ng/ml




#16 4,4'-DDD

R.T.: 6.667 min
Delta R.T.: 0.000 min
Response: 122066081
Conc: 76.34 ng/ml



#16 4,4'-DDD


R.T.: 5.724 min
Delta R.T.: 0.000 min
Response: 80650381
Conc: 77.74 ng/ml



#17 4,4'-DDT


R.T.: 6.983 min
Delta R.T.: 0.000 min
Response: 130591601
Conc: 75.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#17 4,4'-DDT

R.T.: 5.976 min
Delta R.T.: 0.000 min
Response: 90398972
Conc: 77.03 ng/ml




#18 Endrin aldehyde

R.T.: 6.876 min
Delta R.T.: 0.000 min
Response: 118875391
Conc: 72.77 ng/ml



#18 Endrin aldehyde


R.T.: 6.043 min
Delta R.T.: 0.000 min
Response: 74316231
Conc: 74.03 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.111 min
Delta R.T.: 0.000 min
Response: 139797495
Conc: 73.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#19 Endosulfan Sulfate

R.T.: 6.267 min
Delta R.T.: 0.000 min
Response: 89193005
Conc: 75.61 ng/ml




#20 Methoxychlor

R.T.: 7.464 min
Delta R.T.: 0.000 min
Response: 65856714
Conc: 74.01 ng/ml



#20 Methoxychlor


R.T.: 6.560 min
Delta R.T.: 0.000 min
Response: 50181407
Conc: 74.11 ng/ml



#21 Endrin ketone


R.T.: 7.596 min
Delta R.T.: 0.000 min
Response: 142649393
Conc: 74.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#21 Endrin ketone

R.T.: 6.772 min
Delta R.T.: 0.000 min
Response: 108784348
Conc: 75.50 ng/ml




#22 Mirex

R.T.: 8.072 min
Delta R.T.: 0.000 min
Response: 110496906
Conc: 71.41 ng/ml



#22 Mirex


R.T.: 6.953 min
Delta R.T.: 0.000 min
Response: 81876853
Conc: 74.20 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.025 min
Delta R.T.: 0.000 min
Response: 105282188
Conc: 72.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075



#28 Decachlorobiphenyl

R.T.: 7.869 min
Delta R.T.: 0.000 min
Response: 85601840
Conc: 73.57 ng/ml