

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080123\
 Data File : PL084381.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 Jul 2023 15:46
 Operator : AR\AJ
 Sample : PSTDICC025
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC025

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 31 17:01:54 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080123.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 31 17:00:24 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.476	2.687	57385256	27108211	25.539	25.201
2)	SA Decachlor...	9.026	7.869	39365938	31069385	27.019	26.704
Target Compounds							
2)	A alpha-BHC	3.934	3.192	82677044	39636076	24.309	24.056
3)	MA gamma-BHC...	4.268	3.523	79734271	38827321	24.705	24.396
4)	MA Heptachlor	4.860	3.864	86530993	36602591	25.564	24.827
5)	MB Aldrin	5.202	4.144	82442760	36726502	24.889	24.382
6)	B beta-BHC	4.467	3.825	36311234	17497405	26.592	25.892
7)	B delta-BHC	4.714	4.053	79968458	38078405	24.616	24.153
8)	B Heptachlo...	5.633	4.650	76735261	33652054	25.987	25.096
9)	A Endosulfan I	6.019	5.021	66238762	31495655	25.874	25.145
10)	B gamma-Chl...	5.890	4.903	71325281	34070601	25.607	24.919
11)	B alpha-Chl...	5.970	4.968	70695568	34516870	25.765	25.137
12)	B 4,4'-DDE	6.149	5.166	55633279	30397180	24.844	24.390
13)	MA Dieldrin	6.295	5.288	65527672	34080154	25.215	24.624
14)	MA Endrin	6.525	5.563	54566489	30851886	25.533	24.973
15)	B Endosulfa...	6.746	5.861	52941438	30387812	25.871	25.201
16)	A 4,4'-DDD	6.668	5.724	40336605	25401561	25.227	24.486
17)	MA 4,4'-DDT	6.983	5.976	44055789	29132878	25.440	24.825
18)	B Endrin al...	6.877	6.043	42052228	25309153	25.744	25.212
19)	B Endosulfa...	7.113	6.268	49532536	29947506	26.183	25.388
20)	A Methoxychlor	7.465	6.561	23576107	17790945	26.494	26.276
21)	B Endrin ke...	7.596	6.772	49980082	36429058	25.956	25.282
22)	Mirex	8.072	6.954	42327195	29206802	27.356	26.467



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080123\
Data File : PL084381.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 31 Jul 2023 15:46
Operator : AR\AJ
Sample : PSTDICC025
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC025

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 31 17:01:54 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080123.M
Quant Title : GC Extractables
QLast Update : Mon Jul 31 17:00:24 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.476 min
Delta R.T.: 0.000 min
Response: 57385256
Conc: 25.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#1 Tetrachloro-m-xylene

R.T.: 2.687 min
Delta R.T.: 0.000 min
Response: 27108211
Conc: 25.20 ng/ml




#2 alpha-BHC

R.T.: 3.934 min
Delta R.T.: 0.000 min
Response: 82677044
Conc: 24.31 ng/ml



#2 alpha-BHC


R.T.: 3.192 min
Delta R.T.: 0.000 min
Response: 39636076
Conc: 24.06 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.268 min
Delta R.T.: 0.000 min
Response: 79734271
Conc: 24.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#3 gamma-BHC (Lindane)

R.T.: 3.523 min
Delta R.T.: 0.000 min
Response: 38827321
Conc: 24.40 ng/ml




#4 Heptachlor

R.T.: 4.860 min
Delta R.T.: 0.000 min
Response: 86530993
Conc: 25.56 ng/ml



#4 Heptachlor


R.T.: 3.864 min
Delta R.T.: 0.000 min
Response: 36602591
Conc: 24.83 ng/ml



#5 Aldrin


R.T.: 5.202 min
Delta R.T.: 0.000 min
Response: 82442760
Conc: 24.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#5 Aldrin

R.T.: 4.144 min
Delta R.T.: 0.000 min
Response: 36726502
Conc: 24.38 ng/ml




#6 beta-BHC

R.T.: 4.467 min
Delta R.T.: 0.000 min
Response: 36311234
Conc: 26.59 ng/ml



#6 beta-BHC


R.T.: 3.825 min
Delta R.T.: 0.000 min
Response: 17497405
Conc: 25.89 ng/ml



#7 delta-BHC


R.T.: 4.714 min
Delta R.T.: 0.000 min
Response: 79968458
Conc: 24.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#7 delta-BHC

R.T.: 4.053 min
Delta R.T.: 0.000 min
Response: 38078405
Conc: 24.15 ng/ml




#8 Heptachlor epoxide

R.T.: 5.633 min
Delta R.T.: 0.000 min
Response: 76735261
Conc: 25.99 ng/ml



#8 Heptachlor epoxide


R.T.: 4.650 min
Delta R.T.: 0.000 min
Response: 33652054
Conc: 25.10 ng/ml



#9 Endosulfan I


R.T.: 6.019 min
Delta R.T.: 0.000 min
Response: 66238762
Conc: 25.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#9 Endosulfan I

R.T.: 5.021 min
Delta R.T.: 0.000 min
Response: 31495655
Conc: 25.14 ng/ml




#10 gamma-Chlordane

R.T.: 5.890 min
Delta R.T.: 0.000 min
Response: 71325281
Conc: 25.61 ng/ml



#10 gamma-Chlordane


R.T.: 4.903 min
Delta R.T.: 0.000 min
Response: 34070601
Conc: 24.92 ng/ml



#11 alpha-Chlordane


R.T.: 5.970 min
Delta R.T.: 0.000 min
Response: 70695568
Conc: 25.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#11 alpha-Chlordane

R.T.: 4.968 min
Delta R.T.: 0.000 min
Response: 34516870
Conc: 25.14 ng/ml




#12 4,4'-DDE

R.T.: 6.149 min
Delta R.T.: 0.000 min
Response: 55633279
Conc: 24.84 ng/ml



#12 4,4'-DDE


R.T.: 5.166 min
Delta R.T.: 0.000 min
Response: 30397180
Conc: 24.39 ng/ml



#13 Dieldrin


R.T.: 6.295 min
Delta R.T.: 0.000 min
Response: 65527672
Conc: 25.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#13 Dieldrin

R.T.: 5.288 min
Delta R.T.: 0.000 min
Response: 34080154
Conc: 24.62 ng/ml




#14 Endrin

R.T.: 6.525 min
Delta R.T.: 0.000 min
Response: 54566489
Conc: 25.53 ng/ml



#14 Endrin


R.T.: 5.563 min
Delta R.T.: 0.000 min
Response: 30851886
Conc: 24.97 ng/ml



#15 Endosulfan II


R.T.: 6.746 min
Delta R.T.: 0.000 min
Response: 52941438
Conc: 25.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#15 Endosulfan II

R.T.: 5.861 min
Delta R.T.: 0.000 min
Response: 30387812
Conc: 25.20 ng/ml




#16 4,4'-DDD

R.T.: 6.668 min
Delta R.T.: 0.000 min
Response: 40336605
Conc: 25.23 ng/ml



#16 4,4'-DDD


R.T.: 5.724 min
Delta R.T.: 0.000 min
Response: 25401561
Conc: 24.49 ng/ml



#17 4,4'-DDT


R.T.: 6.983 min
Delta R.T.: 0.000 min
Response: 44055789
Conc: 25.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#17 4,4'-DDT

R.T.: 5.976 min
Delta R.T.: 0.001 min
Response: 29132878
Conc: 24.82 ng/ml




#18 Endrin aldehyde

R.T.: 6.877 min
Delta R.T.: 0.000 min
Response: 42052228
Conc: 25.74 ng/ml



#18 Endrin aldehyde


R.T.: 6.043 min
Delta R.T.: 0.001 min
Response: 25309153
Conc: 25.21 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.113 min
Delta R.T.: 0.000 min
Response: 49532536
Conc: 26.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#19 Endosulfan Sulfate

R.T.: 6.268 min
Delta R.T.: 0.000 min
Response: 29947506
Conc: 25.39 ng/ml




#20 Methoxychlor

R.T.: 7.465 min
Delta R.T.: 0.000 min
Response: 23576107
Conc: 26.49 ng/ml



#20 Methoxychlor


R.T.: 6.561 min
Delta R.T.: 0.000 min
Response: 17790945
Conc: 26.28 ng/ml



#21 Endrin ketone


R.T.: 7.596 min
Delta R.T.: 0.000 min
Response: 49980082
Conc: 25.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#21 Endrin ketone

R.T.: 6.772 min
Delta R.T.: 0.000 min
Response: 36429058
Conc: 25.28 ng/ml




#22 Mirex

R.T.: 8.072 min
Delta R.T.: 0.000 min
Response: 42327195
Conc: 27.36 ng/ml



#22 Mirex


R.T.: 6.954 min
Delta R.T.: 0.000 min
Response: 29206802
Conc: 26.47 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.026 min
Delta R.T.: 0.000 min
Response: 39365938
Conc: 27.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025



#28 Decachlorobiphenyl

R.T.: 7.869 min
Delta R.T.: 0.000 min
Response: 31069385
Conc: 26.70 ng/ml