

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080224\
 Data File : PL090740.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Aug 2024 08:34
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 I.BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 03 00:29:21 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071524.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 15 14:16:48 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.548	2.790	40753345	34320904	19.572	20.393
28)	SA Decachlor...	9.062	7.931	29041990	30230160	21.855	20.733
Target Compounds							
2)	A alpha-BHC	0.000	3.278f	0	97581	N.D.	0.040 #
3)	MA gamma-BHC...	0.000	3.641f	0	339753	N.D.	0.147 #
5)	MB Aldrin	0.000	4.264f	0	3885141	N.D.	1.826 #
6)	B beta-BHC	0.000	3.929	0	198312	N.D.	0.192 #
7)	B delta-BHC	0.000	4.149	0	743674	N.D.	0.338 #
8)	B Heptachlo...	0.000	4.751	0	9419	N.D.	0.005 #
10)	B gamma-Chl...	0.000	4.996	0	610749	N.D.	0.301 #
11)	B alpha-Chl...	0.000	5.064	0	1123994	N.D.	0.556 #
12)	B 4,4'-DDE	0.000	5.250	0	768388	N.D.	0.430 #
13)	MA Dieldrin	0.000	5.387	0	86922	N.D.	0.044 #
14)	MA Endrin	0.000	5.674f	0	1894703	N.D.	1.101 #
15)	B Endosulfa...	6.777f	5.950	5474465	134279	2.783	0.079 #
16)	A 4,4'-DDD	0.000	5.796	0	51388	N.D.	0.034 #
17)	MA 4,4'-DDT	0.000	6.056	0	148460	N.D.	0.101 #
18)	B Endrin al...	0.000	6.114f	0	58199	N.D.	0.045 #
19)	B Endosulfa...	0.000	6.352	0	44615	N.D.	0.028 #
22)	Mirex	0.000	7.044	0	35779	N.D.	0.024 #
23)	Chlordane-1	0.000	3.782	0	231596	N.D.	3.740 #
24)	Chlordane-2	0.000	4.345f	0	2653070	N.D.	34.982 #
25)	Chlordane-3	0.000	4.996	0	610749	N.D.	2.955 #
26)	Chlordane-4	0.000	5.064	0	1123994	N.D.	5.744 #
27)	Chlordane-5	0.000	5.752f	0	483402	N.D.	8.020 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080224\
Data File : PL090740.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Aug 2024 08:34
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
I.BLK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 03 00:29:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071524.M
Quant Title : GC Extractables
QLast Update : Mon Jul 15 14:16:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.548 min
Delta R.T.: 0.001 min
Response: 40753345
Conc: 19.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
I.BLK




#1 Tetrachloro-m-xylene

R.T.: 2.790 min
Delta R.T.: 0.000 min
Response: 34320904
Conc: 20.39 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 4.002 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 3.278 min
Delta R.T.: -0.016 min
Response: 97581
Conc: 0.04 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T.: 4.335 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#3 gamma-BHC (Lindane)

R.T.: 3.641 min
Delta R.T.: 0.017 min
Response: 339753
Conc: 0.15 ng/ml




#5 Aldrin

R.T.: 0.000 min
Exp R.T.: 5.266 min
Response: 0
Conc: N.D.



#5 Aldrin


R.T.: 4.264 min
Delta R.T.: 0.019 min
Response: 3885141
Conc: 1.83 ng/ml



#6 beta-BHC


R.T.: 0.000 min
Exp R.T.: 4.531 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#6 beta-BHC

R.T.: 3.929 min
Delta R.T.: 0.007 min
Response: 198312
Conc: 0.19 ng/ml




#7 delta-BHC

R.T.: 0.000 min
Exp R.T.: 4.778 min
Response: 0
Conc: N.D.



#7 delta-BHC


R.T.: 4.149 min
Delta R.T.: -0.003 min
Response: 743674
Conc: 0.34 ng/ml



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T.: 5.691 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#8 Heptachlor epoxide

R.T.: 4.751 min
Delta R.T.: 0.003 min
Response: 9419
Conc: 0.00 ng/ml




#10 gamma-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.947 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 4.996 min
Delta R.T.: -0.002 min
Response: 610749
Conc: 0.30 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T.: 6.026 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#11 alpha-Chlordane

R.T.: 5.064 min
Delta R.T.: 0.002 min
Response: 1123994
Conc: 0.56 ng/ml




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T.: 6.199 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 5.250 min
Delta R.T.: 0.000 min
Response: 768388
Conc: 0.43 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T.: 6.352 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#13 Dieldrin

R.T.: 5.387 min
Delta R.T.: 0.005 min
Response: 86922
Conc: 0.04 ng/ml




#14 Endrin

R.T.: 0.000 min
Exp R.T.: 6.582 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 5.674 min
Delta R.T.: 0.017 min
Response: 1894703
Conc: 1.10 ng/ml



#15 Endosulfan II


R.T.: 6.777 min
Delta R.T.: -0.024 min
Response: 5474465
Conc: 2.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
I.BLK




#15 Endosulfan II

R.T.: 5.950 min
Delta R.T.: -0.002 min
Response: 134279
Conc: 0.08 ng/ml




#16 4,4'-DDD

R.T.: 0.000 min
Exp R.T. : 6.716 min
Response: 0
Conc: N.D.



#16 4,4'-DDD


R.T.: 5.796 min
Delta R.T.: -0.010 min
Response: 51388
Conc: 0.03 ng/ml



#17 4,4'-DDT


R.T.: 0.000 min
Exp R.T.: 7.030 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#17 4,4'-DDT

R.T.: 6.056 min
Delta R.T.: 0.000 min
Response: 148460
Conc: 0.10 ng/ml




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T.: 6.930 min
Response: 0
Conc: N.D.



#18 Endrin aldehyde


R.T.: 6.114 min
Delta R.T.: -0.016 min
Response: 58199
Conc: 0.04 ng/ml



#19 Endosulfan Sulfate


R.T.: 0.000 min
Exp R.T.: 7.164 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#19 Endosulfan Sulfate

R.T.: 6.352 min
Delta R.T.: -0.002 min
Response: 44615
Conc: 0.03 ng/ml




#22 Mirex

R.T.: 0.000 min
Exp R.T.: 8.123 min
Response: 0
Conc: N.D.



#22 Mirex


R.T.: 7.044 min
Delta R.T.: 0.002 min
Response: 35779
Conc: 0.02 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.710 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#23 Chlordane-1

R.T.: 3.782 min
Delta R.T.: -0.009 min
Response: 231596
Conc: 3.74 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 5.240 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 4.345 min
Delta R.T.: -0.023 min
Response: 2653070
Conc: 34.98 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T.: 5.950 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#25 Chlordane-3

R.T.: 4.996 min
Delta R.T.: -0.003 min
Response: 610749
Conc: 2.96 ng/ml




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T.: 6.032 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 5.064 min
Delta R.T.: 0.001 min
Response: 1123994
Conc: 5.74 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.880 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#27 Chlordane-5

R.T.: 5.752 min
Delta R.T.: 0.024 min
Response: 483402
Conc: 8.02 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.062 min
Delta R.T.: 0.000 min
Response: 29041990
Conc: 21.85 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.931 min
Delta R.T.: -0.003 min
Response: 30230160
Conc: 20.73 ng/ml