

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080224\
 Data File : PL090743.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Aug 2024 09:39
 Operator : AR\AJ
 Sample : PB162453BL
 Misc : BL/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB162453BL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 03 00:30:20 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071524.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 15 14:16:48 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.550	2.785	40486073	33703162	19.444	20.026
28)	SA Decachlor...	9.068	7.933	29968654	31923951	22.552	21.894
Target Compounds							
2)	A alpha-BHC	0.000	3.274f	0	70475	N.D.	0.029 #
3)	MA gamma-BHC...	0.000	3.637	0	728944	N.D.	0.316 #
4)	MA Heptachlor	4.952f	3.957	8660495	18384	3.403	0.008 #
5)	MB Aldrin	0.000	4.238	0	331738	N.D.	0.156 #
6)	B beta-BHC	0.000	3.917	0	88713	N.D.	0.086 #
7)	B delta-BHC	0.000	4.148	0	287291	N.D.	0.131 #
8)	B Heptachlo...	0.000	4.742	0	12306	N.D.	0.006 #
9)	A Endosulfan I	0.000	5.105	0	14525	N.D.	0.008 #
10)	B gamma-Chl...	0.000	4.997	0	41968	N.D.	0.021 #
11)	B alpha-Chl...	0.000	5.055	0	74349	N.D.	0.037 #
12)	B 4,4'-DDE	0.000	5.251	0	47018	N.D.	0.026 #
13)	MA Dieldrin	0.000	5.383	0	17744	N.D.	0.009 #
14)	MA Endrin	0.000	5.673f	0	83435	N.D.	0.048 #
15)	B Endosulfa...	0.000	5.956	0	56906	N.D.	0.033 #
17)	MA 4,4'-DDT	0.000	6.072f	0	51931	N.D.	0.035 #
18)	B Endrin al...	0.000	6.130	0	90416	N.D.	0.069 #
19)	B Endosulfa...	0.000	6.347	0	73029	N.D.	0.045 #
20)	A Methoxychlor	0.000	6.618	0	21252	N.D.	0.026 #
21)	B Endrin ke...	0.000	6.887f	0	22156	N.D.	0.012 #
22)	Mirex	0.000	7.050	0	92375	N.D.	0.062 #
23)	Chlordane-1	0.000	3.790	0	46627	N.D.	0.753 #
24)	Chlordane-2	0.000	4.385	0	451490	N.D.	5.953 #
25)	Chlordane-3	0.000	4.997	0	41968	N.D.	0.203 #
26)	Chlordane-4	0.000	5.055	0	74349	N.D.	0.380 #
27)	Chlordane-5	0.000	5.735	0	61576	N.D.	1.022 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080224\
Data File : PL090743.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Aug 2024 09:39
Operator : AR\AJ
Sample : PB162453BL
Misc : BL/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB162453BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 03 00:30:20 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071524.M
Quant Title : GC Extractables
QLast Update : Mon Jul 15 14:16:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.550 min
Delta R.T.: 0.003 min
Response: 40486073
Conc: 19.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB162453BL




#1 Tetrachloro-m-xylene

R.T.: 2.785 min
Delta R.T.: -0.005 min
Response: 33703162
Conc: 20.03 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 4.002 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 3.274 min
Delta R.T.: -0.019 min
Response: 70475
Conc: 0.03 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T.: 4.335 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162453BL




#3 gamma-BHC (Lindane)

R.T.: 3.637 min
Delta R.T.: 0.013 min
Response: 728944
Conc: 0.32 ng/ml




#4 Heptachlor

R.T.: 4.952 min
Delta R.T.: 0.028 min
Response: 8660495
Conc: 3.40 ng/ml



#4 Heptachlor


R.T.: 3.957 min
Delta R.T.: -0.007 min
Response: 18384
Conc: 0.01 ng/ml



#5 Aldrin


R.T.: 0.000 min
Exp R.T.: 5.266 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162453BL




#5 Aldrin

R.T.: 4.238 min
Delta R.T.: -0.007 min
Response: 331738
Conc: 0.16 ng/ml




#6 beta-BHC

R.T.: 0.000 min
Exp R.T.: 4.531 min
Response: 0
Conc: N.D.



#6 beta-BHC


R.T.: 3.917 min
Delta R.T.: -0.005 min
Response: 88713
Conc: 0.09 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T. : 4.778 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162453BL




#7 delta-BHC

R.T.: 4.148 min
Delta R.T.: -0.004 min
Response: 287291
Conc: 0.13 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T. : 5.691 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 4.742 min
Delta R.T.: -0.006 min
Response: 12306
Conc: 0.01 ng/ml



#9 Endosulfan I


R.T.: 0.000 min
Exp R.T.: 6.077 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162453BL




#9 Endosulfan I

R.T.: 5.105 min
Delta R.T.: -0.013 min
Response: 14525
Conc: 0.01 ng/ml




#10 gamma-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.947 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 4.997 min
Delta R.T.: -0.001 min
Response: 41968
Conc: 0.02 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T.: 6.026 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162453BL




#11 alpha-Chlordane

R.T.: 5.055 min
Delta R.T.: -0.006 min
Response: 74349
Conc: 0.04 ng/ml




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T.: 6.199 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 5.251 min
Delta R.T.: 0.000 min
Response: 47018
Conc: 0.03 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T.: 6.352 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162453BL




#13 Dieldrin

R.T.: 5.383 min
Delta R.T.: 0.000 min
Response: 17744
Conc: 0.01 ng/ml




#14 Endrin

R.T.: 0.000 min
Exp R.T.: 6.582 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 5.673 min
Delta R.T.: 0.015 min
Response: 83435
Conc: 0.05 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T.: 6.800 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162453BL




#15 Endosulfan II

R.T.: 5.956 min
Delta R.T.: 0.005 min
Response: 56906
Conc: 0.03 ng/ml




#17 4,4'-DDT

R.T.: 0.000 min
Exp R.T.: 7.030 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 6.072 min
Delta R.T.: 0.016 min
Response: 51931
Conc: 0.04 ng/ml



#18 Endrin aldehyde


R.T.: 0.000 min
Exp R.T.: 6.930 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162453BL




#18 Endrin aldehyde

R.T.: 6.130 min
Delta R.T.: 0.000 min
Response: 90416
Conc: 0.07 ng/ml




#19 Endosulfan Sulfate

R.T.: 0.000 min
Exp R.T.: 7.164 min
Response: 0
Conc: N.D.



#19 Endosulfan Sulfate


R.T.: 6.347 min
Delta R.T.: -0.007 min
Response: 73029
Conc: 0.05 ng/ml



#20 Methoxychlor


R.T.: 0.000 min
Exp R.T.: 7.505 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162453BL




#20 Methoxychlor

R.T.: 6.618 min
Delta R.T.: -0.013 min
Response: 21252
Conc: 0.03 ng/ml




#21 Endrin ketone

R.T.: 0.000 min
Exp R.T.: 7.649 min
Response: 0
Conc: N.D.



#21 Endrin ketone


R.T.: 6.887 min
Delta R.T.: 0.027 min
Response: 22156
Conc: 0.01 ng/ml



#22 Mirex


R.T.: 0.000 min
Exp R.T.: 8.123 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162453BL




#22 Mirex

R.T.: 7.050 min
Delta R.T.: 0.008 min
Response: 92375
Conc: 0.06 ng/ml




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T.: 4.710 min
Response: 0
Conc: N.D.



#23 Chlordane-1


R.T.: 3.790 min
Delta R.T.: -0.001 min
Response: 46627
Conc: 0.75 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 5.240 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162453BL




#24 Chlordane-2

R.T.: 4.385 min
Delta R.T.: 0.017 min
Response: 451490
Conc: 5.95 ng/ml




#25 Chlordane-3

R.T.: 0.000 min
Exp R.T.: 5.950 min
Response: 0
Conc: N.D.



#25 Chlordane-3


R.T.: 4.997 min
Delta R.T.: -0.002 min
Response: 41968
Conc: 0.20 ng/ml



#26 Chlordane-4


R.T.: 0.000 min
Exp R.T.: 6.032 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162453BL




#26 Chlordane-4

R.T.: 5.055 min
Delta R.T.: -0.007 min
Response: 74349
Conc: 0.38 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.880 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.735 min
Delta R.T.: 0.007 min
Response: 61576
Conc: 1.02 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.068 min
Delta R.T.: 0.005 min
Response: 29968654
Conc: 22.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB162453BL



#28 Decachlorobiphenyl

R.T.: 7.933 min
Delta R.T.: -0.002 min
Response: 31923951
Conc: 21.89 ng/ml