

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080224\
 Data File : PL090753.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Aug 2024 15:10
 Operator : AR\AJ
 Sample : PB162459BL
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB162459BL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 03 00:34:28 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071524.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 15 14:16:48 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.547	2.788	44481697	36860408	21.363	21.902
28)	SA Decachlor...	9.060	7.930	32646122	35646906	24.567	24.448
Target Compounds							
2)	A alpha-BHC	0.000	3.280	0	142807	N.D.	0.059 #
3)	MA gamma-BHC...	0.000	3.624	0	66303	N.D.	0.029 #
4)	MA Heptachlor	0.000	3.969	0	32519	N.D.	0.015 #
5)	MB Aldrin	0.000	4.249	0	142723	N.D.	0.067 #
6)	B beta-BHC	0.000	3.920	0	123484	N.D.	0.120 #
7)	B delta-BHC	0.000	4.150	0	107005	N.D.	0.049 #
8)	B Heptachlo...	0.000	4.755	0	80087	N.D.	0.041 #
9)	A Endosulfan I	0.000	5.109	0	29052	N.D.	0.016 #
10)	B gamma-Chl...	0.000	4.992	0	38246	N.D.	0.019 #
11)	B alpha-Chl...	0.000	5.068	0	110167	N.D.	0.055 #
12)	B 4,4'-DDE	0.000	5.258	0	14717	N.D.	0.008 #
13)	MA Dieldrin	0.000	5.383	0	60128	N.D.	0.031 #
15)	B Endosulfa...	0.000	5.947	0	138058	N.D.	0.081 #
16)	A 4,4'-DDD	0.000	5.805	0	28773	N.D.	0.019 #
17)	MA 4,4'-DDT	0.000	6.064	0	110680	N.D.	0.076 #
18)	B Endrin al...	0.000	6.129	0	136879	N.D.	0.105 #
19)	B Endosulfa...	0.000	6.346	0	84277	N.D.	0.052 #
20)	A Methoxychlor	0.000	6.636	0	27117	N.D.	0.034 #
21)	B Endrin ke...	0.000	6.853	0	50884	N.D.	0.028 #
22)	Mirex	0.000	7.059f	0	35939	N.D.	0.024 #
23)	Chlordane-1	0.000	3.796	0	156469	N.D.	2.527 #
24)	Chlordane-2	0.000	4.366	0	248371	N.D.	3.275 #
25)	Chlordane-3	0.000	4.992	0	38246	N.D.	0.185 #
26)	Chlordane-4	0.000	5.068	0	110167	N.D.	0.563 #
27)	Chlordane-5	0.000	5.704f	0	20321	N.D.	0.337 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080224\
Data File : PL090753.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Aug 2024 15:10
Operator : AR\AJ
Sample : PB162459BL
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB162459BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 03 00:34:28 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071524.M
Quant Title : GC Extractables
QLast Update : Mon Jul 15 14:16:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.547 min
Delta R.T.: 0.000 min
Response: 44481697
Conc: 21.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB162459BL




#1 Tetrachloro-m-xylene

R.T.: 2.788 min
Delta R.T.: -0.002 min
Response: 36860408
Conc: 21.90 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 4.002 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 3.280 min
Delta R.T.: -0.013 min
Response: 142807
Conc: 0.06 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T.: 4.335 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162459BL




#3 gamma-BHC (Lindane)

R.T.: 3.624 min
Delta R.T.: 0.000 min
Response: 66303
Conc: 0.03 ng/ml




#4 Heptachlor

R.T.: 0.000 min
Exp R.T.: 4.924 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 3.969 min
Delta R.T.: 0.005 min
Response: 32519
Conc: 0.01 ng/ml



#5 Aldrin


R.T.: 0.000 min
Exp R.T.: 5.266 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162459BL




#5 Aldrin

R.T.: 4.249 min
Delta R.T.: 0.004 min
Response: 142723
Conc: 0.07 ng/ml




#6 beta-BHC

R.T.: 0.000 min
Exp R.T.: 4.531 min
Response: 0
Conc: N.D.



#6 beta-BHC


R.T.: 3.920 min
Delta R.T.: -0.002 min
Response: 123484
Conc: 0.12 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T.: 4.778 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162459BL




#7 delta-BHC

R.T.: 4.150 min
Delta R.T.: -0.002 min
Response: 107005
Conc: 0.05 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T.: 5.691 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 4.755 min
Delta R.T.: 0.007 min
Response: 80087
Conc: 0.04 ng/ml



#9 Endosulfan I


R.T.: 0.000 min
Exp R.T.: 6.077 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162459BL




#9 Endosulfan I

R.T.: 5.109 min
Delta R.T.: -0.009 min
Response: 29052
Conc: 0.02 ng/ml




#10 gamma-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.947 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 4.992 min
Delta R.T.: -0.006 min
Response: 38246
Conc: 0.02 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T.: 6.026 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162459BL




#11 alpha-Chlordane

R.T.: 5.068 min
Delta R.T.: 0.007 min
Response: 110167
Conc: 0.05 ng/ml




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T.: 6.199 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 5.258 min
Delta R.T.: 0.007 min
Response: 14717
Conc: 0.01 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T.: 6.352 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162459BL




#13 Dieldrin

R.T.: 5.383 min
Delta R.T.: 0.001 min
Response: 60128
Conc: 0.03 ng/ml




#15 Endosulfan II

R.T.: 0.000 min
Exp R.T.: 6.800 min
Response: 0
Conc: N.D.



#15 Endosulfan II


R.T.: 5.947 min
Delta R.T.: -0.005 min
Response: 138058
Conc: 0.08 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T.: 6.716 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162459BL




#16 4,4'-DDD

R.T.: 5.805 min
Delta R.T.: 0.000 min
Response: 28773
Conc: 0.02 ng/ml




#17 4,4'-DDT

R.T.: 0.000 min
Exp R.T.: 7.030 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 6.064 min
Delta R.T.: 0.009 min
Response: 110680
Conc: 0.08 ng/ml



#18 Endrin aldehyde


R.T.: 0.000 min
Exp R.T.: 6.930 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162459BL




#18 Endrin aldehyde

R.T.: 6.129 min
Delta R.T.: -0.002 min
Response: 136879
Conc: 0.10 ng/ml




#19 Endosulfan Sulfate

R.T.: 0.000 min
Exp R.T.: 7.164 min
Response: 0
Conc: N.D.



#19 Endosulfan Sulfate


R.T.: 6.346 min
Delta R.T.: -0.008 min
Response: 84277
Conc: 0.05 ng/ml



#20 Methoxychlor


R.T.: 0.000 min
Exp R.T.: 7.505 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162459BL




#20 Methoxychlor

R.T.: 6.636 min
Delta R.T.: 0.005 min
Response: 27117
Conc: 0.03 ng/ml




#21 Endrin ketone

R.T.: 0.000 min
Exp R.T.: 7.649 min
Response: 0
Conc: N.D.



#21 Endrin ketone


R.T.: 6.853 min
Delta R.T.: -0.007 min
Response: 50884
Conc: 0.03 ng/ml



#22 Mirex


R.T.: 0.000 min
Exp R.T.: 8.123 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162459BL




#22 Mirex

R.T.: 7.059 min
Delta R.T.: 0.017 min
Response: 35939
Conc: 0.02 ng/ml




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T.: 4.710 min
Response: 0
Conc: N.D.



#23 Chlordane-1


R.T.: 3.796 min
Delta R.T.: 0.005 min
Response: 156469
Conc: 2.53 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 5.240 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162459BL




#24 Chlordane-2

R.T.: 4.366 min
Delta R.T.: -0.003 min
Response: 248371
Conc: 3.27 ng/ml




#25 Chlordane-3

R.T.: 0.000 min
Exp R.T.: 5.950 min
Response: 0
Conc: N.D.



#25 Chlordane-3


R.T.: 4.992 min
Delta R.T.: -0.007 min
Response: 38246
Conc: 0.19 ng/ml



#26 Chlordane-4


R.T.: 0.000 min
Exp R.T.: 6.032 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162459BL




#26 Chlordane-4

R.T.: 5.068 min
Delta R.T.: 0.006 min
Response: 110167
Conc: 0.56 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.880 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.704 min
Delta R.T.: -0.024 min
Response: 20321
Conc: 0.34 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.060 min
Delta R.T.: -0.003 min
Response: 32646122
Conc: 24.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB162459BL



#28 Decachlorobiphenyl

R.T.: 7.930 min
Delta R.T.: -0.004 min
Response: 35646906
Conc: 24.45 ng/ml