

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080323\
 Data File : PL084508.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 04 Aug 2023 03:55
 Operator : AR\AJ
 Sample : 03887-07
 Misc :
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 MCLEAN-TP2

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 04 05:21:19 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080323.M
 Quant Title : GC Extractables
 QLast Update : Thu Aug 03 16:21:43 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.476	2.686	23610904	11060208	10.162	10.171
28)	SA Decachlor...	9.025	7.868	21388594	15967012	13.145	12.806
Target Compounds							
5)	MB Aldrin	0.000	4.126f	0	3140	N.D.	0.002 #
7)	B delta-BHC	0.000	4.052	0	43238	N.D.	0.028 #
8)	B Heptachlo...	0.000	4.644	0	27284	N.D.	0.021 #
9)	A Endosulfan I	0.000	5.041f	0	47556	N.D.	0.038 #
10)	B gamma-Chl...	0.000	4.883f	0	69870	N.D.	0.052 #
11)	B alpha-Chl...	5.975	0.000	255465	0	0.090	N.D. #
12)	B 4,4'-DDE	0.000	5.163	0	81457	N.D.	0.066 #
13)	MA Dieldrin	0.000	5.294	0	195873	N.D.	0.144 #
14)	MA Endrin	0.000	5.582f	0	159728	N.D.	0.131 #
15)	B Endosulfa...	0.000	5.859	0	71877	N.D.	0.060 #
16)	A 4,4'-DDD	6.679	0.000	409765	0	0.244	N.D. #
17)	MA 4,4'-DDT	6.955f	5.968	1128565	591540	0.602	0.510
18)	B Endrin al...	0.000	6.017f	0	210341	N.D.	0.212 #
19)	B Endosulfa...	0.000	6.270	0	179814	N.D.	0.151 #
21)	B Endrin ke...	7.580f	0.000	432338	0	0.216	N.D. #
23)	Chlordane-1	0.000	3.677	0	6776	N.D.	0.177 #
25)	Chlordane-3	0.000	4.883f	0	69870	N.D.	0.504 #
26)	Chlordane-4	5.975	0.000	255465	0	0.527	N.D. #
27)	Chlordane-5	0.000	5.859	0	71877	N.D.	1.411 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080323\
Data File : PL084508.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 04 Aug 2023 03:55
Operator : AR\AJ
Sample : 03887-07
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
MCLEAN-TP2

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 04 05:21:19 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080323.M
Quant Title : GC Extractables
QLast Update : Thu Aug 03 16:21:43 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.476 min
Delta R.T.: 0.000 min
Response: 23610904
Conc: 10.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
MCLEAN-TP2




#1 Tetrachloro-m-xylene

R.T.: 2.686 min
Delta R.T.: 0.000 min
Response: 11060208
Conc: 10.17 ng/ml




#5 Aldrin

R.T.: 0.000 min
Exp R.T. : 5.203 min
Response: 0
Conc: N.D.



#5 Aldrin


R.T.: 4.126 min
Delta R.T.: -0.017 min
Response: 3140
Conc: 0.00 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T.: 4.714 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
MCLEAN-TP2




#7 delta-BHC

R.T.: 4.052 min
Delta R.T.: -0.001 min
Response: 43238
Conc: 0.03 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T.: 5.632 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 4.644 min
Delta R.T.: -0.007 min
Response: 27284
Conc: 0.02 ng/ml



#9 Endosulfan I


R.T.: 0.000 min
Exp R.T.: 6.018 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
MCLEAN-TP2




#9 Endosulfan I

R.T.: 5.041 min
Delta R.T.: 0.022 min
Response: 47556
Conc: 0.04 ng/ml




#10 gamma-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.889 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 4.883 min
Delta R.T.: -0.019 min
Response: 69870
Conc: 0.05 ng/ml



#11 alpha-Chlordane


R.T.: 5.975 min
Delta R.T.: 0.005 min
Response: 255465
Conc: 0.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
MCLEAN-TP2




#11 alpha-Chlordane

R.T.: 0.000 min
Exp R.T. : 4.967 min
Response: 0
Conc: N.D.




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T. : 6.148 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 5.163 min
Delta R.T.: -0.002 min
Response: 81457
Conc: 0.07 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T.: 6.295 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
MCLEAN-TP2




#13 Dieldrin

R.T.: 5.294 min
Delta R.T.: 0.007 min
Response: 195873
Conc: 0.14 ng/ml




#14 Endrin

R.T.: 0.000 min
Exp R.T.: 6.525 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 5.582 min
Delta R.T.: 0.020 min
Response: 159728
Conc: 0.13 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T.: 6.745 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
MCLEAN-TP2




#15 Endosulfan II

R.T.: 5.859 min
Delta R.T.: 0.000 min
Response: 71877
Conc: 0.06 ng/ml




#16 4,4'-DDD

R.T.: 6.679 min
Delta R.T.: 0.012 min
Response: 409765
Conc: 0.24 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T.: 5.723 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 6.955 min
Delta R.T.: -0.028 min
Response: 1128565
Conc: 0.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
MCLEAN-TP2




#17 4,4'-DDT

R.T.: 5.968 min
Delta R.T.: -0.006 min
Response: 591540
Conc: 0.51 ng/ml




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T. : 6.876 min
Response: 0
Conc: N.D.



#18 Endrin aldehyde


R.T.: 6.017 min
Delta R.T.: -0.024 min
Response: 210341
Conc: 0.21 ng/ml



#19 Endosulfan Sulfate


R.T.: 0.000 min
Exp R.T.: 7.112 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
MCLEAN-TP2




#19 Endosulfan Sulfate

R.T.: 6.270 min
Delta R.T.: 0.004 min
Response: 179814
Conc: 0.15 ng/ml




#21 Endrin ketone

R.T.: 7.580 min
Delta R.T.: -0.015 min
Response: 432338
Conc: 0.22 ng/ml



#21 Endrin ketone


R.T.: 0.000 min
Exp R.T.: 6.771 min
Response: 0
Conc: N.D.



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.644 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
MCLEAN-TP2




#23 Chlordane-1

R.T.: 3.677 min
Delta R.T.: -0.011 min
Response: 6776
Conc: 0.18 ng/ml




#25 Chlordane-3

R.T.: 0.000 min
Exp R.T.: 5.890 min
Response: 0
Conc: N.D.



#25 Chlordane-3


R.T.: 4.883 min
Delta R.T.: -0.019 min
Response: 69870
Conc: 0.50 ng/ml



#26 Chlordane-4


R.T.: 5.975 min
Delta R.T.: 0.001 min
Response: 255465
Conc: 0.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
MCLEAN-TP2




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T. : 4.965 min
Response: 0
Conc: N.D.




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.824 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.859 min
Delta R.T.: -0.005 min
Response: 71877
Conc: 1.41 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.025 min
Delta R.T.: 0.000 min
Response: 21388594
Conc: 13.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
MCLEAN-TP2



#28 Decachlorobiphenyl

R.T.: 7.868 min
Delta R.T.: 0.000 min
Response: 15967012
Conc: 12.81 ng/ml