

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080519\
 Data File : PL051044.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 05 Aug 2019 19:21
 Operator : SM\AJ
 Sample : AR1660CCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 06 00:54:10 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 19 01:19:13 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.318	3.929	548.7E6	145.4E6	54.608	50.943
28)	SA Decachlor...	7.978	8.957	528.0E6	139.6E6	52.150	49.349
Target Compounds							
2)	A alpha-BHC	3.745	4.317	920.9E6	216.0E6	54.953	52.340
3)	MA gamma-BHC...	4.021	4.600	856.4E6	203.5E6	55.679	52.551
4)	MA Heptachlor	4.304	5.101	900.5E6	213.7E6	54.885	51.529
5)	MB Aldrin	4.542	5.403	859.6E6	198.0E6	55.488	52.537
6)	B beta-BHC	4.275	4.776	356.0E6	93681234	54.303	54.187
7)	B delta-BHC	4.468	4.990	901.3E6	203.7E6	54.930	52.670
8)	B Heptachlo...	4.978	5.790	795.5E6	189.7E6	53.849	49.610
9)	A Endosulfan I	5.309	6.145	751.6E6	174.4E6	51.677	50.720
10)	B gamma-Chl...	5.201	6.024	835.9E6	190.5E6	52.962	51.545
11)	B alpha-Chl...	5.256	6.095	807.7E6	187.6E6	52.944	51.195
12)	B 4,4'-DDE	5.424	6.255	730.7E6	186.7E6	48.761	51.816
13)	MA Dieldrin	5.547	6.401	829.4E6	184.0E6	53.524	51.952
14)	MA Endrin	5.800	6.618	763.2E6	159.1E6	51.847	51.313
15)	B Endosulfa...	6.075	6.830	711.5E6	162.1E6	50.841	51.003
16)	A 4,4'-DDD	5.934	6.746	653.0E6	140.7E6	54.488	52.852
17)	MA 4,4'-DDT	6.168	7.043	630.6E6	140.5E6	50.916	52.052
18)	B Endrin al...	6.241	6.954	568.6E6	126.4E6	49.291	46.515
19)	B Endosulfa...	6.453	7.177	625.7E6	149.3E6	49.114	51.682
20)	A Methoxychlor	6.713	7.503	310.6E6	75628780	49.778	51.544
21)	B Endrin ke...	6.934	7.645	691.5E6	153.3E6	50.555	53.005
22)	Mirex	7.107	8.093	471.4E6	116.8E6	48.076	50.852
24)	Chlordane-2	0.000	5.403f	0	198.0E6	N.D.	1685.604 #
25)	Chlordane-3	5.201	6.024	835.9E6	190.5E6	597.174	396.014 #
26)	Chlordane-4	5.256	6.095	807.7E6	187.6E6	612.374	323.000 #
27)	Chlordane-5	6.075	0.000	711.5E6	0	1400.807	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080519\
 Data File : PL051044.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 05 Aug 2019 19:21
 Operator : SM\AJ
 Sample : AR1660CCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 06 00:54:10 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 19 01:19:13 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.318 min
Delta R.T.: 0.000 min
Response: 548689481
Conc: 54.61 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.929 min
Delta R.T.: -0.002 min
Response: 145350201
Conc: 50.94 ng/ml




#2 alpha-BHC

R.T.: 3.745 min
Delta R.T.: 0.000 min
Response: 920877890
Conc: 54.95 ng/ml



#2 alpha-BHC


R.T.: 4.317 min
Delta R.T.: -0.002 min
Response: 215955855
Conc: 52.34 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.021 min
Delta R.T.: 0.000 min
Response: 856436101
Conc: 55.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.600 min
Delta R.T.: -0.002 min
Response: 203540013
Conc: 52.55 ng/ml




#4 Heptachlor

R.T.: 4.304 min
Delta R.T.: 0.000 min
Response: 900538200
Conc: 54.88 ng/ml



#4 Heptachlor


R.T.: 5.101 min
Delta R.T.: -0.003 min
Response: 213672754
Conc: 51.53 ng/ml



#5 Aldrin


R.T.: 4.542 min
Delta R.T.: -0.001 min
Response: 859592885
Conc: 55.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.403 min
Delta R.T.: -0.002 min
Response: 197978295
Conc: 52.54 ng/ml




#6 beta-BHC

R.T.: 4.275 min
Delta R.T.: 0.000 min
Response: 355999115
Conc: 54.30 ng/ml



#6 beta-BHC


R.T.: 4.776 min
Delta R.T.: -0.002 min
Response: 93681234
Conc: 54.19 ng/ml



#7 delta-BHC


R.T.: 4.468 min
Delta R.T.: 0.000 min
Response: 901323286
Conc: 54.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.990 min
Delta R.T.: -0.002 min
Response: 203707755
Conc: 52.67 ng/ml




#8 Heptachlor epoxide

R.T.: 4.978 min
Delta R.T.: -0.001 min
Response: 795542419
Conc: 53.85 ng/ml



#8 Heptachlor epoxide


R.T.: 5.790 min
Delta R.T.: -0.003 min
Response: 189749120
Conc: 49.61 ng/ml



#9 Endosulfan I


R.T.: 5.309 min
Delta R.T.: -0.001 min
Response: 751583990
Conc: 51.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.145 min
Delta R.T.: -0.003 min
Response: 174420790
Conc: 50.72 ng/ml




#10 gamma-Chlordane

R.T.: 5.201 min
Delta R.T.: 0.000 min
Response: 835916511
Conc: 52.96 ng/ml



#10 gamma-Chlordane


R.T.: 6.024 min
Delta R.T.: -0.002 min
Response: 190475090
Conc: 51.55 ng/ml



#11 alpha-Chlordane


R.T.: 5.256 min
Delta R.T.: -0.001 min
Response: 807708659
Conc: 52.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.095 min
Delta R.T.: -0.003 min
Response: 187636360
Conc: 51.19 ng/ml




#12 4,4'-DDE

R.T.: 5.424 min
Delta R.T.: 0.000 min
Response: 730723478
Conc: 48.76 ng/ml



#12 4,4'-DDE


R.T.: 6.255 min
Delta R.T.: -0.003 min
Response: 186714313
Conc: 51.82 ng/ml



#13 Dieldrin


R.T.: 5.547 min
Delta R.T.: -0.001 min
Response: 829442922
Conc: 53.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.401 min
Delta R.T.: -0.003 min
Response: 183967624
Conc: 51.95 ng/ml




#14 Endrin

R.T.: 5.800 min
Delta R.T.: -0.002 min
Response: 763211793
Conc: 51.85 ng/ml



#14 Endrin


R.T.: 6.618 min
Delta R.T.: -0.003 min
Response: 159145048
Conc: 51.31 ng/ml



#15 Endosulfan II


R.T.: 6.075 min
Delta R.T.: -0.001 min
Response: 711521886
Conc: 50.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.830 min
Delta R.T.: -0.003 min
Response: 162147630
Conc: 51.00 ng/ml




#16 4,4'-DDD

R.T.: 5.934 min
Delta R.T.: -0.001 min
Response: 652972920
Conc: 54.49 ng/ml



#16 4,4'-DDD


R.T.: 6.746 min
Delta R.T.: -0.003 min
Response: 140738447
Conc: 52.85 ng/ml



#17 4,4'-DDT


R.T.: 6.168 min
Delta R.T.: -0.002 min
Response: 630632986
Conc: 50.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.043 min
Delta R.T.: -0.003 min
Response: 140520422
Conc: 52.05 ng/ml




#18 Endrin aldehyde

R.T.: 6.241 min
Delta R.T.: -0.001 min
Response: 568637487
Conc: 49.29 ng/ml



#18 Endrin aldehyde


R.T.: 6.954 min
Delta R.T.: -0.003 min
Response: 126408630
Conc: 46.51 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.453 min
Delta R.T.: -0.001 min
Response: 625686560
Conc: 49.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.177 min
Delta R.T.: -0.003 min
Response: 149271533
Conc: 51.68 ng/ml




#20 Methoxychlor

R.T.: 6.713 min
Delta R.T.: -0.001 min
Response: 310564081
Conc: 49.78 ng/ml



#20 Methoxychlor


R.T.: 7.503 min
Delta R.T.: -0.004 min
Response: 75628780
Conc: 51.54 ng/ml



#21 Endrin ketone


R.T.: 6.934 min
Delta R.T.: -0.001 min
Response: 691461891
Conc: 50.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.645 min
Delta R.T.: -0.003 min
Response: 153253146
Conc: 53.01 ng/ml




#22 Mirex

R.T.: 7.107 min
Delta R.T.: -0.001 min
Response: 471351093
Conc: 48.08 ng/ml



#22 Mirex


R.T.: 8.093 min
Delta R.T.: -0.004 min
Response: 116806430
Conc: 50.85 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.647 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.403 min
Delta R.T.: 0.020 min
Response: 197978295
Conc: 1685.60 ng/ml




#25 Chlordane-3

R.T.: 5.201 min
Delta R.T.: -0.002 min
Response: 835916511
Conc: 597.17 ng/ml



#25 Chlordane-3


R.T.: 6.024 min
Delta R.T.: -0.003 min
Response: 190475090
Conc: 396.01 ng/ml



#26 Chlordane-4


R.T.: 5.256 min
Delta R.T.: 0.000 min
Response: 807708659
Conc: 612.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.095 min
Delta R.T.: -0.005 min
Response: 187636360
Conc: 323.00 ng/ml




#27 Chlordane-5

R.T.: 6.075 min
Delta R.T.: -0.004 min
Response: 711521886
Conc: 1400.81 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.902 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 7.978 min
Delta R.T.: -0.002 min
Response: 528036513
Conc: 52.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.957 min
Delta R.T.: -0.004 min
Response: 139553855
Conc: 49.35 ng/ml