

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080519\
 Data File : PL051066.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Aug 2019 00:53
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Manual Integrations
 APPROVED

Ankita
 8/6/2019 3:14:43 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 06 03:54:10 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 19 01:19:13 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.318	3.928	542.9E6	146.7E6	54.036	51.423
28)	SA Decachlor...	7.977	8.956	561.2E6	146.7E6	55.423	51.871
Target Compounds							
2)	A alpha-BHC	3.745	4.317	918.1E6	219.9E6	54.784	53.291
3)	MA gamma-BHC...	4.021	4.600	860.2E6	207.7E6	55.927	53.628
4)	MA Heptachlor	4.304	5.101	907.5E6	219.0E6	55.311	52.813
5)	MB Aldrin	4.542	5.403	872.6E6	204.6E6	56.328	54.299
6)	B beta-BHC	4.275	4.776	356.9E6	95620920	54.446	55.309
7)	B delta-BHC	4.468	4.990	908.6E6	209.3E6	55.374	54.127
8)	B Heptachlo...	4.978	5.790	813.0E6	197.3E6	55.028	51.574
9)	A Endosulfan I	5.308	6.145	772.6E6	185.1E6	53.120	53.838
10)	B gamma-Chl...	5.200	6.023	858.8E6	201.1E6	54.410	54.416
11)	B alpha-Chl...	5.257	6.095	828.6E6	198.8E6	54.314	54.236
12)	B 4,4'-DDE	5.424	6.255	760.5E6	197.1E6	50.745	54.706
13)	MA Dieldrin	5.547	6.401	849.5E6	195.2E6	54.819	55.116
14)	MA Endrin	5.799	6.618	776.8E6	167.7E6	52.769	54.056
15)	B Endosulfa...	6.074	6.830	746.5E6	172.0E6	53.339	54.097
16)	A 4,4'-DDD	5.934	6.746	672.9E6	149.2E6	56.153	56.021
17)	MA 4,4'-DDT	6.168	7.042	654.6E6	147.0E6	52.851	54.452
18)	B Endrin al...	6.241	6.952	607.0E6	145.3E6	52.620	53.478m
19)	B Endosulfa...	6.452	7.177	677.9E6	158.3E6	53.215	54.804
20)	A Methoxychlor	6.713	7.503	323.0E6	80007984	51.779	54.529
21)	B Endrin ke...	6.934	7.645	746.4E6	164.5E6	54.572	56.912
22)	Mirex	7.107	8.093	513.0E6	123.8E6	52.326	53.911

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080519\
Data File : PL051066.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Aug 2019 00:53
Operator : SM\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/6/2019 3:14:43 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 06 03:54:10 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
Quant Title : GC Extractables
QLast Update : Fri Jul 19 01:19:13 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.318 min
Delta R.T.: 0.000 min
Response: 542945151
Conc: 54.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/6/2019 3:14:43 PM




#1 Tetrachloro-m-xylene

R.T.: 3.928 min
Delta R.T.: -0.002 min
Response: 146720518
Conc: 51.42 ng/ml




#2 alpha-BHC

R.T.: 3.745 min
Delta R.T.: 0.000 min
Response: 918051485
Conc: 54.78 ng/ml



#2 alpha-BHC

R.T.: 4.317 min
Delta R.T.: -0.002 min
Response: 219879861
Conc: 53.29 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.021 min
Delta R.T.: 0.000 min
Response: 860244516
Conc: 55.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/6/2019 3:14:43 PM




#3 gamma-BHC (Lindane)

R.T.: 4.600 min
Delta R.T.: -0.002 min
Response: 207710549
Conc: 53.63 ng/ml




#4 Heptachlor

R.T.: 4.304 min
Delta R.T.: 0.000 min
Response: 907531003
Conc: 55.31 ng/ml



#4 Heptachlor

R.T.: 5.101 min
Delta R.T.: -0.003 min
Response: 218998197
Conc: 52.81 ng/ml




#5 Aldrin

R.T.: 4.542 min
Delta R.T.: 0.000 min
Response: 872613320
Conc: 56.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/6/2019 3:14:43 PM




#5 Aldrin

R.T.: 5.403 min
Delta R.T.: -0.002 min
Response: 204617809
Conc: 54.30 ng/ml




#6 beta-BHC

R.T.: 4.275 min
Delta R.T.: 0.000 min
Response: 356938711
Conc: 54.45 ng/ml



#6 beta-BHC

R.T.: 4.776 min
Delta R.T.: -0.002 min
Response: 95620920
Conc: 55.31 ng/ml




#7 delta-BHC

R.T.: 4.468 min
Delta R.T.: 0.000 min
Response: 908620781
Conc: 55.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/6/2019 3:14:43 PM




#7 delta-BHC

R.T.: 4.990 min
Delta R.T.: -0.002 min
Response: 209342129
Conc: 54.13 ng/ml




#8 Heptachlor epoxide

R.T.: 4.978 min
Delta R.T.: -0.001 min
Response: 812961847
Conc: 55.03 ng/ml



#8 Heptachlor epoxide

R.T.: 5.790 min
Delta R.T.: -0.003 min
Response: 197261502
Conc: 51.57 ng/ml




#9 Endosulfan I

R.T.: 5.308 min
Delta R.T.: -0.002 min
Response: 772563275
Conc: 53.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/6/2019 3:14:43 PM




#9 Endosulfan I

R.T.: 6.145 min
Delta R.T.: -0.003 min
Response: 185142001
Conc: 53.84 ng/ml




#10 gamma-Chlordane

R.T.: 5.200 min
Delta R.T.: -0.001 min
Response: 858766846
Conc: 54.41 ng/ml



#10 gamma-Chlordane

R.T.: 6.023 min
Delta R.T.: -0.003 min
Response: 201081954
Conc: 54.42 ng/ml




#11 alpha-Chlordane

R.T.: 5.257 min
Delta R.T.: 0.000 min
Response: 828618127
Conc: 54.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/6/2019 3:14:43 PM




#11 alpha-Chlordane

R.T.: 6.095 min
Delta R.T.: -0.003 min
Response: 198784070
Conc: 54.24 ng/ml




#12 4,4'-DDE

R.T.: 5.424 min
Delta R.T.: -0.001 min
Response: 760465880
Conc: 50.75 ng/ml



#12 4,4'-DDE

R.T.: 6.255 min
Delta R.T.: -0.003 min
Response: 197127765
Conc: 54.71 ng/ml




#13 Dieldrin

R.T.: 5.547 min
Delta R.T.: -0.001 min
Response: 849523148
Conc: 54.82 ng/ml

Instrument :
ECD_L
ClientSampled :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/6/2019 3:14:43 PM




#13 Dieldrin

R.T.: 6.401 min
Delta R.T.: -0.003 min
Response: 195174173
Conc: 55.12 ng/ml




#14 Endrin

R.T.: 5.799 min
Delta R.T.: -0.002 min
Response: 776789934
Conc: 52.77 ng/ml



#14 Endrin

R.T.: 6.618 min
Delta R.T.: -0.004 min
Response: 167650504
Conc: 54.06 ng/ml




#15 Endosulfan II

R.T.: 6.074 min
Delta R.T.: -0.002 min
Response: 746472629
Conc: 53.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/6/2019 3:14:43 PM




#15 Endosulfan II

R.T.: 6.830 min
Delta R.T.: -0.003 min
Response: 171983869
Conc: 54.10 ng/ml




#16 4,4'-DDD

R.T.: 5.934 min
Delta R.T.: -0.001 min
Response: 672930365
Conc: 56.15 ng/ml



#16 4,4'-DDD

R.T.: 6.746 min
Delta R.T.: -0.003 min
Response: 149177520
Conc: 56.02 ng/ml




#17 4,4'-DDT

R.T.: 6.168 min
Delta R.T.: -0.002 min
Response: 654593648
Conc: 52.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/6/2019 3:14:43 PM




#17 4,4'-DDT

R.T.: 7.042 min
Delta R.T.: -0.003 min
Response: 146997584
Conc: 54.45 ng/ml




#18 Endrin aldehyde

R.T.: 6.241 min
Delta R.T.: -0.002 min
Response: 607049810
Conc: 52.62 ng/ml



#18 Endrin aldehyde

R.T.: 6.952 min
Delta R.T.: -0.005 min
Response: 145333654
Conc: 53.48 ng/ml m




#19 Endosulfan Sulfate

R.T.: 6.452 min
Delta R.T.: -0.002 min
Response: 677930924
Conc: 53.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/6/2019 3:14:43 PM




#19 Endosulfan Sulfate

R.T.: 7.177 min
Delta R.T.: -0.003 min
Response: 158286792
Conc: 54.80 ng/ml




#20 Methoxychlor

R.T.: 6.713 min
Delta R.T.: -0.002 min
Response: 323048550
Conc: 51.78 ng/ml



#20 Methoxychlor

R.T.: 7.503 min
Delta R.T.: -0.004 min
Response: 80007984
Conc: 54.53 ng/ml




#21 Endrin ketone

R.T.: 6.934 min
Delta R.T.: -0.002 min
Response: 746399372
Conc: 54.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/6/2019 3:14:43 PM




#21 Endrin ketone

R.T.: 7.645 min
Delta R.T.: -0.003 min
Response: 164547796
Conc: 56.91 ng/ml




#22 Mirex

R.T.: 7.107 min
Delta R.T.: -0.002 min
Response: 513016075
Conc: 52.33 ng/ml



#22 Mirex

R.T.: 8.093 min
Delta R.T.: -0.005 min
Response: 123832771
Conc: 53.91 ng/ml




#28 Decachlorobiphenyl

R.T.: 7.977 min
Delta R.T.: -0.003 min
Response: 561173176
Conc: 55.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Manual Integrations
APPROVED

Ankita
8/6/2019 3:14:43 PM



#28 Decachlorobiphenyl

R.T.: 8.956 min
Delta R.T.: -0.006 min
Response: 146687897
Conc: 51.87 ng/ml