

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080524\
 Data File : PL090774.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 05 Aug 2024 15:35
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 05 18:05:44 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080524.M
 Quant Title : GC Extractables
 QLast Update : Mon Aug 05 18:05:29 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.545	2.787	92872297	84210091	50.000	50.000
28)	SA Decachlor...	9.060	7.931	67891647	79370401	50.000	50.000
Target Compounds							
2)	A alpha-BHC	4.001	3.291	131.3E6	122.2E6	50.000	50.000
3)	MA gamma-BHC...	4.333	3.621	124.9E6	115.8E6	50.000	50.000
4)	MA Heptachlor	4.922	3.961	115.6E6	113.6E6	50.000	50.000
5)	MB Aldrin	5.264	4.242	111.7E6	109.1E6	50.000	50.000
6)	B beta-BHC	4.529	3.919	58382894	50776689	50.000	50.000
7)	B delta-BHC	4.776	4.149	117.6E6	111.1E6	50.000	50.000
8)	B Heptachlo...	5.690	4.744	104.3E6	99234858	50.000	50.000
9)	A Endosulfan I	6.075	5.114	97752719	93718480	50.000	50.000
10)	B gamma-Chl...	5.945	4.995	104.6E6	104.1E6	50.000	50.000
11)	B alpha-Chl...	6.024	5.059	104.0E6	103.8E6	50.000	50.000
12)	B 4,4'-DDE	6.197	5.248	93251852	92699001	50.000	50.000
13)	MA Dieldrin	6.350	5.379	102.6E6	101.1E6	50.000	50.000
14)	MA Endrin	6.580	5.654	85404577	89309317	50.000	50.000
15)	B Endosulfa...	6.799	5.949	91831229	88020730	50.000	50.000
16)	A 4,4'-DDD	6.714	5.802	77604758	76317541	50.000	50.000
17)	MA 4,4'-DDT	7.028	6.053	83571299	81595527	50.000	50.000
18)	B Endrin al...	6.929	6.128	70185449	68031756	50.000	50.000
19)	B Endosulfa...	7.163	6.351	83414211	84289441	50.000	50.000
20)	A Methoxychlor	7.504	6.628	45306482	44698748	50.000	50.000
21)	B Endrin ke...	7.648	6.857	92706265	96966802	50.000	50.000
22)	Mirex	8.121	7.038	72193031	79934031	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080524\
Data File : PL090774.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Aug 2024 15:35
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 05 18:05:44 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080524.M
Quant Title : GC Extractables
QLast Update : Mon Aug 05 18:05:29 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.545 min
Delta R.T.: 0.000 min
Response: 92872297
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 2.787 min
Delta R.T.: 0.000 min
Response: 84210091
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 4.001 min
Delta R.T.: 0.000 min
Response: 131333180
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 3.291 min
Delta R.T.: 0.000 min
Response: 122229470
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.333 min
Delta R.T.: 0.000 min
Response: 124947341
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#3 gamma-BHC (Lindane)

R.T.: 3.621 min
Delta R.T.: 0.000 min
Response: 115765598
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.922 min
Delta R.T.: 0.000 min
Response: 115623318
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 3.961 min
Delta R.T.: 0.000 min
Response: 113596708
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 5.264 min
Delta R.T.: 0.000 min
Response: 111704744
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 4.242 min
Delta R.T.: 0.000 min
Response: 109052517
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.529 min
Delta R.T.: 0.000 min
Response: 58382894
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 3.919 min
Delta R.T.: 0.000 min
Response: 50776689
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.776 min
Delta R.T.: 0.000 min
Response: 117625197
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#7 delta-BHC

R.T.: 4.149 min
Delta R.T.: 0.000 min
Response: 111057665
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.690 min
Delta R.T.: 0.000 min
Response: 104319578
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 4.744 min
Delta R.T.: 0.000 min
Response: 99234858
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 6.075 min
Delta R.T.: 0.000 min
Response: 97752719
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#9 Endosulfan I

R.T.: 5.114 min
Delta R.T.: 0.000 min
Response: 93718480
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.945 min
Delta R.T.: 0.000 min
Response: 104597942
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 4.995 min
Delta R.T.: 0.000 min
Response: 104062735
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 6.024 min
Delta R.T.: 0.000 min
Response: 104049178
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#11 alpha-Chlordane

R.T.: 5.059 min
Delta R.T.: 0.000 min
Response: 103794163
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 6.197 min
Delta R.T.: 0.000 min
Response: 93251852
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 5.248 min
Delta R.T.: 0.000 min
Response: 92699001
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 6.350 min
Delta R.T.: 0.000 min
Response: 102576794
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#13 Dieldrin

R.T.: 5.379 min
Delta R.T.: 0.000 min
Response: 101078450
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.580 min
Delta R.T.: 0.000 min
Response: 85404577
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 5.654 min
Delta R.T.: 0.000 min
Response: 89309317
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.799 min
Delta R.T.: 0.000 min
Response: 91831229
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 5.949 min
Delta R.T.: 0.000 min
Response: 88020730
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.714 min
Delta R.T.: 0.000 min
Response: 77604758
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 5.802 min
Delta R.T.: 0.000 min
Response: 76317541
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 7.028 min
Delta R.T.: 0.000 min
Response: 83571299
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 6.053 min
Delta R.T.: 0.000 min
Response: 81595527
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.929 min
Delta R.T.: 0.000 min
Response: 70185449
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.128 min
Delta R.T.: 0.000 min
Response: 68031756
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.163 min
Delta R.T.: 0.000 min
Response: 83414211
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 6.351 min
Delta R.T.: 0.000 min
Response: 84289441
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 7.504 min
Delta R.T.: 0.000 min
Response: 45306482
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 6.628 min
Delta R.T.: 0.000 min
Response: 44698748
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.648 min
Delta R.T.: 0.000 min
Response: 92706265
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 6.857 min
Delta R.T.: 0.000 min
Response: 96966802
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 8.121 min
Delta R.T.: 0.000 min
Response: 72193031
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 7.038 min
Delta R.T.: 0.000 min
Response: 79934031
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.060 min
Delta R.T.: 0.000 min
Response: 67891647
Conc: 50.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC050



#28 Decachlorobiphenyl

R.T.: 7.931 min
Delta R.T.: 0.000 min
Response: 79370401
Conc: 50.00 ng/ml