

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080619\
 Data File : PL051120.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Aug 2019 19:35
 Operator : SM\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 07 00:45:59 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 19 01:19:13 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.318	3.928	234.6E6	62963737	23.346	22.068
28)	SA Decachlor...	7.979	8.958	236.9E6	64362113	23.394	22.760
Target Compounds							
2)	A alpha-BHC	3.745	4.317	181.6E6	41947955	10.836	10.167
3)	MA gamma-BHC...	4.021	4.599	172.7E6	40903902	11.227	10.561
4)	MA Heptachlor	4.276f	0.000	78973073	0	4.813	N.D. #
6)	B beta-BHC	4.276	4.777	78973073	20710256	12.046	11.979
8)	B Heptachlo...	0.000	5.789	0	18229218	N.D.	4.766 #
13)	MA Dieldrin	5.535	0.000	22183501	0	1.431	N.D. #
14)	MA Endrin	5.801	6.619	775.9E6	174.6E6	52.712	56.286
15)	B Endosulfa...	6.080	0.000	12411709	0	0.887	N.D. #
16)	A 4,4'-DDD	5.935	6.746	46752692	10666297	3.901	4.006
17)	MA 4,4'-DDT	6.169	7.043	1314.8E6	313.0E6	106.152	115.926
18)	B Endrin al...	6.242	0.000	10007816	0	0.868	N.D. #
20)	A Methoxychlor	6.714	7.504	1526.2E6	412.6E6	244.618	281.184
21)	B Endrin ke...	6.934	7.646	61526521	6326680	4.498	2.188 #
24)	Chlordane-2	4.671f	0.000	59068946	0	131.966	N.D. #
27)	Chlordane-5	6.080	0.000	12411709	0	24.436	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080619\
Data File : PL051120.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Aug 2019 19:35
Operator : SM\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PEM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 07 00:45:59 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
Quant Title : GC Extractables
QLast Update : Fri Jul 19 01:19:13 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.318 min
Delta R.T.: 0.000 min
Response: 234581896
Conc: 23.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#1 Tetrachloro-m-xylene

R.T.: 3.928 min
Delta R.T.: -0.002 min
Response: 62963737
Conc: 22.07 ng/ml




#2 alpha-BHC

R.T.: 3.745 min
Delta R.T.: 0.000 min
Response: 181583438
Conc: 10.84 ng/ml



#2 alpha-BHC


R.T.: 4.317 min
Delta R.T.: -0.002 min
Response: 41947955
Conc: 10.17 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.021 min
Delta R.T.: 0.000 min
Response: 172682545
Conc: 11.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#3 gamma-BHC (Lindane)

R.T.: 4.599 min
Delta R.T.: -0.002 min
Response: 40903902
Conc: 10.56 ng/ml




#4 Heptachlor

R.T.: 4.276 min
Delta R.T.: -0.029 min
Response: 78973073
Conc: 4.81 ng/ml



#4 Heptachlor


R.T.: 0.000 min
Exp R.T.: 5.104 min
Response: 0
Conc: N.D.



#6 beta-BHC


R.T.: 4.276 min
Delta R.T.: 0.000 min
Response: 78973073
Conc: 12.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#6 beta-BHC

R.T.: 4.777 min
Delta R.T.: -0.001 min
Response: 20710256
Conc: 11.98 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T. : 4.979 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 5.789 min
Delta R.T.: -0.004 min
Response: 18229218
Conc: 4.77 ng/ml



#13 Dieldrin


R.T.: 5.535 min
Delta R.T.: -0.014 min
Response: 22183501
Conc: 1.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#13 Dieldrin

R.T.: 0.000 min
Exp R.T. : 6.404 min
Response: 0
Conc: N.D.




#14 Endrin

R.T.: 5.801 min
Delta R.T.: 0.000 min
Response: 775949787
Conc: 52.71 ng/ml



#14 Endrin


R.T.: 6.619 min
Delta R.T.: -0.002 min
Response: 174566978
Conc: 56.29 ng/ml



#15 Endosulfan II


R.T.: 6.080 min
Delta R.T.: 0.004 min
Response: 12411709
Conc: 0.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#15 Endosulfan II

R.T.: 0.000 min
Exp R.T. : 6.833 min
Response: 0
Conc: N.D.




#16 4,4'-DDD

R.T.: 5.935 min
Delta R.T.: 0.000 min
Response: 46752692
Conc: 3.90 ng/ml



#16 4,4'-DDD


R.T.: 6.746 min
Delta R.T.: -0.002 min
Response: 10666297
Conc: 4.01 ng/ml



#17 4,4'-DDT


R.T.: 6.169 min
Delta R.T.: 0.000 min
Response: 1314769145
Conc: 106.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#17 4,4'-DDT

R.T.: 7.043 min
Delta R.T.: -0.003 min
Response: 312954254
Conc: 115.93 ng/ml




#18 Endrin aldehyde

R.T.: 6.242 min
Delta R.T.: 0.000 min
Response: 10007816
Conc: 0.87 ng/ml



#18 Endrin aldehyde


R.T.: 0.000 min
Exp R.T.: 6.957 min
Response: 0
Conc: N.D.



#20 Methoxychlor


R.T.: 6.714 min
Delta R.T.: 0.000 min
Response: 1526158665
Conc: 244.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#20 Methoxychlor

R.T.: 7.504 min
Delta R.T.: -0.002 min
Response: 412572529
Conc: 281.18 ng/ml




#21 Endrin ketone

R.T.: 6.934 min
Delta R.T.: -0.002 min
Response: 61526521
Conc: 4.50 ng/ml



#21 Endrin ketone


R.T.: 7.646 min
Delta R.T.: -0.002 min
Response: 6326680
Conc: 2.19 ng/ml



#24 Chlordane-2


R.T.: 4.671 min
Delta R.T.: 0.024 min
Response: 59068946
Conc: 131.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 5.383 min
Response: 0
Conc: N.D.




#27 Chlordane-5

R.T.: 6.080 min
Delta R.T.: 0.000 min
Response: 12411709
Conc: 24.44 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T. : 6.902 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 7.979 min
Delta R.T.: -0.001 min
Response: 236874061
Conc: 23.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM



#28 Decachlorobiphenyl

R.T.: 8.958 min
Delta R.T.: -0.004 min
Response: 64362113
Conc: 22.76 ng/ml