

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080621\
 Data File : PL068819.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Aug 2021 23:13
 Operator : AR\AJ
 Sample : M3308-01
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 ETGI-325

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 09 00:57:17 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080521.M
 Quant Title : GC Extractables
 QLast Update : Fri Aug 06 03:02:43 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.641	5.570	3262164	7169018	7.886	7.061
28)	SA Decachlor...	10.407	11.488	6408326	11770138	11.151	12.131
Target Compounds							
7)	B delta-BHC	0.000	7.043f	0	173065	N.D.	0.137 #
8)	B Heptachlo...	0.000	8.031	0	355327	N.D.	0.307 #
10)	B gamma-Chl...	0.000	8.274f	0	310646	N.D.	0.271 #
12)	B 4,4'-DDE	0.000	8.567	0	263657	N.D.	0.249 #
13)	MA Dieldrin	0.000	8.725	0	42812	N.D.	0.040 #
14)	MA Endrin	0.000	8.964	0	332675	N.D.	0.367 #
16)	A 4,4'-DDD	0.000	9.109	0	136322	N.D.	0.160 #
17)	MA 4,4'-DDT	8.481	0.000	414469	0	0.853	N.D. #
18)	B Endrin al...	0.000	9.345	0	43889	N.D.	0.063 #
21)	B Endrin ke...	0.000	10.098f	0	93055	N.D.	0.091 #
25)	Chlordane-3	0.000	8.274f	0	310646	N.D.	1.902 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080621\
Data File : PL068819.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Aug 2021 23:13
Operator : AR\AJ
Sample : M3308-01
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
ETGI-325

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 09 00:57:17 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080521.M
Quant Title : GC Extractables
QLast Update : Fri Aug 06 03:02:43 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.641 min
Delta R.T.: 0.000 min
Response: 3262164
Conc: 7.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
ETGI-325




#1 Tetrachloro-m-xylene

R.T.: 5.570 min
Delta R.T.: -0.001 min
Response: 7169018
Conc: 7.06 ng/ml




#7 delta-BHC

R.T.: 0.000 min
Exp R.T. : 6.411 min
Response: 0
Conc: N.D.



#7 delta-BHC


R.T.: 7.043 min
Delta R.T.: -0.023 min
Response: 173065
Conc: 0.14 ng/ml



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T.: 7.084 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
ETGI-325




#8 Heptachlor epoxide

R.T.: 8.031 min
Delta R.T.: -0.003 min
Response: 355327
Conc: 0.31 ng/ml




#10 gamma-Chlordane

R.T.: 0.000 min
Exp R.T.: 7.361 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 8.274 min
Delta R.T.: -0.028 min
Response: 310646
Conc: 0.27 ng/ml



#12 4,4'-DDE


R.T.: 0.000 min
Exp R.T.: 7.645 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
ETGI-325




#12 4,4'-DDE

R.T.: 8.567 min
Delta R.T.: -0.004 min
Response: 263657
Conc: 0.25 ng/ml




#13 Dieldrin

R.T.: 0.000 min
Exp R.T.: 7.774 min
Response: 0
Conc: N.D.



#13 Dieldrin


R.T.: 8.725 min
Delta R.T.: -0.004 min
Response: 42812
Conc: 0.04 ng/ml



#14 Endrin


R.T.: 0.000 min
Exp R.T.: 8.064 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
ETGI-325




#14 Endrin

R.T.: 8.964 min
Delta R.T.: -0.004 min
Response: 332675
Conc: 0.37 ng/ml




#16 4,4'-DDD

R.T.: 0.000 min
Exp R.T.: 8.230 min
Response: 0
Conc: N.D.



#16 4,4'-DDD


R.T.: 9.109 min
Delta R.T.: -0.001 min
Response: 136322
Conc: 0.16 ng/ml



#17 4,4'-DDT


R.T.: 8.481 min
Delta R.T.: -0.011 min
Response: 414469
Conc: 0.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
ETGI-325




#17 4,4'-DDT

R.T.: 0.000 min
Exp R.T. : 9.428 min
Response: 0
Conc: N.D.




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T. : 8.564 min
Response: 0
Conc: N.D.



#18 Endrin aldehyde


R.T.: 9.345 min
Delta R.T.: 0.009 min
Response: 43889
Conc: 0.06 ng/ml



#21 Endrin ketone


R.T.: 0.000 min
Exp R.T.: 9.313 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
ETGI-325




#21 Endrin ketone

R.T.: 10.098 min
Delta R.T.: 0.026 min
Response: 93055
Conc: 0.09 ng/ml




#25 Chlordane-3

R.T.: 0.000 min
Exp R.T.: 7.362 min
Response: 0
Conc: N.D.



#25 Chlordane-3


R.T.: 8.274 min
Delta R.T.: -0.030 min
Response: 310646
Conc: 1.90 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.407 min
Delta R.T.: -0.007 min
Response: 6408326
Conc: 11.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
ETGI-325



#28 Decachlorobiphenyl

R.T.: 11.488 min
Delta R.T.: -0.007 min
Response: 11770138
Conc: 12.13 ng/ml