

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080719\
 Data File : PL051170.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 07 Aug 2019 19:12
 Operator : SM\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 08 02:00:43 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 19 01:19:13 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.318	3.928	238.9E6	63919319	23.774	22.403
2)	SA Decachlor...	7.979	8.959	252.9E6	65951554	24.980	23.322
Target Compounds							
2)	A alpha-BHC	3.745	4.316	186.7E6	42849291	11.141	10.385
3)	MA gamma-BHC...	4.021	4.599	176.6E6	41956186	11.481	10.832
4)	MA Heptachlor	4.275f	0.000	82187216	0	5.009	N.D. #
6)	B beta-BHC	4.275	4.776	82187216	20987464	12.536	12.139
8)	B Heptachlo...	0.000	5.789	0	19129136	N.D.	5.001 #
13)	MA Dieldrin	5.538	0.000	28308308	0	1.827	N.D. #
14)	MA Endrin	5.800	6.619	796.2E6	179.3E6	54.087	57.821
15)	B Endosulfa...	6.079	0.000	4680677	0	0.334	N.D. #
16)	A 4,4'-DDD	5.935	6.746	51747305	11651845	4.318	4.376
17)	MA 4,4'-DDT	6.169	7.043	1366.3E6	327.2E6	110.312	121.185
18)	B Endrin al...	6.241	0.000	11286256	0	0.978	N.D. #
20)	A Methoxychlor	6.714	7.504	1581.6E6	425.3E6	253.499	289.826
21)	B Endrin ke...	6.933	7.646	74054144	8795891	5.414	3.042 #
27)	Chlordane-5	6.079	0.000	4680677	0	9.215	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080719\
Data File : PL051170.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 07 Aug 2019 19:12
Operator : SM\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 08 02:00:43 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
Quant Title : GC Extractables
QLast Update : Fri Jul 19 01:19:13 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.318 min
Delta R.T.: 0.000 min
Response: 238876046
Conc: 23.77 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.928 min
Delta R.T.: -0.003 min
Response: 63919319
Conc: 22.40 ng/ml




#2 alpha-BHC

R.T.: 3.745 min
Delta R.T.: 0.000 min
Response: 186705884
Conc: 11.14 ng/ml



#2 alpha-BHC


R.T.: 4.316 min
Delta R.T.: -0.003 min
Response: 42849291
Conc: 10.39 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.021 min
Delta R.T.: 0.000 min
Response: 176603944
Conc: 11.48 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.599 min
Delta R.T.: -0.003 min
Response: 41956186
Conc: 10.83 ng/ml




#4 Heptachlor

R.T.: 4.275 min
Delta R.T.: -0.030 min
Response: 82187216
Conc: 5.01 ng/ml



#4 Heptachlor


R.T.: 0.000 min
Exp R.T.: 5.104 min
Response: 0
Conc: N.D.



#6 beta-BHC


R.T.: 4.275 min
Delta R.T.: 0.000 min
Response: 82187216
Conc: 12.54 ng/ml

Instrument :
ECD_L
ClientSampleId :




#6 beta-BHC

R.T.: 4.776 min
Delta R.T.: -0.002 min
Response: 20987464
Conc: 12.14 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T. : 4.979 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 5.789 min
Delta R.T.: -0.004 min
Response: 19129136
Conc: 5.00 ng/ml



#13 Dieldrin


R.T.: 5.538 min
Delta R.T.: -0.011 min
Response: 28308308
Conc: 1.83 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 0.000 min
Exp R.T. : 6.404 min
Response: 0
Conc: N.D.




#14 Endrin

R.T.: 5.800 min
Delta R.T.: -0.001 min
Response: 796186356
Conc: 54.09 ng/ml



#14 Endrin


R.T.: 6.619 min
Delta R.T.: -0.003 min
Response: 179328977
Conc: 57.82 ng/ml



#15 Endosulfan II


R.T.: 6.079 min
Delta R.T.: 0.003 min
Response: 4680677
Conc: 0.33 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 0.000 min
Exp R.T. : 6.833 min
Response: 0
Conc: N.D.




#16 4,4'-DDD

R.T.: 5.935 min
Delta R.T.: 0.000 min
Response: 51747305
Conc: 4.32 ng/ml



#16 4,4'-DDD


R.T.: 6.746 min
Delta R.T.: -0.003 min
Response: 11651845
Conc: 4.38 ng/ml



#17 4,4'-DDT


R.T.: 6.169 min
Delta R.T.: 0.000 min
Response: 1366294791
Conc: 110.31 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 7.043 min
Delta R.T.: -0.002 min
Response: 327150374
Conc: 121.19 ng/ml




#18 Endrin aldehyde

R.T.: 6.241 min
Delta R.T.: -0.002 min
Response: 11286256
Conc: 0.98 ng/ml



#18 Endrin aldehyde


R.T.: 0.000 min
Exp R.T. : 6.957 min
Response: 0
Conc: N.D.



#20 Methoxychlor


R.T.: 6.714 min
Delta R.T.: 0.000 min
Response: 1581565961
Conc: 253.50 ng/ml

Instrument :
ECD_L
ClientSampleId :




#20 Methoxychlor

R.T.: 7.504 min
Delta R.T.: -0.003 min
Response: 425252200
Conc: 289.83 ng/ml




#21 Endrin ketone

R.T.: 6.933 min
Delta R.T.: -0.002 min
Response: 74054144
Conc: 5.41 ng/ml



#21 Endrin ketone


R.T.: 7.646 min
Delta R.T.: -0.002 min
Response: 8795891
Conc: 3.04 ng/ml



#27 Chlordane-5


R.T.: 6.079 min
Delta R.T.: 0.000 min
Response: 4680677
Conc: 9.22 ng/ml

Instrument :
ECD_L
ClientSampleId :




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.902 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 7.979 min
Delta R.T.: -0.002 min
Response: 252926637
Conc: 24.98 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.959 min
Delta R.T.: -0.003 min
Response: 65951554
Conc: 23.32 ng/ml