

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080823\
 Data File : PL084589.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 08 Aug 2023 17:30
 Operator : AR\AJ
 Sample : PB154702BSD
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB154702BSD

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 09 00:14:31 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080323.M
 Quant Title : GC Extractables
 QLast Update : Thu Aug 03 16:21:43 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.477	2.686	42499504	20952219	18.291	19.268
28)	SA Decachlor...	9.028	7.868	34874327	26666958	21.434	21.388
Target Compounds							
2)	A alpha-BHC	3.935	3.191	174.9E6	88828946	52.990	57.529
3)	MA gamma-BHC...	4.269	3.521	161.2E6	83240854	50.546	54.781
4)	MA Heptachlor	4.861	3.863	183.1E6	81570381	54.448	57.277
5)	MB Aldrin	5.204	4.143	169.1E6	80798079	51.161	55.592
6)	B beta-BHC	4.468	3.823	72932988	36055498	52.210	53.812
7)	B delta-BHC	4.715	4.052	167.9E6	84061400	52.053	55.369
8)	B Heptachlo...	5.634	4.649	158.2E6	74953974	52.517	56.492
9)	A Endosulfan I	6.020	5.020	138.0E6	71086597	52.438	57.360
10)	B gamma-Chl...	5.890	4.902	151.6E6	77627911	52.925	57.237
11)	B alpha-Chl...	5.971	4.966	147.5E6	76803145	52.247	56.369
12)	B 4,4'-DDE	6.150	5.164	126.5E6	72003158	55.094	58.470
13)	MA Dieldrin	6.297	5.287	135.5E6	75612635	51.272	55.688
14)	MA Endrin	6.526	5.562	110.5E6	67245590	50.673	54.975
15)	B Endosulfa...	6.747	5.859	104.5E6	64470702	49.430	53.432
16)	A 4,4'-DDD	6.669	5.722	95282194	62034410	56.831	60.039
17)	MA 4,4'-DDT	6.984	5.974	100.4E6	64081207	53.558	55.216
18)	B Endrin al...	6.878	6.041	85391655	53269001	50.619	53.712
19)	B Endosulfa...	7.114	6.266	104.3E6	67381366	52.202	56.662
20)	A Methoxychlor	7.466	6.559	47696342	34259032	49.700	49.933
21)	B Endrin ke...	7.598	6.771	104.8E6	81347938	52.395	56.381
22)	Mirex	8.074	6.951	83081308	61840659	50.024	53.622



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080823\
Data File : PL084589.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 08 Aug 2023 17:30
Operator : AR\AJ
Sample : PB154702BSD
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB154702BSD

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 09 00:14:31 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080323.M
Quant Title : GC Extractables
QLast Update : Thu Aug 03 16:21:43 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.477 min
Delta R.T.: 0.000 min
Response: 42499504
Conc: 18.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB154702BSD




#1 Tetrachloro-m-xylene

R.T.: 2.686 min
Delta R.T.: -0.001 min
Response: 20952219
Conc: 19.27 ng/ml




#2 alpha-BHC

R.T.: 3.935 min
Delta R.T.: 0.001 min
Response: 174942863
Conc: 52.99 ng/ml



#2 alpha-BHC


R.T.: 3.191 min
Delta R.T.: -0.001 min
Response: 88828946
Conc: 57.53 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.269 min
Delta R.T.: 0.000 min
Response: 161240985
Conc: 50.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB154702BSD




#3 gamma-BHC (Lindane)

R.T.: 3.521 min
Delta R.T.: -0.001 min
Response: 83240854
Conc: 54.78 ng/ml




#4 Heptachlor

R.T.: 4.861 min
Delta R.T.: 0.001 min
Response: 183100587
Conc: 54.45 ng/ml



#4 Heptachlor


R.T.: 3.863 min
Delta R.T.: 0.000 min
Response: 81570381
Conc: 57.28 ng/ml



#5 Aldrin


R.T.: 5.204 min
Delta R.T.: 0.001 min
Response: 169105558
Conc: 51.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB154702BSD




#5 Aldrin

R.T.: 4.143 min
Delta R.T.: 0.000 min
Response: 80798079
Conc: 55.59 ng/ml




#6 beta-BHC

R.T.: 4.468 min
Delta R.T.: 0.001 min
Response: 72932988
Conc: 52.21 ng/ml



#6 beta-BHC


R.T.: 3.823 min
Delta R.T.: 0.000 min
Response: 36055498
Conc: 53.81 ng/ml



#7 delta-BHC


R.T.: 4.715 min
Delta R.T.: 0.001 min
Response: 167855247
Conc: 52.05 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB154702BSD




#7 delta-BHC

R.T.: 4.052 min
Delta R.T.: -0.001 min
Response: 84061400
Conc: 55.37 ng/ml




#8 Heptachlor epoxide

R.T.: 5.634 min
Delta R.T.: 0.001 min
Response: 158219134
Conc: 52.52 ng/ml



#8 Heptachlor epoxide


R.T.: 4.649 min
Delta R.T.: -0.001 min
Response: 74953974
Conc: 56.49 ng/ml



#9 Endosulfan I


R.T.: 6.020 min
Delta R.T.: 0.001 min
Response: 138029452
Conc: 52.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB154702BSD




#9 Endosulfan I

R.T.: 5.020 min
Delta R.T.: 0.000 min
Response: 71086597
Conc: 57.36 ng/ml




#10 gamma-Chlordane

R.T.: 5.890 min
Delta R.T.: 0.001 min
Response: 151556485
Conc: 52.92 ng/ml



#10 gamma-Chlordane


R.T.: 4.902 min
Delta R.T.: 0.000 min
Response: 77627911
Conc: 57.24 ng/ml



#11 alpha-Chlordane


R.T.: 5.971 min
Delta R.T.: 0.001 min
Response: 147503197
Conc: 52.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB154702BSD




#11 alpha-Chlordane

R.T.: 4.966 min
Delta R.T.: 0.000 min
Response: 76803145
Conc: 56.37 ng/ml




#12 4,4'-DDE

R.T.: 6.150 min
Delta R.T.: 0.001 min
Response: 126456997
Conc: 55.09 ng/ml



#12 4,4'-DDE


R.T.: 5.164 min
Delta R.T.: 0.000 min
Response: 72003158
Conc: 58.47 ng/ml



#13 Dieldrin


R.T.: 6.297 min
Delta R.T.: 0.002 min
Response: 135491848
Conc: 51.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB154702BSD




#13 Dieldrin

R.T.: 5.287 min
Delta R.T.: 0.000 min
Response: 75612635
Conc: 55.69 ng/ml




#14 Endrin

R.T.: 6.526 min
Delta R.T.: 0.001 min
Response: 110518152
Conc: 50.67 ng/ml



#14 Endrin


R.T.: 5.562 min
Delta R.T.: 0.000 min
Response: 67245590
Conc: 54.97 ng/ml



#15 Endosulfan II


R.T.: 6.747 min
Delta R.T.: 0.002 min
Response: 104543952
Conc: 49.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB154702BSD




#15 Endosulfan II

R.T.: 5.859 min
Delta R.T.: 0.000 min
Response: 64470702
Conc: 53.43 ng/ml




#16 4,4'-DDD

R.T.: 6.669 min
Delta R.T.: 0.002 min
Response: 95282194
Conc: 56.83 ng/ml



#16 4,4'-DDD


R.T.: 5.722 min
Delta R.T.: 0.000 min
Response: 62034410
Conc: 60.04 ng/ml



#17 4,4'-DDT


R.T.: 6.984 min
Delta R.T.: 0.000 min
Response: 100351681
Conc: 53.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB154702BSD




#17 4,4'-DDT

R.T.: 5.974 min
Delta R.T.: 0.000 min
Response: 64081207
Conc: 55.22 ng/ml




#18 Endrin aldehyde

R.T.: 6.878 min
Delta R.T.: 0.002 min
Response: 85391655
Conc: 50.62 ng/ml



#18 Endrin aldehyde


R.T.: 6.041 min
Delta R.T.: 0.000 min
Response: 53269001
Conc: 53.71 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.114 min
Delta R.T.: 0.002 min
Response: 104284101
Conc: 52.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB154702BSD




#19 Endosulfan Sulfate

R.T.: 6.266 min
Delta R.T.: 0.000 min
Response: 67381366
Conc: 56.66 ng/ml




#20 Methoxychlor

R.T.: 7.466 min
Delta R.T.: 0.002 min
Response: 47696342
Conc: 49.70 ng/ml



#20 Methoxychlor


R.T.: 6.559 min
Delta R.T.: 0.000 min
Response: 34259032
Conc: 49.93 ng/ml



#21 Endrin ketone


R.T.: 7.598 min
Delta R.T.: 0.003 min
Response: 104812465
Conc: 52.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB154702BSD




#21 Endrin ketone

R.T.: 6.771 min
Delta R.T.: 0.000 min
Response: 81347938
Conc: 56.38 ng/ml




#22 Mirex

R.T.: 8.074 min
Delta R.T.: 0.003 min
Response: 83081308
Conc: 50.02 ng/ml



#22 Mirex


R.T.: 6.951 min
Delta R.T.: 0.000 min
Response: 61840659
Conc: 53.62 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.028 min
Delta R.T.: 0.003 min
Response: 34874327
Conc: 21.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB154702BSD



#28 Decachlorobiphenyl

R.T.: 7.868 min
Delta R.T.: 0.000 min
Response: 26666958
Conc: 21.39 ng/ml