

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080823\
 Data File : PL084592.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 08 Aug 2023 18:12
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 09 00:15:15 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080323.M
 Quant Title : GC Extractables
 QLast Update : Thu Aug 03 16:21:43 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.477	2.686	120.9E6	60100589	52.055	55.270
28)	SA Decachlor...	9.027	7.868	84575104	66900936	51.979	53.658
Target Compounds							
2)	A alpha-BHC	3.935	3.191	175.2E6	88476095	53.064	57.300
3)	MA gamma-BHC...	4.269	3.521	168.0E6	85848498	52.661	56.497
4)	MA Heptachlor	4.861	3.863	174.5E6	78612062	51.880	55.200
5)	MB Aldrin	5.204	4.142	171.8E6	82261183	51.991	56.599
6)	B beta-BHC	4.468	3.824	73633281	36848406	52.711	54.996
7)	B delta-BHC	4.714	4.052	172.7E6	86581443	53.541	57.029
8)	B Heptachlo...	5.634	4.649	153.0E6	73515555	50.772	55.408
9)	A Endosulfan I	6.020	5.019	133.4E6	68507346	50.681	55.279
10)	B gamma-Chl...	5.891	4.902	146.2E6	75633255	51.049	55.766
11)	B alpha-Chl...	5.971	4.966	143.7E6	75594933	50.914	55.483
12)	B 4,4'-DDE	6.150	5.164	121.9E6	70348367	53.107	57.126
13)	MA Dieldrin	6.297	5.286	134.5E6	76294125	50.913	56.190
14)	MA Endrin	6.526	5.561	108.0E6	66552067	49.541	54.408
15)	B Endosulfa...	6.747	5.859	106.8E6	66553778	50.482	55.159
16)	A 4,4'-DDD	6.668	5.722	91663141	60160873	54.672	58.226
17)	MA 4,4'-DDT	6.985	5.974	92394453	61947138	49.311	53.377
18)	B Endrin al...	6.877	6.041	84468656	53794358	50.072	54.242
19)	B Endosulfa...	7.113	6.266	100.4E6	64859224	50.264	54.541
20)	A Methoxychlor	7.465	6.559	46828612	34382807	48.796	50.113
21)	B Endrin ke...	7.598	6.771	102.6E6	80291434	51.298	55.649
22)	Mirex	8.073	6.951	79503242	60692618	47.870	52.626



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080823\
Data File : PL084592.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 08 Aug 2023 18:12
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 09 00:15:15 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080323.M
Quant Title : GC Extractables
QLast Update : Thu Aug 03 16:21:43 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.477 min
Delta R.T.: 0.000 min
Response: 120949232
Conc: 52.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.686 min
Delta R.T.: 0.000 min
Response: 60100589
Conc: 55.27 ng/ml




#2 alpha-BHC

R.T.: 3.935 min
Delta R.T.: 0.000 min
Response: 175186582
Conc: 53.06 ng/ml



#2 alpha-BHC


R.T.: 3.191 min
Delta R.T.: 0.000 min
Response: 88476095
Conc: 57.30 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.269 min
Delta R.T.: 0.000 min
Response: 167989442
Conc: 52.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.521 min
Delta R.T.: -0.001 min
Response: 85848498
Conc: 56.50 ng/ml




#4 Heptachlor

R.T.: 4.861 min
Delta R.T.: 0.000 min
Response: 174464380
Conc: 51.88 ng/ml



#4 Heptachlor


R.T.: 3.863 min
Delta R.T.: 0.000 min
Response: 78612062
Conc: 55.20 ng/ml



#5 Aldrin


R.T.: 5.204 min
Delta R.T.: 0.001 min
Response: 171849313
Conc: 51.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.142 min
Delta R.T.: -0.001 min
Response: 82261183
Conc: 56.60 ng/ml




#6 beta-BHC

R.T.: 4.468 min
Delta R.T.: 0.000 min
Response: 73633281
Conc: 52.71 ng/ml



#6 beta-BHC


R.T.: 3.824 min
Delta R.T.: 0.000 min
Response: 36848406
Conc: 55.00 ng/ml



#7 delta-BHC


R.T.: 4.714 min
Delta R.T.: 0.000 min
Response: 172655857
Conc: 53.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.052 min
Delta R.T.: -0.001 min
Response: 86581443
Conc: 57.03 ng/ml




#8 Heptachlor epoxide

R.T.: 5.634 min
Delta R.T.: 0.002 min
Response: 152959850
Conc: 50.77 ng/ml



#8 Heptachlor epoxide


R.T.: 4.649 min
Delta R.T.: -0.002 min
Response: 73515555
Conc: 55.41 ng/ml



#9 Endosulfan I


R.T.: 6.020 min
Delta R.T.: 0.002 min
Response: 133404660
Conc: 50.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.019 min
Delta R.T.: 0.000 min
Response: 68507346
Conc: 55.28 ng/ml




#10 gamma-Chlordane

R.T.: 5.891 min
Delta R.T.: 0.002 min
Response: 146186184
Conc: 51.05 ng/ml



#10 gamma-Chlordane


R.T.: 4.902 min
Delta R.T.: 0.000 min
Response: 75633255
Conc: 55.77 ng/ml



#11 alpha-Chlordane


R.T.: 5.971 min
Delta R.T.: 0.001 min
Response: 143739353
Conc: 50.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 4.966 min
Delta R.T.: 0.000 min
Response: 75594933
Conc: 55.48 ng/ml




#12 4,4'-DDE

R.T.: 6.150 min
Delta R.T.: 0.002 min
Response: 121894784
Conc: 53.11 ng/ml



#12 4,4'-DDE


R.T.: 5.164 min
Delta R.T.: 0.000 min
Response: 70348367
Conc: 57.13 ng/ml



#13 Dieldrin


R.T.: 6.297 min
Delta R.T.: 0.002 min
Response: 134542908
Conc: 50.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.286 min
Delta R.T.: 0.000 min
Response: 76294125
Conc: 56.19 ng/ml




#14 Endrin

R.T.: 6.526 min
Delta R.T.: 0.000 min
Response: 108048558
Conc: 49.54 ng/ml



#14 Endrin


R.T.: 5.561 min
Delta R.T.: 0.000 min
Response: 66552067
Conc: 54.41 ng/ml



#15 Endosulfan II


R.T.: 6.747 min
Delta R.T.: 0.002 min
Response: 106768939
Conc: 50.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.859 min
Delta R.T.: 0.000 min
Response: 66553778
Conc: 55.16 ng/ml




#16 4,4'-DDD

R.T.: 6.668 min
Delta R.T.: 0.001 min
Response: 91663141
Conc: 54.67 ng/ml



#16 4,4'-DDD


R.T.: 5.722 min
Delta R.T.: 0.000 min
Response: 60160873
Conc: 58.23 ng/ml



#17 4,4'-DDT


R.T.: 6.985 min
Delta R.T.: 0.001 min
Response: 92394453
Conc: 49.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 5.974 min
Delta R.T.: 0.000 min
Response: 61947138
Conc: 53.38 ng/ml




#18 Endrin aldehyde

R.T.: 6.877 min
Delta R.T.: 0.001 min
Response: 84468656
Conc: 50.07 ng/ml



#18 Endrin aldehyde


R.T.: 6.041 min
Delta R.T.: 0.000 min
Response: 53794358
Conc: 54.24 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.113 min
Delta R.T.: 0.001 min
Response: 100411422
Conc: 50.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.266 min
Delta R.T.: 0.000 min
Response: 64859224
Conc: 54.54 ng/ml




#20 Methoxychlor

R.T.: 7.465 min
Delta R.T.: 0.001 min
Response: 46828612
Conc: 48.80 ng/ml



#20 Methoxychlor


R.T.: 6.559 min
Delta R.T.: 0.000 min
Response: 34382807
Conc: 50.11 ng/ml



#21 Endrin ketone


R.T.: 7.598 min
Delta R.T.: 0.002 min
Response: 102618419
Conc: 51.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.771 min
Delta R.T.: 0.000 min
Response: 80291434
Conc: 55.65 ng/ml




#22 Mirex

R.T.: 8.073 min
Delta R.T.: 0.002 min
Response: 79503242
Conc: 47.87 ng/ml



#22 Mirex


R.T.: 6.951 min
Delta R.T.: 0.000 min
Response: 60692618
Conc: 52.63 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.027 min
Delta R.T.: 0.003 min
Response: 84575104
Conc: 51.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.868 min
Delta R.T.: 0.000 min
Response: 66900936
Conc: 53.66 ng/ml