

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080923\
 Data File : PL084619.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 09 Aug 2023 17:45
 Operator : AR\AJ
 Sample : 03921-01MSD
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 WC-1MSD

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 10 04:32:12 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080323.M
 Quant Title : GC Extractables
 QLast Update : Thu Aug 03 16:21:43 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.477	2.686	41903068	21142375	18.035	19.443
28)	SA Decachlor...	9.027	7.868	32256508	25744221	19.825	20.648
Target Compounds							
2)	A alpha-BHC	3.935	3.191	168.2E6	87304368	50.935	56.541
3)	MA gamma-BHC...	4.269	3.521	155.8E6	81926203	48.830	53.915
4)	MA Heptachlor	4.861	3.862	177.9E6	80128018	52.888	56.264
5)	MB Aldrin	5.203	4.142	159.1E6	77451290	48.126	53.290
6)	B beta-BHC	4.468	3.823	69571129	35383731	49.803	52.810
7)	B delta-BHC	4.715	4.052	157.1E6	80156127	48.728	52.796
8)	B Heptachlo...	5.633	4.649	150.2E6	72434306	49.849	54.593
9)	A Endosulfan I	6.019	5.019	130.3E6	68942938	49.498	55.631
10)	B gamma-Chl...	5.891	4.901	142.4E6	75091724	49.739	55.367
11)	B alpha-Chl...	5.971	4.966	138.5E6	74509031	49.064	54.686
12)	B 4,4'-DDE	6.149	5.163	118.3E6	70168468	51.526	56.980
13)	MA Dieldrin	6.296	5.286	127.5E6	73333496	48.266	54.010
14)	MA Endrin	6.526	5.561	107.9E6	67889152	49.466	55.501
15)	B Endosulfa...	6.747	5.859	97700797	62331113	46.194	51.659
16)	A 4,4'-DDD	6.668	5.722	88354036	59903298	52.699	57.976
17)	MA 4,4'-DDT	6.984	5.974	94104248	63155816	50.224	54.419
18)	B Endrin al...	6.878	6.040	77518488	50377022	45.952	50.796
19)	B Endosulfa...	7.113	6.265	97081646	64592702	48.597	54.317
20)	A Methoxychlor	7.466	6.559	44844196	34242820	46.728	49.909
21)	B Endrin ke...	7.598	6.771	96375449	76743531	48.177	53.190
22)	Mirex	8.073	6.951	76447507	58518427	46.030	50.741



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL080923\
Data File : PL084619.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 09 Aug 2023 17:45
Operator : AR\AJ
Sample : 03921-01MSD
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
WC-1MSD

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 10 04:32:12 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080323.M
Quant Title : GC Extractables
QLast Update : Thu Aug 03 16:21:43 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.477 min
Delta R.T.: 0.000 min
Response: 41903068
Conc: 18.03 ng/ml

Instrument :
ECD_L
ClientSampleId :
WC-1MSD




#1 Tetrachloro-m-xylene

R.T.: 2.686 min
Delta R.T.: 0.000 min
Response: 21142375
Conc: 19.44 ng/ml




#2 alpha-BHC

R.T.: 3.935 min
Delta R.T.: 0.001 min
Response: 168158167
Conc: 50.94 ng/ml



#2 alpha-BHC


R.T.: 3.191 min
Delta R.T.: 0.000 min
Response: 87304368
Conc: 56.54 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.269 min
Delta R.T.: 0.000 min
Response: 155767549
Conc: 48.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
WC-1MSD




#3 gamma-BHC (Lindane)

R.T.: 3.521 min
Delta R.T.: -0.001 min
Response: 81926203
Conc: 53.92 ng/ml




#4 Heptachlor

R.T.: 4.861 min
Delta R.T.: 0.000 min
Response: 177854749
Conc: 52.89 ng/ml



#4 Heptachlor


R.T.: 3.862 min
Delta R.T.: -0.001 min
Response: 80128018
Conc: 56.26 ng/ml



#5 Aldrin


R.T.: 5.203 min
Delta R.T.: 0.000 min
Response: 159073499
Conc: 48.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
WC-1MSD




#5 Aldrin

R.T.: 4.142 min
Delta R.T.: -0.001 min
Response: 77451290
Conc: 53.29 ng/ml




#6 beta-BHC

R.T.: 4.468 min
Delta R.T.: 0.001 min
Response: 69571129
Conc: 49.80 ng/ml



#6 beta-BHC


R.T.: 3.823 min
Delta R.T.: 0.000 min
Response: 35383731
Conc: 52.81 ng/ml



#7 delta-BHC


R.T.: 4.715 min
Delta R.T.: 0.000 min
Response: 157133444
Conc: 48.73 ng/ml

Instrument :
ECD_L
ClientSampleId :
WC-1MSD




#7 delta-BHC

R.T.: 4.052 min
Delta R.T.: -0.001 min
Response: 80156127
Conc: 52.80 ng/ml




#8 Heptachlor epoxide

R.T.: 5.633 min
Delta R.T.: 0.001 min
Response: 150180330
Conc: 49.85 ng/ml



#8 Heptachlor epoxide


R.T.: 4.649 min
Delta R.T.: -0.002 min
Response: 72434306
Conc: 54.59 ng/ml



#9 Endosulfan I


R.T.: 6.019 min
Delta R.T.: 0.000 min
Response: 130292035
Conc: 49.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
WC-1MSD




#9 Endosulfan I

R.T.: 5.019 min
Delta R.T.: -0.001 min
Response: 68942938
Conc: 55.63 ng/ml




#10 gamma-Chlordane

R.T.: 5.891 min
Delta R.T.: 0.002 min
Response: 142432740
Conc: 49.74 ng/ml



#10 gamma-Chlordane


R.T.: 4.901 min
Delta R.T.: -0.001 min
Response: 75091724
Conc: 55.37 ng/ml



#11 alpha-Chlordane


R.T.: 5.971 min
Delta R.T.: 0.000 min
Response: 138517984
Conc: 49.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
WC-1MSD




#11 alpha-Chlordane

R.T.: 4.966 min
Delta R.T.: 0.000 min
Response: 74509031
Conc: 54.69 ng/ml




#12 4,4'-DDE

R.T.: 6.149 min
Delta R.T.: 0.001 min
Response: 118266610
Conc: 51.53 ng/ml



#12 4,4'-DDE


R.T.: 5.163 min
Delta R.T.: -0.002 min
Response: 70168468
Conc: 56.98 ng/ml



#13 Dieldrin


R.T.: 6.296 min
Delta R.T.: 0.001 min
Response: 127548368
Conc: 48.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
WC-1MSD




#13 Dieldrin

R.T.: 5.286 min
Delta R.T.: -0.001 min
Response: 73333496
Conc: 54.01 ng/ml




#14 Endrin

R.T.: 6.526 min
Delta R.T.: 0.001 min
Response: 107884418
Conc: 49.47 ng/ml



#14 Endrin


R.T.: 5.561 min
Delta R.T.: 0.000 min
Response: 67889152
Conc: 55.50 ng/ml



#15 Endosulfan II


R.T.: 6.747 min
Delta R.T.: 0.002 min
Response: 97700797
Conc: 46.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
WC-1MSD




#15 Endosulfan II

R.T.: 5.859 min
Delta R.T.: 0.000 min
Response: 62331113
Conc: 51.66 ng/ml




#16 4,4'-DDD

R.T.: 6.668 min
Delta R.T.: 0.001 min
Response: 88354036
Conc: 52.70 ng/ml



#16 4,4'-DDD


R.T.: 5.722 min
Delta R.T.: -0.001 min
Response: 59903298
Conc: 57.98 ng/ml



#17 4,4'-DDT


R.T.: 6.984 min
Delta R.T.: 0.001 min
Response: 94104248
Conc: 50.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
WC-1MSD




#17 4,4'-DDT

R.T.: 5.974 min
Delta R.T.: 0.000 min
Response: 63155816
Conc: 54.42 ng/ml




#18 Endrin aldehyde

R.T.: 6.878 min
Delta R.T.: 0.002 min
Response: 77518488
Conc: 45.95 ng/ml



#18 Endrin aldehyde


R.T.: 6.040 min
Delta R.T.: 0.000 min
Response: 50377022
Conc: 50.80 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.113 min
Delta R.T.: 0.000 min
Response: 97081646
Conc: 48.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
WC-1MSD




#19 Endosulfan Sulfate

R.T.: 6.265 min
Delta R.T.: 0.000 min
Response: 64592702
Conc: 54.32 ng/ml




#20 Methoxychlor

R.T.: 7.466 min
Delta R.T.: 0.002 min
Response: 44844196
Conc: 46.73 ng/ml



#20 Methoxychlor


R.T.: 6.559 min
Delta R.T.: 0.000 min
Response: 34242820
Conc: 49.91 ng/ml



#21 Endrin ketone


R.T.: 7.598 min
Delta R.T.: 0.003 min
Response: 96375449
Conc: 48.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
WC-1MSD




#21 Endrin ketone

R.T.: 6.771 min
Delta R.T.: 0.000 min
Response: 76743531
Conc: 53.19 ng/ml




#22 Mirex

R.T.: 8.073 min
Delta R.T.: 0.002 min
Response: 76447507
Conc: 46.03 ng/ml



#22 Mirex


R.T.: 6.951 min
Delta R.T.: -0.001 min
Response: 58518427
Conc: 50.74 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.027 min
Delta R.T.: 0.003 min
Response: 32256508
Conc: 19.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
WC-1MSD



#28 Decachlorobiphenyl

R.T.: 7.868 min
Delta R.T.: 0.000 min
Response: 25744221
Conc: 20.65 ng/ml