

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081020\
 Data File : PL060593.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 Aug 2020 14:51
 Operator : DD\AJ
 Sample : PB130839BSD
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB130839BSD

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 11 02:27:35 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081020.M
 Quant Title : GC Extractables
 QLast Update : Tue Aug 11 01:39:18 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.463	4.010	36898813	53282066	19.682	20.037
2)	SA Decachlor...	8.219	9.098	38030919	41166367	20.835	21.941
Target Compounds							
2)	A alpha-BHC	3.900	4.399	139.2E6	197.5E6	48.036	48.075
3)	MA gamma-BHC...	4.183	4.685	124.3E6	180.5E6	46.919	47.017
4)	MA Heptachlor	4.486	5.196	119.6E6	171.0E6	48.116	48.355
5)	MB Aldrin	4.734	5.502	106.2E6	158.5E6	48.545	48.301
6)	B beta-BHC	4.434	4.855	54327331	81154501	50.234	50.658
7)	B delta-BHC	4.639	5.073	107.4E6	129.7E6	43.493	47.690
8)	B Heptachlo...	5.177	5.889	101.4E6	132.4E6	47.973	51.883
9)	A Endosulfan I	5.516	6.248	94698646	137.2E6	48.038	48.434
10)	B gamma-Chl...	5.405	6.124	101.6E6	144.7E6	47.920	47.856
11)	B alpha-Chl...	5.463	6.198	99619756	144.6E6	46.943	47.048
12)	B 4,4'-DDE	5.628	6.355	96156034	139.6E6	48.497	49.057
13)	MA Dieldrin	5.759	6.505	101.9E6	142.4E6	49.265	48.823
14)	MA Endrin	6.015	6.724	93364275	122.2E6	47.811	48.309
15)	B Endosulfa...	6.289	6.934	89063668	121.2E6	45.957	46.448
16)	A 4,4'-DDD	6.143	6.847	80422626	111.9E6	47.767	48.745
17)	MA 4,4'-DDT	6.385	7.147	80922799	107.4E6	48.956	49.134
18)	B Endrin al...	6.456	7.058	77967451	104.5E6	46.724	48.139
19)	B Endosulfa...	6.670	7.282	91825370	119.2E6	48.979	49.623
20)	A Methoxychlor	6.930	7.606	47483073	60714814	47.081	48.192
21)	B Endrin ke...	7.160	7.753	103.6E6	125.2E6	50.170	51.372
22)	Mirex	7.349	8.210	77951851	86118971	51.843	53.851



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081020\
Data File : PL060593.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Aug 2020 14:51
Operator : DD\AJ
Sample : PB130839BSD
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PB130839BSD

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 11 02:27:35 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081020.M
Quant Title : GC Extractables
QLast Update : Tue Aug 11 01:39:18 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.463 min
Delta R.T.: 0.000 min
Response: 36898813
Conc: 19.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130839BSD




#1 Tetrachloro-m-xylene

R.T.: 4.010 min
Delta R.T.: 0.000 min
Response: 53282066
Conc: 20.04 ng/ml




#2 alpha-BHC

R.T.: 3.900 min
Delta R.T.: 0.000 min
Response: 139215985
Conc: 48.04 ng/ml



#2 alpha-BHC


R.T.: 4.399 min
Delta R.T.: 0.000 min
Response: 197456134
Conc: 48.07 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.183 min
Delta R.T.: 0.000 min
Response: 124285557
Conc: 46.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130839BSD




#3 gamma-BHC (Lindane)

R.T.: 4.685 min
Delta R.T.: 0.000 min
Response: 180471591
Conc: 47.02 ng/ml




#4 Heptachlor

R.T.: 4.486 min
Delta R.T.: 0.000 min
Response: 119607003
Conc: 48.12 ng/ml



#4 Heptachlor


R.T.: 5.196 min
Delta R.T.: 0.000 min
Response: 171044539
Conc: 48.36 ng/ml



#5 Aldrin


R.T.: 4.734 min
Delta R.T.: 0.000 min
Response: 106248657
Conc: 48.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130839BSD




#5 Aldrin

R.T.: 5.502 min
Delta R.T.: 0.000 min
Response: 158534224
Conc: 48.30 ng/ml




#6 beta-BHC

R.T.: 4.434 min
Delta R.T.: 0.000 min
Response: 54327331
Conc: 50.23 ng/ml



#6 beta-BHC


R.T.: 4.855 min
Delta R.T.: 0.000 min
Response: 81154501
Conc: 50.66 ng/ml



#7 delta-BHC


R.T.: 4.639 min
Delta R.T.: 0.000 min
Response: 107400725
Conc: 43.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130839BSD




#7 delta-BHC

R.T.: 5.073 min
Delta R.T.: 0.000 min
Response: 129653239
Conc: 47.69 ng/ml




#8 Heptachlor epoxide

R.T.: 5.177 min
Delta R.T.: 0.000 min
Response: 101431434
Conc: 47.97 ng/ml



#8 Heptachlor epoxide


R.T.: 5.889 min
Delta R.T.: 0.000 min
Response: 132404145
Conc: 51.88 ng/ml



#9 Endosulfan I


R.T.: 5.516 min
Delta R.T.: 0.000 min
Response: 94698646
Conc: 48.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130839BSD




#9 Endosulfan I

R.T.: 6.248 min
Delta R.T.: 0.000 min
Response: 137179578
Conc: 48.43 ng/ml




#10 gamma-Chlordane

R.T.: 5.405 min
Delta R.T.: 0.000 min
Response: 101602418
Conc: 47.92 ng/ml



#10 gamma-Chlordane


R.T.: 6.124 min
Delta R.T.: 0.000 min
Response: 144681834
Conc: 47.86 ng/ml



#11 alpha-Chlordane


R.T.: 5.463 min
Delta R.T.: 0.000 min
Response: 99619756
Conc: 46.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130839BSD




#11 alpha-Chlordane

R.T.: 6.198 min
Delta R.T.: 0.000 min
Response: 144636669
Conc: 47.05 ng/ml




#12 4,4'-DDE

R.T.: 5.628 min
Delta R.T.: 0.000 min
Response: 96156034
Conc: 48.50 ng/ml



#12 4,4'-DDE


R.T.: 6.355 min
Delta R.T.: 0.000 min
Response: 139648310
Conc: 49.06 ng/ml



#13 Dieldrin


R.T.: 5.759 min
Delta R.T.: 0.000 min
Response: 101861583
Conc: 49.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130839BSD




#13 Dieldrin

R.T.: 6.505 min
Delta R.T.: 0.000 min
Response: 142355908
Conc: 48.82 ng/ml




#14 Endrin

R.T.: 6.015 min
Delta R.T.: -0.001 min
Response: 93364275
Conc: 47.81 ng/ml



#14 Endrin


R.T.: 6.724 min
Delta R.T.: 0.000 min
Response: 122243637
Conc: 48.31 ng/ml



#15 Endosulfan II


R.T.: 6.289 min
Delta R.T.: 0.000 min
Response: 89063668
Conc: 45.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130839BSD




#15 Endosulfan II

R.T.: 6.934 min
Delta R.T.: 0.000 min
Response: 121154600
Conc: 46.45 ng/ml




#16 4,4'-DDD

R.T.: 6.143 min
Delta R.T.: 0.000 min
Response: 80422626
Conc: 47.77 ng/ml



#16 4,4'-DDD


R.T.: 6.847 min
Delta R.T.: 0.000 min
Response: 111850862
Conc: 48.74 ng/ml



#17 4,4'-DDT


R.T.: 6.385 min
Delta R.T.: 0.000 min
Response: 80922799
Conc: 48.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130839BSD




#17 4,4'-DDT

R.T.: 7.147 min
Delta R.T.: 0.000 min
Response: 107407910
Conc: 49.13 ng/ml




#18 Endrin aldehyde

R.T.: 6.456 min
Delta R.T.: -0.001 min
Response: 77967451
Conc: 46.72 ng/ml



#18 Endrin aldehyde


R.T.: 7.058 min
Delta R.T.: 0.000 min
Response: 104506873
Conc: 48.14 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.670 min
Delta R.T.: -0.001 min
Response: 91825370
Conc: 48.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130839BSD




#19 Endosulfan Sulfate

R.T.: 7.282 min
Delta R.T.: 0.000 min
Response: 119240881
Conc: 49.62 ng/ml




#20 Methoxychlor

R.T.: 6.930 min
Delta R.T.: 0.000 min
Response: 47483073
Conc: 47.08 ng/ml



#20 Methoxychlor


R.T.: 7.606 min
Delta R.T.: 0.000 min
Response: 60714814
Conc: 48.19 ng/ml



#21 Endrin ketone


R.T.: 7.160 min
Delta R.T.: 0.000 min
Response: 103603292
Conc: 50.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130839BSD




#21 Endrin ketone

R.T.: 7.753 min
Delta R.T.: 0.000 min
Response: 125189493
Conc: 51.37 ng/ml




#22 Mirex

R.T.: 7.349 min
Delta R.T.: 0.000 min
Response: 77951851
Conc: 51.84 ng/ml



#22 Mirex


R.T.: 8.210 min
Delta R.T.: 0.000 min
Response: 86118971
Conc: 53.85 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.219 min
Delta R.T.: -0.001 min
Response: 38030919
Conc: 20.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130839BSD



#28 Decachlorobiphenyl

R.T.: 9.098 min
Delta R.T.: 0.000 min
Response: 41166367
Conc: 21.94 ng/ml