

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081021\
 Data File : PL068878.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 Aug 2021 16:39
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PEM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 11 01:29:40 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080521.M
 Quant Title : GC Extractables
 QLast Update : Fri Aug 06 03:02:43 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.637	5.568	8744518	24615274	21.140	24.243
28)	SA Decachlor...	10.406	11.488	12561674	21786443	21.858	22.455
Target Compounds							
2)	A alpha-BHC	5.344	6.148	6176505	15545327	11.166	11.415
3)	MA gamma-BHC...	5.766	6.544	6100692	14867449	11.241	11.427
5)	MB Aldrin	0.000	7.597f	0	39879	N.D.	0.033 #
6)	B beta-BHC	6.146	6.797	3813829	9685597	13.529	14.951
8)	B Heptachlo...	0.000	8.035	0	3427318	N.D.	2.965 #
11)	B alpha-Chl...	0.000	8.406f	0	118341	N.D.	0.103 #
14)	MA Endrin	8.059	8.964	27022981	53573334	56.073	59.021
15)	B Endosulfa...	0.000	9.211	0	522737	N.D.	0.570 #
16)	A 4,4'-DDD	8.224	9.106	1317465	2715288	3.070	3.178
17)	MA 4,4'-DDT	8.486	9.424	51084985	103.4E6	105.186	109.277
18)	B Endrin al...	0.000	9.332	0	242528	N.D.	0.346 #
20)	A Methoxychlor	9.080	9.909	72980140	131.0E6	233.132	251.658
21)	B Endrin ke...	9.304	10.067	42679	1777917	0.073	1.746 #
22)	Mirex	0.000	10.567f	0	218380	N.D.	0.276 #
23)	Chlordane-1	0.000	6.973f	0	592906	N.D.	14.060 #
26)	Chlordane-4	0.000	8.406f	0	118341	N.D.	0.597 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081021\
Data File : PL068878.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Aug 2021 16:39
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampled :
PEM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 11 01:29:40 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080521.M
Quant Title : GC Extractables
QLast Update : Fri Aug 06 03:02:43 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.637 min
Delta R.T.: -0.003 min
Response: 8744518
Conc: 21.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#1 Tetrachloro-m-xylene

R.T.: 5.568 min
Delta R.T.: -0.003 min
Response: 24615274
Conc: 24.24 ng/ml




#2 alpha-BHC

R.T.: 5.344 min
Delta R.T.: -0.003 min
Response: 6176505
Conc: 11.17 ng/ml



#2 alpha-BHC


R.T.: 6.148 min
Delta R.T.: -0.003 min
Response: 15545327
Conc: 11.42 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 5.766 min
Delta R.T.: -0.004 min
Response: 6100692
Conc: 11.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#3 gamma-BHC (Lindane)

R.T.: 6.544 min
Delta R.T.: -0.003 min
Response: 14867449
Conc: 11.43 ng/ml




#5 Aldrin

R.T.: 0.000 min
Exp R.T. : 6.507 min
Response: 0
Conc: N.D.



#5 Aldrin


R.T.: 7.597 min
Delta R.T.: 0.029 min
Response: 39879
Conc: 0.03 ng/ml



#6 beta-BHC


R.T.: 6.146 min
Delta R.T.: -0.003 min
Response: 3813829
Conc: 13.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#6 beta-BHC

R.T.: 6.797 min
Delta R.T.: -0.003 min
Response: 9685597
Conc: 14.95 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T. : 7.084 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 8.035 min
Delta R.T.: 0.001 min
Response: 3427318
Conc: 2.96 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T.: 7.432 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PEM




#11 alpha-Chlordane

R.T.: 8.406 min
Delta R.T.: 0.022 min
Response: 118341
Conc: 0.10 ng/ml




#14 Endrin

R.T.: 8.059 min
Delta R.T.: -0.006 min
Response: 27022981
Conc: 56.07 ng/ml



#14 Endrin


R.T.: 8.964 min
Delta R.T.: -0.004 min
Response: 53573334
Conc: 59.02 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T.: 8.375 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PEM




#15 Endosulfan II

R.T.: 9.211 min
Delta R.T.: 0.009 min
Response: 522737
Conc: 0.57 ng/ml




#16 4,4'-DDD

R.T.: 8.224 min
Delta R.T.: -0.006 min
Response: 1317465
Conc: 3.07 ng/ml



#16 4,4'-DDD


R.T.: 9.106 min
Delta R.T.: -0.004 min
Response: 2715288
Conc: 3.18 ng/ml



#17 4,4'-DDT


R.T.: 8.486 min
Delta R.T.: -0.006 min
Response: 51084985
Conc: 105.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#17 4,4'-DDT

R.T.: 9.424 min
Delta R.T.: -0.004 min
Response: 103417171
Conc: 109.28 ng/ml




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T. : 8.564 min
Response: 0
Conc: N.D.



#18 Endrin aldehyde


R.T.: 9.332 min
Delta R.T.: -0.004 min
Response: 242528
Conc: 0.35 ng/ml



#20 Methoxychlor


R.T.: 9.080 min
Delta R.T.: -0.007 min
Response: 72980140
Conc: 233.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PEM




#20 Methoxychlor

R.T.: 9.909 min
Delta R.T.: -0.004 min
Response: 130961315
Conc: 251.66 ng/ml




#21 Endrin ketone

R.T.: 9.304 min
Delta R.T.: -0.009 min
Response: 42679
Conc: 0.07 ng/ml



#21 Endrin ketone


R.T.: 10.067 min
Delta R.T.: -0.005 min
Response: 1777917
Conc: 1.75 ng/ml



#22 Mirex


R.T.: 0.000 min
Exp R.T. : 9.502 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PEM




#22 Mirex

R.T.: 10.567 min
Delta R.T.: 0.027 min
Response: 218380
Conc: 0.28 ng/ml




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T. : 5.971 min
Response: 0
Conc: N.D.



#23 Chlordane-1


R.T.: 6.973 min
Delta R.T.: 0.018 min
Response: 592906
Conc: 14.06 ng/ml



#26 Chlordane-4


R.T.: 0.000 min
Exp R.T.: 7.430 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PEM




#26 Chlordane-4

R.T.: 8.406 min
Delta R.T.: 0.019 min
Response: 118341
Conc: 0.60 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.406 min
Delta R.T.: -0.008 min
Response: 12561674
Conc: 21.86 ng/ml



#28 Decachlorobiphenyl

R.T.: 11.488 min
Delta R.T.: -0.007 min
Response: 21786443
Conc: 22.45 ng/ml