

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081219\
 Data File : PL051333.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 12 Aug 2019 21:16
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 13 00:51:22 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 19 01:19:13 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.317	3.928	544.1E6	140.4E6	54.147	49.203
2)	SA Decachlor...	7.977	8.955	574.2E6	140.9E6	56.710	49.824
Target Compounds							
2)	A alpha-BHC	3.744	4.316	920.4E6	211.3E6	54.924	51.203
3)	MA gamma-BHC...	4.019	4.598	863.7E6	200.8E6	56.153	51.844
4)	MA Heptachlor	4.302	5.099	913.5E6	211.9E6	55.677	51.107
5)	MB Aldrin	4.540	5.401	867.1E6	197.5E6	55.974	52.424
6)	B beta-BHC	4.274	4.775	359.2E6	93052634	54.790	53.823
7)	B delta-BHC	4.467	4.988	916.5E6	201.9E6	55.854	52.190
8)	B Heptachlo...	4.977	5.788	810.0E6	190.1E6	54.830	49.698
9)	A Endosulfan I	5.307	6.143	774.3E6	180.0E6	53.240	52.341
10)	B gamma-Chl...	5.199	6.022	858.2E6	195.3E6	54.373	52.848
11)	B alpha-Chl...	5.255	6.093	829.7E6	193.7E6	54.388	52.839
12)	B 4,4'-DDE	5.422	6.254	791.3E6	193.4E6	52.806	53.685
13)	MA Dieldrin	5.545	6.400	849.9E6	190.1E6	54.846	53.690
14)	MA Endrin	5.798	6.617	796.7E6	167.5E6	54.123	53.996
15)	B Endosulfa...	6.073	6.829	746.0E6	171.2E6	53.305	53.852
16)	A 4,4'-DDD	5.933	6.745	673.5E6	144.9E6	56.198	54.427
17)	MA 4,4'-DDT	6.167	7.041	681.2E6	152.8E6	54.996	56.617
18)	B Endrin al...	6.240	6.953	608.1E6	129.2E6	52.711	47.554
19)	B Endosulfa...	6.451	7.176	679.3E6	159.1E6	53.322	55.101
20)	A Methoxychlor	6.711	7.503	342.3E6	83368137	54.864	56.819
21)	B Endrin ke...	6.932	7.644	752.4E6	166.6E6	55.008	57.615
22)	Mirex	7.106	8.092	527.8E6	123.3E6	53.830	53.691
24)	Chlordane-2	0.000	5.401f	0	197.5E6	N.D.	1681.957 #
25)	Chlordane-3	5.199	6.022	858.2E6	195.3E6	613.083	406.023 #
26)	Chlordane-4	5.255	6.093	829.7E6	193.7E6	629.085	333.375 #
27)	Chlordane-5	6.073	0.000	746.0E6	0	1468.678	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081219\
Data File : PL051333.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Aug 2019 21:16
Operator : SM\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 13 00:51:22 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
Quant Title : GC Extractables
QLast Update : Fri Jul 19 01:19:13 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.317 min
Delta R.T.: -0.001 min
Response: 544055661
Conc: 54.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.928 min
Delta R.T.: -0.003 min
Response: 140386538
Conc: 49.20 ng/ml




#2 alpha-BHC

R.T.: 3.744 min
Delta R.T.: -0.002 min
Response: 920399251
Conc: 54.92 ng/ml



#2 alpha-BHC


R.T.: 4.316 min
Delta R.T.: -0.003 min
Response: 211261083
Conc: 51.20 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.019 min
Delta R.T.: -0.002 min
Response: 863729441
Conc: 56.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.598 min
Delta R.T.: -0.003 min
Response: 200800316
Conc: 51.84 ng/ml




#4 Heptachlor

R.T.: 4.302 min
Delta R.T.: -0.003 min
Response: 913546742
Conc: 55.68 ng/ml



#4 Heptachlor


R.T.: 5.099 min
Delta R.T.: -0.004 min
Response: 211924455
Conc: 51.11 ng/ml



#5 Aldrin


R.T.: 4.540 min
Delta R.T.: -0.003 min
Response: 867126922
Conc: 55.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.401 min
Delta R.T.: -0.004 min
Response: 197549980
Conc: 52.42 ng/ml




#6 beta-BHC

R.T.: 4.274 min
Delta R.T.: -0.002 min
Response: 359194923
Conc: 54.79 ng/ml



#6 beta-BHC


R.T.: 4.775 min
Delta R.T.: -0.003 min
Response: 93052634
Conc: 53.82 ng/ml



#7 delta-BHC


R.T.: 4.467 min
Delta R.T.: -0.002 min
Response: 916497408
Conc: 55.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.988 min
Delta R.T.: -0.003 min
Response: 201852472
Conc: 52.19 ng/ml




#8 Heptachlor epoxide

R.T.: 4.977 min
Delta R.T.: -0.003 min
Response: 810037349
Conc: 54.83 ng/ml



#8 Heptachlor epoxide


R.T.: 5.788 min
Delta R.T.: -0.004 min
Response: 190086868
Conc: 49.70 ng/ml



#9 Endosulfan I


R.T.: 5.307 min
Delta R.T.: -0.003 min
Response: 774308560
Conc: 53.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.143 min
Delta R.T.: -0.005 min
Response: 179994386
Conc: 52.34 ng/ml




#10 gamma-Chlordane

R.T.: 5.199 min
Delta R.T.: -0.003 min
Response: 858186347
Conc: 54.37 ng/ml



#10 gamma-Chlordane


R.T.: 6.022 min
Delta R.T.: -0.004 min
Response: 195288819
Conc: 52.85 ng/ml



#11 alpha-Chlordane


R.T.: 5.255 min
Delta R.T.: -0.003 min
Response: 829749557
Conc: 54.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.093 min
Delta R.T.: -0.004 min
Response: 193663469
Conc: 52.84 ng/ml




#12 4,4'-DDE

R.T.: 5.422 min
Delta R.T.: -0.003 min
Response: 791339632
Conc: 52.81 ng/ml



#12 4,4'-DDE


R.T.: 6.254 min
Delta R.T.: -0.004 min
Response: 193449891
Conc: 53.69 ng/ml



#13 Dieldrin


R.T.: 5.545 min
Delta R.T.: -0.003 min
Response: 849938723
Conc: 54.85 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.400 min
Delta R.T.: -0.004 min
Response: 190124457
Conc: 53.69 ng/ml




#14 Endrin

R.T.: 5.798 min
Delta R.T.: -0.004 min
Response: 796711393
Conc: 54.12 ng/ml



#14 Endrin


R.T.: 6.617 min
Delta R.T.: -0.005 min
Response: 167463961
Conc: 54.00 ng/ml



#15 Endosulfan II


R.T.: 6.073 min
Delta R.T.: -0.003 min
Response: 745995686
Conc: 53.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.829 min
Delta R.T.: -0.004 min
Response: 171206383
Conc: 53.85 ng/ml




#16 4,4'-DDD

R.T.: 5.933 min
Delta R.T.: -0.003 min
Response: 673472034
Conc: 56.20 ng/ml



#16 4,4'-DDD


R.T.: 6.745 min
Delta R.T.: -0.004 min
Response: 144932747
Conc: 54.43 ng/ml



#17 4,4'-DDT


R.T.: 6.167 min
Delta R.T.: -0.003 min
Response: 681169312
Conc: 55.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.041 min
Delta R.T.: -0.004 min
Response: 152842959
Conc: 56.62 ng/ml




#18 Endrin aldehyde

R.T.: 6.240 min
Delta R.T.: -0.003 min
Response: 608094336
Conc: 52.71 ng/ml



#18 Endrin aldehyde


R.T.: 6.953 min
Delta R.T.: -0.005 min
Response: 129232890
Conc: 47.55 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.451 min
Delta R.T.: -0.003 min
Response: 679298081
Conc: 53.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.176 min
Delta R.T.: -0.004 min
Response: 159145890
Conc: 55.10 ng/ml




#20 Methoxychlor

R.T.: 6.711 min
Delta R.T.: -0.003 min
Response: 342293318
Conc: 54.86 ng/ml



#20 Methoxychlor


R.T.: 7.503 min
Delta R.T.: -0.004 min
Response: 83368137
Conc: 56.82 ng/ml



#21 Endrin ketone


R.T.: 6.932 min
Delta R.T.: -0.003 min
Response: 752369730
Conc: 55.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.644 min
Delta R.T.: -0.004 min
Response: 166580696
Conc: 57.61 ng/ml




#22 Mirex

R.T.: 7.106 min
Delta R.T.: -0.003 min
Response: 527760782
Conc: 53.83 ng/ml



#22 Mirex


R.T.: 8.092 min
Delta R.T.: -0.005 min
Response: 123329266
Conc: 53.69 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.647 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.401 min
Delta R.T.: 0.018 min
Response: 197549980
Conc: 1681.96 ng/ml




#25 Chlordane-3

R.T.: 5.199 min
Delta R.T.: -0.003 min
Response: 858186347
Conc: 613.08 ng/ml



#25 Chlordane-3


R.T.: 6.022 min
Delta R.T.: -0.005 min
Response: 195288819
Conc: 406.02 ng/ml



#26 Chlordane-4


R.T.: 5.255 min
Delta R.T.: -0.002 min
Response: 829749557
Conc: 629.08 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.093 min
Delta R.T.: -0.007 min
Response: 193663469
Conc: 333.37 ng/ml




#27 Chlordane-5

R.T.: 6.073 min
Delta R.T.: -0.006 min
Response: 745995686
Conc: 1468.68 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.902 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 7.977 min
Delta R.T.: -0.004 min
Response: 574213845
Conc: 56.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.955 min
Delta R.T.: -0.007 min
Response: 140897895
Conc: 49.82 ng/ml