

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081219\
 Data File : PL051355.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Aug 2019 02:28
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 13 04:56:43 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 19 01:19:13 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.316	3.928	554.7E6	141.4E6	55.203	49.557
28)	SA Decachlor...	7.977	8.956	462.0E6	125.4E6	45.628	44.337
Target Compounds							
2)	A alpha-BHC	3.744	4.316	928.3E6	212.0E6	55.395	51.387
3)	MA gamma-BHC...	4.019	4.599	869.7E6	201.4E6	56.541	51.996
4)	MA Heptachlor	4.302	5.100	916.3E6	212.1E6	55.846	51.137
5)	MB Aldrin	4.540	5.401	865.7E6	193.1E6	55.884	51.247
6)	B beta-BHC	4.274	4.776	363.7E6	92532837	55.484	53.523
7)	B delta-BHC	4.466	4.989	918.5E6	203.3E6	55.977	52.572
8)	B Heptachlo...	4.977	5.789	802.7E6	181.0E6	54.333	47.330
9)	A Endosulfan I	5.306	6.143	758.8E6	167.9E6	52.176	48.811
10)	B gamma-Chl...	5.199	6.023	848.7E6	183.6E6	53.772	49.685
11)	B alpha-Chl...	5.255	6.094	816.3E6	181.7E6	53.509	49.578
12)	B 4,4'-DDE	5.422	6.254	767.9E6	180.1E6	51.244	49.987
13)	MA Dieldrin	5.545	6.400	800.5E6	176.5E6	51.653	49.842
14)	MA Endrin	5.798	6.617	713.6E6	151.2E6	48.475	48.736
15)	B Endosulfa...	6.073	6.830	642.8E6	153.7E6	45.930	48.361
16)	A 4,4'-DDD	5.932	6.745	596.3E6	129.4E6	49.756	48.586
17)	MA 4,4'-DDT	6.166	7.042	577.7E6	133.8E6	46.641	49.556
18)	B Endrin al...	6.240	6.954	518.3E6	120.4E6	44.931	44.304
19)	B Endosulfa...	6.451	7.176	572.9E6	138.8E6	44.967	48.051
20)	A Methoxychlor	6.712	7.503	283.2E6	77850851	45.393	53.058
21)	B Endrin ke...	6.932	7.644	581.4E6	147.3E6	42.510	50.948
22)	Mirex	7.106	8.092	408.9E6	105.0E6	41.704	45.725
24)	Chlordane-2	0.000	5.401f	0	193.1E6	N.D.	1644.219 #
25)	Chlordane-3	5.199	6.023	848.7E6	183.6E6	606.299	381.723 #
26)	Chlordane-4	5.255	6.094	816.3E6	181.7E6	618.915	312.802 #
27)	Chlordane-5	6.073	0.000	642.8E6	0	1265.482	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081219\
Data File : PL051355.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Aug 2019 02:28
Operator : SM\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 13 04:56:43 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
Quant Title : GC Extractables
QLast Update : Fri Jul 19 01:19:13 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.316 min
Delta R.T.: -0.002 min
Response: 554671187
Conc: 55.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.928 min
Delta R.T.: -0.003 min
Response: 141396756
Conc: 49.56 ng/ml




#2 alpha-BHC

R.T.: 3.744 min
Delta R.T.: -0.002 min
Response: 928293456
Conc: 55.40 ng/ml



#2 alpha-BHC


R.T.: 4.316 min
Delta R.T.: -0.003 min
Response: 212022789
Conc: 51.39 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.019 min
Delta R.T.: -0.003 min
Response: 869699836
Conc: 56.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.599 min
Delta R.T.: -0.003 min
Response: 201388641
Conc: 52.00 ng/ml




#4 Heptachlor

R.T.: 4.302 min
Delta R.T.: -0.003 min
Response: 916313521
Conc: 55.85 ng/ml



#4 Heptachlor


R.T.: 5.100 min
Delta R.T.: -0.004 min
Response: 212050734
Conc: 51.14 ng/ml



#5 Aldrin


R.T.: 4.540 min
Delta R.T.: -0.003 min
Response: 865731252
Conc: 55.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.401 min
Delta R.T.: -0.004 min
Response: 193117616
Conc: 51.25 ng/ml




#6 beta-BHC

R.T.: 4.274 min
Delta R.T.: -0.002 min
Response: 363746366
Conc: 55.48 ng/ml



#6 beta-BHC


R.T.: 4.776 min
Delta R.T.: -0.003 min
Response: 92532837
Conc: 53.52 ng/ml



#7 delta-BHC


R.T.: 4.466 min
Delta R.T.: -0.003 min
Response: 918513678
Conc: 55.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.989 min
Delta R.T.: -0.003 min
Response: 203327248
Conc: 52.57 ng/ml




#8 Heptachlor epoxide

R.T.: 4.977 min
Delta R.T.: -0.003 min
Response: 802704701
Conc: 54.33 ng/ml



#8 Heptachlor epoxide


R.T.: 5.789 min
Delta R.T.: -0.004 min
Response: 181029871
Conc: 47.33 ng/ml



#9 Endosulfan I


R.T.: 5.306 min
Delta R.T.: -0.004 min
Response: 758836209
Conc: 52.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.143 min
Delta R.T.: -0.004 min
Response: 167856574
Conc: 48.81 ng/ml




#10 gamma-Chlordane

R.T.: 5.199 min
Delta R.T.: -0.003 min
Response: 848689354
Conc: 53.77 ng/ml



#10 gamma-Chlordane


R.T.: 6.023 min
Delta R.T.: -0.003 min
Response: 183601196
Conc: 49.69 ng/ml



#11 alpha-Chlordane


R.T.: 5.255 min
Delta R.T.: -0.003 min
Response: 816336007
Conc: 53.51 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.094 min
Delta R.T.: -0.004 min
Response: 181712252
Conc: 49.58 ng/ml




#12 4,4'-DDE

R.T.: 5.422 min
Delta R.T.: -0.003 min
Response: 767936329
Conc: 51.24 ng/ml



#12 4,4'-DDE


R.T.: 6.254 min
Delta R.T.: -0.004 min
Response: 180124591
Conc: 49.99 ng/ml



#13 Dieldrin


R.T.: 5.545 min
Delta R.T.: -0.003 min
Response: 800455805
Conc: 51.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.400 min
Delta R.T.: -0.004 min
Response: 176496742
Conc: 49.84 ng/ml




#14 Endrin

R.T.: 5.798 min
Delta R.T.: -0.003 min
Response: 713572825
Conc: 48.47 ng/ml



#14 Endrin


R.T.: 6.617 min
Delta R.T.: -0.004 min
Response: 151151018
Conc: 48.74 ng/ml



#15 Endosulfan II


R.T.: 6.073 min
Delta R.T.: -0.003 min
Response: 642785162
Conc: 45.93 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.830 min
Delta R.T.: -0.003 min
Response: 153747983
Conc: 48.36 ng/ml




#16 4,4'-DDD

R.T.: 5.932 min
Delta R.T.: -0.003 min
Response: 596266389
Conc: 49.76 ng/ml



#16 4,4'-DDD


R.T.: 6.745 min
Delta R.T.: -0.004 min
Response: 129379921
Conc: 48.59 ng/ml



#17 4,4'-DDT


R.T.: 6.166 min
Delta R.T.: -0.003 min
Response: 577684170
Conc: 46.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.042 min
Delta R.T.: -0.004 min
Response: 133781881
Conc: 49.56 ng/ml




#18 Endrin aldehyde

R.T.: 6.240 min
Delta R.T.: -0.003 min
Response: 518344476
Conc: 44.93 ng/ml



#18 Endrin aldehyde


R.T.: 6.954 min
Delta R.T.: -0.004 min
Response: 120399776
Conc: 44.30 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.451 min
Delta R.T.: -0.003 min
Response: 572858473
Conc: 44.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.176 min
Delta R.T.: -0.003 min
Response: 138782045
Conc: 48.05 ng/ml




#20 Methoxychlor

R.T.: 6.712 min
Delta R.T.: -0.003 min
Response: 283203289
Conc: 45.39 ng/ml



#20 Methoxychlor


R.T.: 7.503 min
Delta R.T.: -0.004 min
Response: 77850851
Conc: 53.06 ng/ml



#21 Endrin ketone


R.T.: 6.932 min
Delta R.T.: -0.003 min
Response: 581431865
Conc: 42.51 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.644 min
Delta R.T.: -0.004 min
Response: 147305786
Conc: 50.95 ng/ml




#22 Mirex

R.T.: 7.106 min
Delta R.T.: -0.003 min
Response: 408882805
Conc: 41.70 ng/ml



#22 Mirex


R.T.: 8.092 min
Delta R.T.: -0.005 min
Response: 105031008
Conc: 45.73 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.647 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.401 min
Delta R.T.: 0.018 min
Response: 193117616
Conc: 1644.22 ng/ml




#25 Chlordane-3

R.T.: 5.199 min
Delta R.T.: -0.004 min
Response: 848689354
Conc: 606.30 ng/ml



#25 Chlordane-3


R.T.: 6.023 min
Delta R.T.: -0.004 min
Response: 183601196
Conc: 381.72 ng/ml



#26 Chlordane-4


R.T.: 5.255 min
Delta R.T.: -0.002 min
Response: 816336007
Conc: 618.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.094 min
Delta R.T.: -0.007 min
Response: 181712252
Conc: 312.80 ng/ml




#27 Chlordane-5

R.T.: 6.073 min
Delta R.T.: -0.006 min
Response: 642785162
Conc: 1265.48 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.902 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 7.977 min
Delta R.T.: -0.004 min
Response: 461998743
Conc: 45.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.956 min
Delta R.T.: -0.006 min
Response: 125381036
Conc: 44.34 ng/ml