

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081219\
 Data File : PL051380.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Aug 2019 08:22
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Manual Integrations
 APPROVED

Ankita
 8/14/2019 9:34:45 AM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 13 08:33:04 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 19 01:19:13 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.316	3.927	540.1E6	138.3E6	53.756	48.480
28)	SA Decachlor...	7.976	8.956	516.5E6	133.7E6	51.012	47.290
Target Compounds							
2)	A alpha-BHC	3.743	4.316	901.5E6	207.0E6	53.799	50.181
3)	MA gamma-BHC...	4.019	4.599	829.2E6	195.8E6	53.905	50.550
4)	MA Heptachlor	4.302	5.100	876.6E6	204.8E6	53.423	49.395
5)	MB Aldrin	4.540	5.401	829.7E6	190.7E6	53.556	50.611
6)	B beta-BHC	4.274	4.776	347.2E6	90338192	52.967	52.253
7)	B delta-BHC	4.466	4.989	881.4E6	178.0E6	53.718	46.014
8)	B Heptachlo...	4.977	5.788	773.4E6	179.2E6	52.347	46.842
9)	A Endosulfan I	5.307	6.143	738.1E6	173.8E6	50.752	50.529
10)	B gamma-Chl...	5.199	6.023	818.1E6	185.1E6	51.837	50.082
11)	B alpha-Chl...	5.255	6.094	788.8E6	186.4E6	51.703	50.868
12)	B 4,4'-DDE	5.422	6.254	760.3E6	186.6E6	50.732	51.792
13)	MA Dieldrin	5.545	6.400	811.3E6	183.1E6	52.350	51.703
14)	MA Endrin	5.798	6.617	764.8E6	157.8E6	51.958	50.871
15)	B Endosulfa...	6.073	6.830	710.2E6	164.7E6	50.746	51.820
16)	A 4,4'-DDD	5.933	6.745	647.1E6	141.5E6	54.002	53.154
17)	MA 4,4'-DDT	6.166	7.042	643.7E6	141.0E6	51.970	52.230
18)	B Endrin al...	6.239	6.952	581.6E6	135.2E6	50.411	49.748m
19)	B Endosulfa...	6.451	7.177	648.3E6	147.5E6	50.889	51.084
20)	A Methoxychlor	6.711	7.503	329.2E6	78913420	52.771	53.783
21)	B Endrin ke...	6.932	7.645	689.2E6	154.3E6	50.387	53.375
22)	Mirex	7.105	8.092	466.6E6	113.2E6	47.595	49.296

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081219\
Data File : PL051380.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Aug 2019 08:22
Operator : SM\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/14/2019 9:34:45 AM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 13 08:33:04 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
Quant Title : GC Extractables
QLast Update : Fri Jul 19 01:19:13 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.316 min
Delta R.T.: -0.002 min
Response: 540134282
Conc: 53.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/14/2019 9:34:45 AM




#1 Tetrachloro-m-xylene

R.T.: 3.927 min
Delta R.T.: -0.003 min
Response: 138323993
Conc: 48.48 ng/ml




#2 alpha-BHC

R.T.: 3.743 min
Delta R.T.: -0.002 min
Response: 901540108
Conc: 53.80 ng/ml



#2 alpha-BHC

R.T.: 4.316 min
Delta R.T.: -0.003 min
Response: 207048074
Conc: 50.18 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.019 min
Delta R.T.: -0.003 min
Response: 829154308
Conc: 53.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/14/2019 9:34:45 AM




#3 gamma-BHC (Lindane)

R.T.: 4.599 min
Delta R.T.: -0.003 min
Response: 195789781
Conc: 50.55 ng/ml




#4 Heptachlor

R.T.: 4.302 min
Delta R.T.: -0.003 min
Response: 876552025
Conc: 53.42 ng/ml



#4 Heptachlor

R.T.: 5.100 min
Delta R.T.: -0.004 min
Response: 204824173
Conc: 49.39 ng/ml




#5 Aldrin

R.T.: 4.540 min
Delta R.T.: -0.003 min
Response: 829666816
Conc: 53.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/14/2019 9:34:45 AM




#5 Aldrin

R.T.: 5.401 min
Delta R.T.: -0.004 min
Response: 190720958
Conc: 50.61 ng/ml




#6 beta-BHC

R.T.: 4.274 min
Delta R.T.: -0.002 min
Response: 347244008
Conc: 52.97 ng/ml



#6 beta-BHC

R.T.: 4.776 min
Delta R.T.: -0.003 min
Response: 90338192
Conc: 52.25 ng/ml




#7 delta-BHC

R.T.: 4.466 min
Delta R.T.: -0.003 min
Response: 881438219
Conc: 53.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/14/2019 9:34:45 AM




#7 delta-BHC

R.T.: 4.989 min
Delta R.T.: -0.003 min
Response: 177964092
Conc: 46.01 ng/ml




#8 Heptachlor epoxide

R.T.: 4.977 min
Delta R.T.: -0.002 min
Response: 773364380
Conc: 52.35 ng/ml



#8 Heptachlor epoxide

R.T.: 5.788 min
Delta R.T.: -0.004 min
Response: 179161830
Conc: 46.84 ng/ml




#9 Endosulfan I

R.T.: 5.307 min
Delta R.T.: -0.003 min
Response: 738136577
Conc: 50.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/14/2019 9:34:45 AM




#9 Endosulfan I

R.T.: 6.143 min
Delta R.T.: -0.004 min
Response: 173763869
Conc: 50.53 ng/ml




#10 gamma-Chlordane

R.T.: 5.199 min
Delta R.T.: -0.003 min
Response: 818147723
Conc: 51.84 ng/ml



#10 gamma-Chlordane

R.T.: 6.023 min
Delta R.T.: -0.003 min
Response: 185067663
Conc: 50.08 ng/ml




#11 alpha-Chlordane

R.T.: 5.255 min
Delta R.T.: -0.003 min
Response: 788779600
Conc: 51.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/14/2019 9:34:45 AM




#11 alpha-Chlordane

R.T.: 6.094 min
Delta R.T.: -0.004 min
Response: 186439862
Conc: 50.87 ng/ml




#12 4,4'-DDE

R.T.: 5.422 min
Delta R.T.: -0.003 min
Response: 760263898
Conc: 50.73 ng/ml



#12 4,4'-DDE

R.T.: 6.254 min
Delta R.T.: -0.004 min
Response: 186626781
Conc: 51.79 ng/ml




#13 Dieldrin

R.T.: 5.545 min
Delta R.T.: -0.003 min
Response: 811260028
Conc: 52.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/14/2019 9:34:45 AM




#13 Dieldrin

R.T.: 6.400 min
Delta R.T.: -0.004 min
Response: 183087969
Conc: 51.70 ng/ml




#14 Endrin

R.T.: 5.798 min
Delta R.T.: -0.003 min
Response: 764846681
Conc: 51.96 ng/ml



#14 Endrin

R.T.: 6.617 min
Delta R.T.: -0.004 min
Response: 157772541
Conc: 50.87 ng/ml




#15 Endosulfan II

R.T.: 6.073 min
Delta R.T.: -0.003 min
Response: 710192236
Conc: 50.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/14/2019 9:34:45 AM




#15 Endosulfan II

R.T.: 6.830 min
Delta R.T.: -0.004 min
Response: 164744150
Conc: 51.82 ng/ml




#16 4,4'-DDD

R.T.: 5.933 min
Delta R.T.: -0.003 min
Response: 647149635
Conc: 54.00 ng/ml



#16 4,4'-DDD

R.T.: 6.745 min
Delta R.T.: -0.004 min
Response: 141542870
Conc: 53.15 ng/ml




#17 4,4'-DDT

R.T.: 6.166 min
Delta R.T.: -0.003 min
Response: 643691074
Conc: 51.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/14/2019 9:34:45 AM




#17 4,4'-DDT

R.T.: 7.042 min
Delta R.T.: -0.004 min
Response: 140998970
Conc: 52.23 ng/ml




#18 Endrin aldehyde

R.T.: 6.239 min
Delta R.T.: -0.003 min
Response: 581556576
Conc: 50.41 ng/ml



#18 Endrin aldehyde

R.T.: 6.952 min
Delta R.T.: -0.005 min
Response: 135195830
Conc: 49.75 ng/ml m




#19 Endosulfan Sulfate

R.T.: 6.451 min
Delta R.T.: -0.003 min
Response: 648302503
Conc: 50.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/14/2019 9:34:45 AM




#19 Endosulfan Sulfate

R.T.: 7.177 min
Delta R.T.: -0.003 min
Response: 147542513
Conc: 51.08 ng/ml




#20 Methoxychlor

R.T.: 6.711 min
Delta R.T.: -0.003 min
Response: 329231965
Conc: 52.77 ng/ml



#20 Methoxychlor

R.T.: 7.503 min
Delta R.T.: -0.004 min
Response: 78913420
Conc: 53.78 ng/ml




#21 Endrin ketone

R.T.: 6.932 min
Delta R.T.: -0.004 min
Response: 689162411
Conc: 50.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/14/2019 9:34:45 AM




#21 Endrin ketone

R.T.: 7.645 min
Delta R.T.: -0.003 min
Response: 154323412
Conc: 53.38 ng/ml




#22 Mirex

R.T.: 7.105 min
Delta R.T.: -0.004 min
Response: 466634991
Conc: 47.59 ng/ml



#22 Mirex

R.T.: 8.092 min
Delta R.T.: -0.005 min
Response: 113233793
Conc: 49.30 ng/ml




#28 Decachlorobiphenyl

R.T.: 7.976 min
Delta R.T.: -0.005 min
Response: 516515787
Conc: 51.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Manual Integrations
APPROVED

Ankita
8/14/2019 9:34:45 AM



#28 Decachlorobiphenyl

R.T.: 8.956 min
Delta R.T.: -0.005 min
Response: 133733049
Conc: 47.29 ng/ml