

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081319\
 Data File : PL051421.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Aug 2019 18:37
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 14 00:45:03 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 19 01:19:13 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.316	3.927	546.4E6	142.1E6	54.376	49.819
28)	SA Decachlor...	7.976	8.955	559.3E6	142.8E6	55.240	50.514
Target Compounds							
2)	A alpha-BHC	3.743	4.315	920.6E6	215.1E6	54.937	52.123
3)	MA gamma-BHC...	4.018	4.599	862.2E6	204.4E6	56.056	52.779
4)	MA Heptachlor	4.302	5.100	902.2E6	213.6E6	54.985	51.516
5)	MB Aldrin	4.540	5.402	862.9E6	201.0E6	55.705	53.342
6)	B beta-BHC	4.273	4.775	361.3E6	94120053	55.117	54.441
7)	B delta-BHC	4.466	4.989	912.7E6	208.5E6	55.624	53.919
8)	B Heptachlo...	4.976	5.789	801.6E6	194.0E6	54.257	50.715
9)	A Endosulfan I	5.306	6.144	766.8E6	183.4E6	52.723	53.328
10)	B gamma-Chl...	5.198	6.022	849.9E6	199.0E6	53.847	53.846
11)	B alpha-Chl...	5.254	6.094	820.1E6	197.7E6	53.759	53.931
12)	B 4,4'-DDE	5.421	6.255	781.8E6	196.2E6	52.167	54.448
13)	MA Dieldrin	5.544	6.400	840.7E6	193.5E6	54.251	54.640
14)	MA Endrin	5.797	6.617	769.7E6	164.8E6	52.285	53.131
15)	B Endosulfa...	6.072	6.829	735.1E6	174.2E6	52.524	54.808
16)	A 4,4'-DDD	5.932	6.745	672.1E6	146.8E6	56.081	55.141
17)	MA 4,4'-DDT	6.166	7.042	649.4E6	149.6E6	52.435	55.426
18)	B Endrin al...	6.239	6.954	602.7E6	137.8E6	52.240	50.697
19)	B Endosulfa...	6.451	7.176	669.3E6	161.2E6	52.534	55.809
20)	A Methoxychlor	6.711	7.503	331.9E6	83553712	53.197	56.945
21)	B Endrin ke...	6.932	7.645	746.6E6	172.0E6	54.589	59.504
22)	Mirex	7.105	8.092	517.1E6	122.4E6	52.747	53.293
24)	Chlordane-2	0.000	5.402f	0	201.0E6	N.D.	1711.439 #
25)	Chlordane-3	5.198	6.022	849.9E6	199.0E6	607.143	413.689 #
26)	Chlordane-4	5.254	6.094	820.1E6	197.7E6	621.806	340.266 #
27)	Chlordane-5	6.072	0.000	735.1E6	0	1447.161	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL051421\
Data File : PL051421.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Aug 2019 18:37
Operator : SM\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 14 00:45:03 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL071719.M
Quant Title : GC Extractables
QLast Update : Fri Jul 19 01:19:13 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.316 min
Delta R.T.: -0.002 min
Response: 546359170
Conc: 54.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.927 min
Delta R.T.: -0.003 min
Response: 142145341
Conc: 49.82 ng/ml




#2 alpha-BHC

R.T.: 3.743 min
Delta R.T.: -0.003 min
Response: 920614777
Conc: 54.94 ng/ml



#2 alpha-BHC


R.T.: 4.315 min
Delta R.T.: -0.004 min
Response: 215059293
Conc: 52.12 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.018 min
Delta R.T.: -0.003 min
Response: 862233393
Conc: 56.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.599 min
Delta R.T.: -0.003 min
Response: 204421180
Conc: 52.78 ng/ml




#4 Heptachlor

R.T.: 4.302 min
Delta R.T.: -0.003 min
Response: 902187407
Conc: 54.99 ng/ml



#4 Heptachlor


R.T.: 5.100 min
Delta R.T.: -0.004 min
Response: 213620370
Conc: 51.52 ng/ml



#5 Aldrin


R.T.: 4.540 min
Delta R.T.: -0.004 min
Response: 862948216
Conc: 55.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.402 min
Delta R.T.: -0.004 min
Response: 201012696
Conc: 53.34 ng/ml




#6 beta-BHC

R.T.: 4.273 min
Delta R.T.: -0.003 min
Response: 361340935
Conc: 55.12 ng/ml



#6 beta-BHC


R.T.: 4.775 min
Delta R.T.: -0.003 min
Response: 94120053
Conc: 54.44 ng/ml



#7 delta-BHC


R.T.: 4.466 min
Delta R.T.: -0.003 min
Response: 912722252
Conc: 55.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.989 min
Delta R.T.: -0.003 min
Response: 208537723
Conc: 53.92 ng/ml




#8 Heptachlor epoxide

R.T.: 4.976 min
Delta R.T.: -0.003 min
Response: 801581031
Conc: 54.26 ng/ml



#8 Heptachlor epoxide


R.T.: 5.789 min
Delta R.T.: -0.004 min
Response: 193974794
Conc: 50.71 ng/ml



#9 Endosulfan I


R.T.: 5.306 min
Delta R.T.: -0.004 min
Response: 766792684
Conc: 52.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.144 min
Delta R.T.: -0.004 min
Response: 183389780
Conc: 53.33 ng/ml




#10 gamma-Chlordane

R.T.: 5.198 min
Delta R.T.: -0.003 min
Response: 849870736
Conc: 53.85 ng/ml



#10 gamma-Chlordane


R.T.: 6.022 min
Delta R.T.: -0.004 min
Response: 198976160
Conc: 53.85 ng/ml



#11 alpha-Chlordane


R.T.: 5.254 min
Delta R.T.: -0.004 min
Response: 820149804
Conc: 53.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.094 min
Delta R.T.: -0.004 min
Response: 197666810
Conc: 53.93 ng/ml




#12 4,4'-DDE

R.T.: 5.421 min
Delta R.T.: -0.004 min
Response: 781770896
Conc: 52.17 ng/ml



#12 4,4'-DDE


R.T.: 6.255 min
Delta R.T.: -0.004 min
Response: 196196227
Conc: 54.45 ng/ml



#13 Dieldrin


R.T.: 5.544 min
Delta R.T.: -0.004 min
Response: 840714407
Conc: 54.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.400 min
Delta R.T.: -0.004 min
Response: 193488217
Conc: 54.64 ng/ml




#14 Endrin

R.T.: 5.797 min
Delta R.T.: -0.004 min
Response: 769655672
Conc: 52.28 ng/ml



#14 Endrin


R.T.: 6.617 min
Delta R.T.: -0.005 min
Response: 164783213
Conc: 53.13 ng/ml



#15 Endosulfan II


R.T.: 6.072 min
Delta R.T.: -0.004 min
Response: 735066537
Conc: 52.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.829 min
Delta R.T.: -0.004 min
Response: 174244140
Conc: 54.81 ng/ml




#16 4,4'-DDD

R.T.: 5.932 min
Delta R.T.: -0.004 min
Response: 672067146
Conc: 56.08 ng/ml



#16 4,4'-DDD


R.T.: 6.745 min
Delta R.T.: -0.004 min
Response: 146833879
Conc: 55.14 ng/ml



#17 4,4'-DDT


R.T.: 6.166 min
Delta R.T.: -0.004 min
Response: 649449423
Conc: 52.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.042 min
Delta R.T.: -0.004 min
Response: 149626895
Conc: 55.43 ng/ml




#18 Endrin aldehyde

R.T.: 6.239 min
Delta R.T.: -0.003 min
Response: 602661290
Conc: 52.24 ng/ml



#18 Endrin aldehyde


R.T.: 6.954 min
Delta R.T.: -0.004 min
Response: 137774146
Conc: 50.70 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.451 min
Delta R.T.: -0.004 min
Response: 669261391
Conc: 52.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.176 min
Delta R.T.: -0.003 min
Response: 161191165
Conc: 55.81 ng/ml




#20 Methoxychlor

R.T.: 6.711 min
Delta R.T.: -0.003 min
Response: 331893806
Conc: 53.20 ng/ml



#20 Methoxychlor


R.T.: 7.503 min
Delta R.T.: -0.004 min
Response: 83553712
Conc: 56.95 ng/ml



#21 Endrin ketone


R.T.: 6.932 min
Delta R.T.: -0.004 min
Response: 746635794
Conc: 54.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.645 min
Delta R.T.: -0.003 min
Response: 172042655
Conc: 59.50 ng/ml




#22 Mirex

R.T.: 7.105 min
Delta R.T.: -0.003 min
Response: 517146019
Conc: 52.75 ng/ml



#22 Mirex


R.T.: 8.092 min
Delta R.T.: -0.005 min
Response: 122413757
Conc: 53.29 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.647 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.402 min
Delta R.T.: 0.019 min
Response: 201012696
Conc: 1711.44 ng/ml




#25 Chlordane-3

R.T.: 5.198 min
Delta R.T.: -0.004 min
Response: 849870736
Conc: 607.14 ng/ml



#25 Chlordane-3


R.T.: 6.022 min
Delta R.T.: -0.004 min
Response: 198976160
Conc: 413.69 ng/ml



#26 Chlordane-4


R.T.: 5.254 min
Delta R.T.: -0.003 min
Response: 820149804
Conc: 621.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.094 min
Delta R.T.: -0.006 min
Response: 197666810
Conc: 340.27 ng/ml




#27 Chlordane-5

R.T.: 6.072 min
Delta R.T.: -0.007 min
Response: 735066537
Conc: 1447.16 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.902 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 7.976 min
Delta R.T.: -0.004 min
Response: 559327595
Conc: 55.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.955 min
Delta R.T.: -0.006 min
Response: 142848745
Conc: 50.51 ng/ml