

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081320\
 Data File : PL060699.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Aug 2020 15:53
 Operator : DD\AJ
 Sample : PB130941BS
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB130941BS

Manual Integrations
 APPROVED

Ankita
 8/14/2020 12:28:35 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 14 01:58:04 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081020.M
 Quant Title : GC Extractables
 QLast Update : Tue Aug 11 01:39:18 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.463	4.010	40181749	53995197	21.434	20.305
28)	SA Decachlor...	8.219	9.099	33653732	38496366	18.437	20.518
Target Compounds							
2)	A alpha-BHC	3.900	4.400	150.5E6	199.1E6	51.928	48.474
3)	MA gamma-BHC...	4.184	4.685	133.5E6	182.9E6	50.389	47.646
4)	MA Heptachlor	4.486	5.197	128.4E6	173.7E6	51.654	49.112
5)	MB Aldrin	4.734	5.503	113.5E6	157.8E6	51.843	48.082
6)	B beta-BHC	4.435	4.856	58298259	82125659	53.906	51.264
7)	B delta-BHC	4.639	5.074	114.8E6	137.2E6	46.491	50.465
8)	B Heptachlo...	5.177	5.890	107.9E6	142.7E6	51.014	55.902
9)	A Endosulfan I	5.516	6.248	99878912	134.5E6	50.666	47.471
10)	B gamma-Chl...	5.404	6.125	107.8E6	143.0E6	50.829	47.288
11)	B alpha-Chl...	5.462	6.198	105.2E6	142.1E6	49.568	46.234
12)	B 4,4'-DDE	5.628	6.355	100.2E6	133.4E6	50.538	46.848
13)	MA Dieldrin	5.759	6.506	106.5E6	138.6E6	51.503	47.530
14)	MA Endrin	6.015	6.724	97647955	117.3E6	50.004	46.342
15)	B Endosulfa...	6.288	6.934	89923266	116.4E6	46.400	44.607
16)	A 4,4'-DDD	6.143	6.847	82062233	107.1E6	48.741	46.672
17)	MA 4,4'-DDT	6.384	7.146	81021171	102.4E6	49.015	46.824
18)	B Endrin al...	6.456	7.058	78470667	99488044	47.025	45.828
19)	B Endosulfa...	6.670	7.281	92522852	111.7E6	49.351	46.465
20)	A Methoxychlor	6.930	7.605	47419993	63189761	47.018	50.156m
21)	B Endrin ke...	7.158	7.753	113.0E6	116.2E6	54.713m	47.697
22)	Mirex	7.349	8.209	75995353	82463885	50.542	51.566

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081320\
Data File : PL060699.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Aug 2020 15:53
Operator : DD\AJ
Sample : PB130941BS
Misc :
ALS Vial : 27 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampled :
PB130941BS


Manual Integrations
APPROVED

Ankita
8/14/2020 12:28:35 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 14 01:58:04 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081020.M
Quant Title : GC Extractables
QLast Update : Tue Aug 11 01:39:18 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.463 min
Delta R.T.: 0.000 min
Response: 40181749
Conc: 21.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130941BS


Manual Integrations
APPROVED

Ankita
8/14/2020 12:28:35 PM




#1 Tetrachloro-m-xylene

R.T.: 4.010 min
Delta R.T.: 0.000 min
Response: 53995197
Conc: 20.31 ng/ml




#2 alpha-BHC

R.T.: 3.900 min
Delta R.T.: 0.000 min
Response: 150496635
Conc: 51.93 ng/ml



#2 alpha-BHC

R.T.: 4.400 min
Delta R.T.: 0.000 min
Response: 199094592
Conc: 48.47 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.184 min
Delta R.T.: 0.000 min
Response: 133476106
Conc: 50.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130941BS


Manual Integrations
APPROVED

Ankita
8/14/2020 12:28:35 PM




#3 gamma-BHC (Lindane)

R.T.: 4.685 min
Delta R.T.: 0.000 min
Response: 182886077
Conc: 47.65 ng/ml




#4 Heptachlor

R.T.: 4.486 min
Delta R.T.: 0.000 min
Response: 128401554
Conc: 51.65 ng/ml



#4 Heptachlor

R.T.: 5.197 min
Delta R.T.: 0.000 min
Response: 173721733
Conc: 49.11 ng/ml




#5 Aldrin

R.T.: 4.734 min
Delta R.T.: 0.000 min
Response: 113467241
Conc: 51.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130941BS


Manual Integrations
APPROVED

Ankita
8/14/2020 12:28:35 PM




#5 Aldrin

R.T.: 5.503 min
Delta R.T.: 0.000 min
Response: 157813676
Conc: 48.08 ng/ml




#6 beta-BHC

R.T.: 4.435 min
Delta R.T.: 0.000 min
Response: 58298259
Conc: 53.91 ng/ml



#6 beta-BHC

R.T.: 4.856 min
Delta R.T.: 0.000 min
Response: 82125659
Conc: 51.26 ng/ml




#7 delta-BHC

R.T.: 4.639 min
Delta R.T.: 0.000 min
Response: 114803745
Conc: 46.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130941BS


Manual Integrations
APPROVED

Ankita
8/14/2020 12:28:35 PM




#7 delta-BHC

R.T.: 5.074 min
Delta R.T.: 0.000 min
Response: 137196725
Conc: 50.46 ng/ml




#8 Heptachlor epoxide

R.T.: 5.177 min
Delta R.T.: 0.000 min
Response: 107861247
Conc: 51.01 ng/ml



#8 Heptachlor epoxide

R.T.: 5.890 min
Delta R.T.: 0.000 min
Response: 142660816
Conc: 55.90 ng/ml




#9 Endosulfan I

R.T.: 5.516 min
Delta R.T.: 0.000 min
Response: 99878912
Conc: 50.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130941BS


Manual Integrations
APPROVED

Ankita
8/14/2020 12:28:35 PM




#9 Endosulfan I

R.T.: 6.248 min
Delta R.T.: 0.000 min
Response: 134450167
Conc: 47.47 ng/ml




#10 gamma-Chlordane

R.T.: 5.404 min
Delta R.T.: 0.000 min
Response: 107768745
Conc: 50.83 ng/ml



#10 gamma-Chlordane

R.T.: 6.125 min
Delta R.T.: 0.000 min
Response: 142963589
Conc: 47.29 ng/ml




#11 alpha-Chlordane

R.T.: 5.462 min
Delta R.T.: 0.000 min
Response: 105190183
Conc: 49.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130941BS


Manual Integrations
APPROVED

Ankita
8/14/2020 12:28:35 PM




#11 alpha-Chlordane

R.T.: 6.198 min
Delta R.T.: 0.000 min
Response: 142133009
Conc: 46.23 ng/ml




#12 4,4'-DDE

R.T.: 5.628 min
Delta R.T.: 0.000 min
Response: 100203719
Conc: 50.54 ng/ml



#12 4,4'-DDE

R.T.: 6.355 min
Delta R.T.: 0.000 min
Response: 133359902
Conc: 46.85 ng/ml




#13 Dieldrin

R.T.: 5.759 min
Delta R.T.: 0.000 min
Response: 106489631
Conc: 51.50 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130941BS


Manual Integrations
APPROVED

Ankita
8/14/2020 12:28:35 PM




#13 Dieldrin

R.T.: 6.506 min
Delta R.T.: 0.000 min
Response: 138586749
Conc: 47.53 ng/ml




#14 Endrin

R.T.: 6.015 min
Delta R.T.: 0.000 min
Response: 97647955
Conc: 50.00 ng/ml



#14 Endrin

R.T.: 6.724 min
Delta R.T.: 0.000 min
Response: 117263940
Conc: 46.34 ng/ml




#15 Endosulfan II

R.T.: 6.288 min
Delta R.T.: 0.000 min
Response: 89923266
Conc: 46.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130941BS


Manual Integrations
APPROVED

Ankita
8/14/2020 12:28:35 PM




#15 Endosulfan II

R.T.: 6.934 min
Delta R.T.: 0.000 min
Response: 116353646
Conc: 44.61 ng/ml




#16 4,4'-DDD

R.T.: 6.143 min
Delta R.T.: -0.001 min
Response: 82062233
Conc: 48.74 ng/ml



#16 4,4'-DDD

R.T.: 6.847 min
Delta R.T.: 0.000 min
Response: 107094855
Conc: 46.67 ng/ml




#17 4,4'-DDT

R.T.: 6.384 min
Delta R.T.: 0.000 min
Response: 81021171
Conc: 49.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130941BS


Manual Integrations
APPROVED

Ankita
8/14/2020 12:28:35 PM




#17 4,4'-DDT

R.T.: 7.146 min
Delta R.T.: 0.000 min
Response: 102356999
Conc: 46.82 ng/ml




#18 Endrin aldehyde

R.T.: 6.456 min
Delta R.T.: 0.000 min
Response: 78470667
Conc: 47.03 ng/ml



#18 Endrin aldehyde

R.T.: 7.058 min
Delta R.T.: 0.000 min
Response: 99488044
Conc: 45.83 ng/ml




#19 Endosulfan Sulfate

R.T.: 6.670 min
Delta R.T.: 0.000 min
Response: 92522852
Conc: 49.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130941BS


Manual Integrations
APPROVED

Ankita
8/14/2020 12:28:35 PM




#19 Endosulfan Sulfate

R.T.: 7.281 min
Delta R.T.: 0.000 min
Response: 111654004
Conc: 46.47 ng/ml




#20 Methoxychlor

R.T.: 6.930 min
Delta R.T.: 0.000 min
Response: 47419993
Conc: 47.02 ng/ml



#20 Methoxychlor

R.T.: 7.605 min
Delta R.T.: -0.002 min
Response: 63189761
Conc: 50.16 ng/ml m




#21 Endrin ketone

R.T.: 7.158 min
Delta R.T.: -0.002 min
Response: 112984241
Conc: 54.71 ng/ml m

Instrument :
ECD_L
ClientSampleId :
PB130941BS


Manual Integrations
APPROVED

Ankita
8/14/2020 12:28:35 PM




#21 Endrin ketone

R.T.: 7.753 min
Delta R.T.: 0.000 min
Response: 116233376
Conc: 47.70 ng/ml




#22 Mirex

R.T.: 7.349 min
Delta R.T.: -0.001 min
Response: 75995353
Conc: 50.54 ng/ml



#22 Mirex

R.T.: 8.209 min
Delta R.T.: 0.000 min
Response: 82463885
Conc: 51.57 ng/ml




#28 Decachlorobiphenyl

R.T.: 8.219 min
Delta R.T.: -0.001 min
Response: 33653732
Conc: 18.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB130941BS

Manual Integrations
APPROVED

Ankita
8/14/2020 12:28:35 PM



#28 Decachlorobiphenyl

R.T.: 9.099 min
Delta R.T.: 0.001 min
Response: 38496366
Conc: 20.52 ng/ml