

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081321\
 Data File : PL068976.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Aug 2021 20:12
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 14 05:50:29 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080521.M
 Quant Title : GC Extractables
 QLast Update : Fri Aug 06 03:02:43 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.636	5.567	19157080	55250167	46.313	54.416
2)	SA Decachlor...	10.405	11.487	24575691	45536176	42.763	46.933
Target Compounds							
2)	A alpha-BHC	5.342	6.147	26639483	75807888	48.160	55.667
3)	MA gamma-BHC...	5.765	6.543	25698780	70415831	47.351	54.121
4)	MA Heptachlor	6.176	7.193	26994426	68353644	45.960	50.916
5)	MB Aldrin	6.501	7.564	25024448	61343765	46.796	50.826
6)	B beta-BHC	6.145	6.796	12951724	34863009	45.944	53.814
7)	B delta-BHC	6.406	7.064	24997820	65890556	46.589	52.301
8)	B Heptachlo...	7.077	8.030	24578746	57301822	46.117	49.567
9)	A Endosulfan I	7.480	8.436	23168335	50532204	45.635	47.917
10)	B gamma-Chl...	7.354	8.299	25142698	54999842	45.878	48.024
11)	B alpha-Chl...	7.425	8.380	25139717	54443191	45.679	47.406
12)	B 4,4'-DDE	7.638	8.567	22110753	51283655	45.775	48.519
13)	MA Dieldrin	7.766	8.725	23749178	51828075	45.909	47.828
14)	MA Endrin	8.058	8.964	21360734	41865384	44.324	46.123
15)	B Endosulfa...	8.367	9.197	21282733	41608390	44.366	45.365
16)	A 4,4'-DDD	8.223	9.106	20310594	41721298	47.322	48.826
17)	MA 4,4'-DDT	8.484	9.423	20486545	41504229	42.182	43.856
18)	B Endrin al...	8.556	9.332	17321419	33359903	46.192	47.605
19)	B Endosulfa...	8.787	9.569	22592529	41130165	43.915	45.123
20)	A Methoxychlor	9.079	9.908	12707165	21531694	40.593	41.376
21)	B Endrin ke...	9.306	10.067	26215764	46030565	44.810	45.205
22)	Mirex	9.494	10.534	22073114	35173707	44.054	44.472



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081321\
Data File : PL068976.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Aug 2021 20:12
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 14 05:50:29 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080521.M
Quant Title : GC Extractables
QLast Update : Fri Aug 06 03:02:43 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 4.636 min
Delta R.T.: -0.004 min
Response: 19157080
Conc: 46.31 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 5.567 min
Delta R.T.: -0.004 min
Response: 55250167
Conc: 54.42 ng/ml




#2 alpha-BHC

R.T.: 5.342 min
Delta R.T.: -0.005 min
Response: 26639483
Conc: 48.16 ng/ml



#2 alpha-BHC


R.T.: 6.147 min
Delta R.T.: -0.004 min
Response: 75807888
Conc: 55.67 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 5.765 min
Delta R.T.: -0.005 min
Response: 25698780
Conc: 47.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 6.543 min
Delta R.T.: -0.004 min
Response: 70415831
Conc: 54.12 ng/ml




#4 Heptachlor

R.T.: 6.176 min
Delta R.T.: -0.005 min
Response: 26994426
Conc: 45.96 ng/ml



#4 Heptachlor


R.T.: 7.193 min
Delta R.T.: -0.005 min
Response: 68353644
Conc: 50.92 ng/ml



#5 Aldrin


R.T.: 6.501 min
Delta R.T.: -0.006 min
Response: 25024448
Conc: 46.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 7.564 min
Delta R.T.: -0.004 min
Response: 61343765
Conc: 50.83 ng/ml




#6 beta-BHC

R.T.: 6.145 min
Delta R.T.: -0.004 min
Response: 12951724
Conc: 45.94 ng/ml



#6 beta-BHC


R.T.: 6.796 min
Delta R.T.: -0.005 min
Response: 34863009
Conc: 53.81 ng/ml



#7 delta-BHC


R.T.: 6.406 min
Delta R.T.: -0.006 min
Response: 24997820
Conc: 46.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 7.064 min
Delta R.T.: -0.002 min
Response: 65890556
Conc: 52.30 ng/ml




#8 Heptachlor epoxide

R.T.: 7.077 min
Delta R.T.: -0.007 min
Response: 24578746
Conc: 46.12 ng/ml



#8 Heptachlor epoxide


R.T.: 8.030 min
Delta R.T.: -0.004 min
Response: 57301822
Conc: 49.57 ng/ml



#9 Endosulfan I


R.T.: 7.480 min
Delta R.T.: -0.007 min
Response: 23168335
Conc: 45.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 8.436 min
Delta R.T.: -0.004 min
Response: 50532204
Conc: 47.92 ng/ml




#10 gamma-Chlordane

R.T.: 7.354 min
Delta R.T.: -0.007 min
Response: 25142698
Conc: 45.88 ng/ml



#10 gamma-Chlordane


R.T.: 8.299 min
Delta R.T.: -0.004 min
Response: 54999842
Conc: 48.02 ng/ml



#11 alpha-Chlordane


R.T.: 7.425 min
Delta R.T.: -0.007 min
Response: 25139717
Conc: 45.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 8.380 min
Delta R.T.: -0.004 min
Response: 54443191
Conc: 47.41 ng/ml




#12 4,4'-DDE

R.T.: 7.638 min
Delta R.T.: -0.007 min
Response: 22110753
Conc: 45.78 ng/ml



#12 4,4'-DDE


R.T.: 8.567 min
Delta R.T.: -0.004 min
Response: 51283655
Conc: 48.52 ng/ml



#13 Dieldrin


R.T.: 7.766 min
Delta R.T.: -0.007 min
Response: 23749178
Conc: 45.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 8.725 min
Delta R.T.: -0.004 min
Response: 51828075
Conc: 47.83 ng/ml




#14 Endrin

R.T.: 8.058 min
Delta R.T.: -0.007 min
Response: 21360734
Conc: 44.32 ng/ml



#14 Endrin


R.T.: 8.964 min
Delta R.T.: -0.004 min
Response: 41865384
Conc: 46.12 ng/ml



#15 Endosulfan II


R.T.: 8.367 min
Delta R.T.: -0.007 min
Response: 21282733
Conc: 44.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 9.197 min
Delta R.T.: -0.005 min
Response: 41608390
Conc: 45.37 ng/ml




#16 4,4'-DDD

R.T.: 8.223 min
Delta R.T.: -0.007 min
Response: 20310594
Conc: 47.32 ng/ml



#16 4,4'-DDD


R.T.: 9.106 min
Delta R.T.: -0.004 min
Response: 41721298
Conc: 48.83 ng/ml



#17 4,4'-DDT


R.T.: 8.484 min
Delta R.T.: -0.008 min
Response: 20486545
Conc: 42.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 9.423 min
Delta R.T.: -0.005 min
Response: 41504229
Conc: 43.86 ng/ml




#18 Endrin aldehyde

R.T.: 8.556 min
Delta R.T.: -0.008 min
Response: 17321419
Conc: 46.19 ng/ml



#18 Endrin aldehyde


R.T.: 9.332 min
Delta R.T.: -0.005 min
Response: 33359903
Conc: 47.60 ng/ml



#19 Endosulfan Sulfate


R.T.: 8.787 min
Delta R.T.: -0.007 min
Response: 22592529
Conc: 43.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 9.569 min
Delta R.T.: -0.004 min
Response: 41130165
Conc: 45.12 ng/ml




#20 Methoxychlor

R.T.: 9.079 min
Delta R.T.: -0.008 min
Response: 12707165
Conc: 40.59 ng/ml



#20 Methoxychlor


R.T.: 9.908 min
Delta R.T.: -0.005 min
Response: 21531694
Conc: 41.38 ng/ml



#21 Endrin ketone


R.T.: 9.306 min
Delta R.T.: -0.007 min
Response: 26215764
Conc: 44.81 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 10.067 min
Delta R.T.: -0.005 min
Response: 46030565
Conc: 45.20 ng/ml




#22 Mirex

R.T.: 9.494 min
Delta R.T.: -0.008 min
Response: 22073114
Conc: 44.05 ng/ml



#22 Mirex


R.T.: 10.534 min
Delta R.T.: -0.006 min
Response: 35173707
Conc: 44.47 ng/ml



#28 Decachlorobiphenyl

R.T.: 10.405 min
Delta R.T.: -0.008 min
Response: 24575691
Conc: 42.76 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 11.487 min
Delta R.T.: -0.007 min
Response: 45536176
Conc: 46.93 ng/ml