

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081424\
 Data File : PL091026.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Aug 2024 09:43
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 I.BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 14 13:20:25 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
 Quant Title : GC Extractables
 QLast Update : Wed Aug 14 13:09:19 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.545	2.785	49036393	42351044	22.838	21.696
28)	SA Decachlor...	9.057	7.926	38560708	45632723	25.293	24.092
Target Compounds							
2)	A alpha-BHC	0.000	3.272f	0	141729	N.D.	0.051 #
3)	MA gamma-BHC...	0.000	3.635f	0	779637	N.D.	0.296 #
4)	MA Heptachlor	4.911	0.000	3217792	0	1.208	N.D. #
5)	MB Aldrin	0.000	4.256f	0	1611732	N.D.	0.655 #
6)	B beta-BHC	0.000	3.921	0	362936	N.D.	0.308 #
7)	B delta-BHC	0.000	4.142	0	147549	N.D.	0.058 #
8)	B Heptachlo...	5.685	4.739	7766395	-5483	3.174	N.D. #
10)	B gamma-Chl...	0.000	4.987	0	336997	N.D.	0.143 #
11)	B alpha-Chl...	0.000	5.051	0	767115	N.D.	0.326 #
12)	B 4,4'-DDE	0.000	5.240	0	462166	N.D.	0.221 #
13)	MA Dieldrin	0.000	5.378	0	419829	N.D.	0.184 #
14)	MA Endrin	0.000	5.670f	0	391650	N.D.	0.192 #
16)	A 4,4'-DDD	0.000	5.800	0	40784	N.D.	0.025 #
17)	MA 4,4'-DDT	0.000	6.046	0	60282	N.D.	0.034 #
18)	B Endrin al...	0.000	6.123	0	14566	N.D.	0.009 #
19)	B Endosulfa...	0.000	6.342	0	80302	N.D.	0.042 #
20)	A Methoxychlor	0.000	6.617	0	34479	N.D.	0.035 #
22)	Mirex	0.000	7.025	0	57570	N.D.	0.031 #
23)	Chlordane-1	0.000	3.779	0	210570	N.D.	2.888 #
24)	Chlordane-2	0.000	4.338f	0	2226790	N.D.	23.701 #
25)	Chlordane-3	0.000	4.987	0	336997	N.D.	1.388 #
26)	Chlordane-4	0.000	5.051	0	767115	N.D.	3.290 #
27)	Chlordane-5	0.000	5.750f	0	155404	N.D.	2.245 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081424\
Data File : PL091026.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Aug 2024 09:43
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
I.BLK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 14 13:20:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
Quant Title : GC Extractables
QLast Update : Wed Aug 14 13:09:19 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.545 min
Delta R.T.: 0.000 min
Response: 49036393
Conc: 22.84 ng/ml

Instrument :
ECD_L
ClientSampleId :
I.BLK




#1 Tetrachloro-m-xylene

R.T.: 2.785 min
Delta R.T.: 0.000 min
Response: 42351044
Conc: 21.70 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 3.999 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 3.272 min
Delta R.T.: -0.017 min
Response: 141729
Conc: 0.05 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T.: 4.332 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#3 gamma-BHC (Lindane)

R.T.: 3.635 min
Delta R.T.: 0.017 min
Response: 779637
Conc: 0.30 ng/ml




#4 Heptachlor

R.T.: 4.911 min
Delta R.T.: -0.010 min
Response: 3217792
Conc: 1.21 ng/ml



#4 Heptachlor


R.T.: 0.000 min
Exp R.T.: 3.959 min
Response: 0
Conc: N.D.



#5 Aldrin


R.T.: 0.000 min
Exp R.T.: 5.262 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#5 Aldrin

R.T.: 4.256 min
Delta R.T.: 0.017 min
Response: 1611732
Conc: 0.66 ng/ml




#6 beta-BHC

R.T.: 0.000 min
Exp R.T.: 4.528 min
Response: 0
Conc: N.D.



#6 beta-BHC


R.T.: 3.921 min
Delta R.T.: 0.004 min
Response: 362936
Conc: 0.31 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T.: 4.775 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#7 delta-BHC

R.T.: 4.142 min
Delta R.T.: -0.005 min
Response: 147549
Conc: 0.06 ng/ml




#8 Heptachlor epoxide

R.T.: 5.685 min
Delta R.T.: -0.003 min
Response: 7766395
Conc: 3.17 ng/ml



#8 Heptachlor epoxide


R.T.: 4.739 min
Delta R.T.: -0.003 min
Response: -5483
Conc: N.D.



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.943 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#10 gamma-Chlordane

R.T.: 4.987 min
Delta R.T.: -0.005 min
Response: 336997
Conc: 0.14 ng/ml




#11 alpha-Chlordane

R.T.: 0.000 min
Exp R.T.: 6.022 min
Response: 0
Conc: N.D.



#11 alpha-Chlordane


R.T.: 5.051 min
Delta R.T.: -0.004 min
Response: 767115
Conc: 0.33 ng/ml



#12 4,4'-DDE


R.T.: 0.000 min
Exp R.T.: 6.195 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#12 4,4'-DDE

R.T.: 5.240 min
Delta R.T.: -0.004 min
Response: 462166
Conc: 0.22 ng/ml




#13 Dieldrin

R.T.: 0.000 min
Exp R.T.: 6.348 min
Response: 0
Conc: N.D.



#13 Dieldrin


R.T.: 5.378 min
Delta R.T.: 0.002 min
Response: 419829
Conc: 0.18 ng/ml



#14 Endrin


R.T.: 0.000 min
Exp R.T.: 6.577 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#14 Endrin

R.T.: 5.670 min
Delta R.T.: 0.018 min
Response: 391650
Conc: 0.19 ng/ml




#16 4,4'-DDD

R.T.: 0.000 min
Exp R.T.: 6.711 min
Response: 0
Conc: N.D.



#16 4,4'-DDD


R.T.: 5.800 min
Delta R.T.: 0.001 min
Response: 40784
Conc: 0.02 ng/ml



#17 4,4'-DDT


R.T.: 0.000 min
Exp R.T.: 7.025 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#17 4,4'-DDT

R.T.: 6.046 min
Delta R.T.: -0.003 min
Response: 60282
Conc: 0.03 ng/ml




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T.: 6.925 min
Response: 0
Conc: N.D.



#18 Endrin aldehyde


R.T.: 6.123 min
Delta R.T.: -0.001 min
Response: 14566
Conc: 0.01 ng/ml



#19 Endosulfan Sulfate


R.T.: 0.000 min
Exp R.T.: 7.160 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#19 Endosulfan Sulfate

R.T.: 6.342 min
Delta R.T.: -0.005 min
Response: 80302
Conc: 0.04 ng/ml




#20 Methoxychlor

R.T.: 0.000 min
Exp R.T.: 7.501 min
Response: 0
Conc: N.D.



#20 Methoxychlor


R.T.: 6.617 min
Delta R.T.: -0.008 min
Response: 34479
Conc: 0.03 ng/ml



#22 Mirex


R.T.: 0.000 min
Exp R.T.: 8.118 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#22 Mirex

R.T.: 7.025 min
Delta R.T.: -0.009 min
Response: 57570
Conc: 0.03 ng/ml




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T.: 4.706 min
Response: 0
Conc: N.D.



#23 Chlordane-1


R.T.: 3.779 min
Delta R.T.: -0.005 min
Response: 210570
Conc: 2.89 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 5.234 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#24 Chlordane-2

R.T.: 4.338 min
Delta R.T.: -0.023 min
Response: 2226790
Conc: 23.70 ng/ml




#25 Chlordane-3

R.T.: 0.000 min
Exp R.T.: 5.944 min
Response: 0
Conc: N.D.



#25 Chlordane-3


R.T.: 4.987 min
Delta R.T.: -0.005 min
Response: 336997
Conc: 1.39 ng/ml



#26 Chlordane-4


R.T.: 0.000 min
Exp R.T.: 6.026 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
I.BLK




#26 Chlordane-4

R.T.: 5.051 min
Delta R.T.: -0.003 min
Response: 767115
Conc: 3.29 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.875 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.750 min
Delta R.T.: 0.030 min
Response: 155404
Conc: 2.24 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.057 min
Delta R.T.: 0.002 min
Response: 38560708
Conc: 25.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
I.BLK



#28 Decachlorobiphenyl

R.T.: 7.926 min
Delta R.T.: 0.000 min
Response: 45632723
Conc: 24.09 ng/ml