

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081424\
 Data File : PL091033.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Aug 2024 11:36
 Operator : AR\AJ
 Sample : PB162609BL
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB162609BL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 14 13:50:11 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
 Quant Title : GC Extractables
 QLast Update : Wed Aug 14 13:09:19 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.545	2.786	41083867	36047112	19.134	18.467
28)	SA Decachlor...	9.061	7.929	34213402	40017612	22.442	21.127
Target Compounds							
2)	A alpha-BHC	0.000	3.277	0	192248	N.D.	0.069 #
3)	MA gamma-BHC...	0.000	3.637f	0	474453	N.D.	0.180 #
4)	MA Heptachlor	0.000	3.977f	0	10078	N.D.	0.004 #
5)	MB Aldrin	0.000	4.257f	0	90046	N.D.	0.037 #
9)	A Endosulfan I	0.000	5.139f	0	37807	N.D.	0.018 #
10)	B gamma-Chl...	0.000	4.993	0	214166	N.D.	0.091 #
11)	B alpha-Chl...	0.000	5.059	0	163828	N.D.	0.070 #
12)	B 4,4'-DDE	0.000	5.243	0	31443	N.D.	0.015 #
13)	MA Dieldrin	0.000	5.366	0	101449	N.D.	0.045 #
14)	MA Endrin	0.000	5.647	0	7735	N.D.	0.004 #
16)	A 4,4'-DDD	0.000	5.797	0	36977	N.D.	0.022 #
17)	MA 4,4'-DDT	0.000	6.057	0	11786	N.D.	0.007 #
19)	B Endosulfa...	0.000	6.335	0	16059	N.D.	0.008 #
20)	A Methoxychlor	0.000	6.618	0	8260	N.D.	0.008 #
22)	Mirex	0.000	7.042	0	13297	N.D.	0.007 #
23)	Chlordane-1	0.000	3.796	0	55296	N.D.	0.758 #
24)	Chlordane-2	0.000	4.338f	0	404445	N.D.	4.305 #
25)	Chlordane-3	0.000	4.993	0	214166	N.D.	0.882 #
26)	Chlordane-4	0.000	5.059	0	163828	N.D.	0.703 #
27)	Chlordane-5	0.000	5.699f	0	6369	N.D.	0.092 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081424\
Data File : PL091033.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Aug 2024 11:36
Operator : AR\AJ
Sample : PB162609BL
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB162609BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 14 13:50:11 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
Quant Title : GC Extractables
QLast Update : Wed Aug 14 13:09:19 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.545 min
Delta R.T.: 0.001 min
Response: 41083867
Conc: 19.13 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB162609BL




#1 Tetrachloro-m-xylene

R.T.: 2.786 min
Delta R.T.: 0.001 min
Response: 36047112
Conc: 18.47 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 3.999 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 3.277 min
Delta R.T.: -0.012 min
Response: 192248
Conc: 0.07 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T.: 4.332 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162609BL




#3 gamma-BHC (Lindane)

R.T.: 3.637 min
Delta R.T.: 0.019 min
Response: 474453
Conc: 0.18 ng/ml




#4 Heptachlor

R.T.: 0.000 min
Exp R.T.: 4.921 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 3.977 min
Delta R.T.: 0.018 min
Response: 10078
Conc: 0.00 ng/ml



#5 Aldrin


R.T.: 0.000 min
Exp R.T.: 5.262 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162609BL




#5 Aldrin

R.T.: 4.257 min
Delta R.T.: 0.018 min
Response: 90046
Conc: 0.04 ng/ml




#9 Endosulfan I

R.T.: 0.000 min
Exp R.T.: 6.073 min
Response: 0
Conc: N.D.



#9 Endosulfan I


R.T.: 5.139 min
Delta R.T.: 0.028 min
Response: 37807
Conc: 0.02 ng/ml



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.943 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162609BL




#10 gamma-Chlordane

R.T.: 4.993 min
Delta R.T.: 0.001 min
Response: 214166
Conc: 0.09 ng/ml




#11 alpha-Chlordane

R.T.: 0.000 min
Exp R.T.: 6.022 min
Response: 0
Conc: N.D.



#11 alpha-Chlordane


R.T.: 5.059 min
Delta R.T.: 0.004 min
Response: 163828
Conc: 0.07 ng/ml



#12 4,4'-DDE


R.T.: 0.000 min
Exp R.T.: 6.195 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162609BL




#12 4,4'-DDE

R.T.: 5.243 min
Delta R.T.: -0.002 min
Response: 31443
Conc: 0.02 ng/ml




#13 Dieldrin

R.T.: 0.000 min
Exp R.T.: 6.348 min
Response: 0
Conc: N.D.



#13 Dieldrin


R.T.: 5.366 min
Delta R.T.: -0.010 min
Response: 101449
Conc: 0.04 ng/ml



#14 Endrin


R.T.: 0.000 min
Exp R.T.: 6.577 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162609BL




#14 Endrin

R.T.: 5.647 min
Delta R.T.: -0.004 min
Response: 7735
Conc: 0.00 ng/ml




#16 4,4'-DDD

R.T.: 0.000 min
Exp R.T.: 6.711 min
Response: 0
Conc: N.D.



#16 4,4'-DDD


R.T.: 5.797 min
Delta R.T.: -0.001 min
Response: 36977
Conc: 0.02 ng/ml



#17 4,4'-DDT


R.T.: 0.000 min
Exp R.T.: 7.025 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162609BL




#17 4,4'-DDT

R.T.: 6.057 min
Delta R.T.: 0.008 min
Response: 11786
Conc: 0.01 ng/ml




#19 Endosulfan Sulfate

R.T.: 0.000 min
Exp R.T.: 7.160 min
Response: 0
Conc: N.D.



#19 Endosulfan Sulfate


R.T.: 6.335 min
Delta R.T.: -0.013 min
Response: 16059
Conc: 0.01 ng/ml



#20 Methoxychlor


R.T.: 0.000 min
Exp R.T.: 7.501 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162609BL




#20 Methoxychlor

R.T.: 6.618 min
Delta R.T.: -0.006 min
Response: 8260
Conc: 0.01 ng/ml




#22 Mirex

R.T.: 0.000 min
Exp R.T.: 8.118 min
Response: 0
Conc: N.D.



#22 Mirex


R.T.: 7.042 min
Delta R.T.: 0.008 min
Response: 13297
Conc: 0.01 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.706 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162609BL




#23 Chlordane-1

R.T.: 3.796 min
Delta R.T.: 0.012 min
Response: 55296
Conc: 0.76 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 5.234 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 4.338 min
Delta R.T.: -0.022 min
Response: 404445
Conc: 4.30 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T.: 5.944 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162609BL




#25 Chlordane-3

R.T.: 4.993 min
Delta R.T.: 0.001 min
Response: 214166
Conc: 0.88 ng/ml




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T.: 6.026 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 5.059 min
Delta R.T.: 0.005 min
Response: 163828
Conc: 0.70 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.875 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162609BL




#27 Chlordane-5

R.T.: 5.699 min
Delta R.T.: -0.022 min
Response: 6369
Conc: 0.09 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.061 min
Delta R.T.: 0.005 min
Response: 34213402
Conc: 22.44 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.929 min
Delta R.T.: 0.003 min
Response: 40017612
Conc: 21.13 ng/ml