

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081424\
 Data File : PL091060.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Aug 2024 18:01
 Operator : AR\AJ
 Sample : P3520-13
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 OU4-CF-14-080624

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 15 03:49:42 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
 Quant Title : GC Extractables
 QLast Update : Wed Aug 14 13:09:19 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.544	2.785	27951831	24599030	13.018	12.602
28)	SA Decachlor...	9.055	7.925	19965321	21920988	13.096	11.573
Target Compounds							
2)	A alpha-BHC	0.000	3.275	0	270897	N.D.	0.098 #
3)	MA gamma-BHC...	0.000	3.636f	0	156096	N.D.	0.059 #
4)	MA Heptachlor	0.000	3.978f	0	34829	N.D.	0.013 #
5)	MB Aldrin	0.000	4.255f	0	51524	N.D.	0.021 #
6)	B beta-BHC	0.000	3.898f	0	576069	N.D.	0.489 #
7)	B delta-BHC	0.000	4.145	0	47373	N.D.	0.019 #
10)	B gamma-Chl...	0.000	4.993	0	140667	N.D.	0.060 #
11)	B alpha-Chl...	0.000	5.037f	0	55825	N.D.	0.024 #
12)	B 4,4'-DDE	0.000	5.240	0	144976	N.D.	0.069 #
13)	MA Dieldrin	0.000	5.373	0	185118	N.D.	0.081 #
14)	MA Endrin	0.000	5.669f	0	1186921	N.D.	0.583 #
16)	A 4,4'-DDD	0.000	5.800	0	63502	N.D.	0.038 #
17)	MA 4,4'-DDT	0.000	6.043	0	30720	N.D.	0.017 #
20)	A Methoxychlor	0.000	6.620	0	14658	N.D.	0.015 #
22)	Mirex	0.000	7.031	0	25881	N.D.	0.014 #
24)	Chlordane-2	0.000	4.336f	0	452372	N.D.	4.815 #
25)	Chlordane-3	0.000	4.993	0	140667	N.D.	0.579 #
26)	Chlordane-4	0.000	5.037	0	55825	N.D.	0.239 #
27)	Chlordane-5	0.000	5.742f	0	220443	N.D.	3.184 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081424\
Data File : PL091060.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Aug 2024 18:01
Operator : AR\AJ
Sample : P3520-13
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
OU4-CF-14-080624

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 15 03:49:42 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
Quant Title : GC Extractables
QLast Update : Wed Aug 14 13:09:19 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.544 min
Delta R.T.: 0.000 min
Response: 27951831
Conc: 13.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
OU4-CF-14-080624




#1 Tetrachloro-m-xylene

R.T.: 2.785 min
Delta R.T.: 0.000 min
Response: 24599030
Conc: 12.60 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 3.999 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 3.275 min
Delta R.T.: -0.013 min
Response: 270897
Conc: 0.10 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T.: 4.332 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
OU4-CF-14-080624




#3 gamma-BHC (Lindane)

R.T.: 3.636 min
Delta R.T.: 0.018 min
Response: 156096
Conc: 0.06 ng/ml




#4 Heptachlor

R.T.: 0.000 min
Exp R.T.: 4.921 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 3.978 min
Delta R.T.: 0.019 min
Response: 34829
Conc: 0.01 ng/ml



#5 Aldrin


R.T.: 0.000 min
Exp R.T.: 5.262 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
OU4-CF-14-080624




#5 Aldrin

R.T.: 4.255 min
Delta R.T.: 0.016 min
Response: 51524
Conc: 0.02 ng/ml




#6 beta-BHC

R.T.: 0.000 min
Exp R.T.: 4.528 min
Response: 0
Conc: N.D.



#6 beta-BHC


R.T.: 3.898 min
Delta R.T.: -0.019 min
Response: 576069
Conc: 0.49 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T.: 4.775 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
OU4-CF-14-080624




#7 delta-BHC

R.T.: 4.145 min
Delta R.T.: -0.002 min
Response: 47373
Conc: 0.02 ng/ml




#10 gamma-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.943 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 4.993 min
Delta R.T.: 0.001 min
Response: 140667
Conc: 0.06 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T.: 6.022 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
OU4-CF-14-080624




#11 alpha-Chlordane

R.T.: 5.037 min
Delta R.T.: -0.019 min
Response: 55825
Conc: 0.02 ng/ml




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T.: 6.195 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 5.240 min
Delta R.T.: -0.004 min
Response: 144976
Conc: 0.07 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T.: 6.348 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
OU4-CF-14-080624




#13 Dieldrin

R.T.: 5.373 min
Delta R.T.: -0.003 min
Response: 185118
Conc: 0.08 ng/ml




#14 Endrin

R.T.: 0.000 min
Exp R.T.: 6.577 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 5.669 min
Delta R.T.: 0.018 min
Response: 1186921
Conc: 0.58 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T.: 6.711 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
OU4-CF-14-080624




#16 4,4'-DDD

R.T.: 5.800 min
Delta R.T.: 0.001 min
Response: 63502
Conc: 0.04 ng/ml




#17 4,4'-DDT

R.T.: 0.000 min
Exp R.T.: 7.025 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 6.043 min
Delta R.T.: -0.007 min
Response: 30720
Conc: 0.02 ng/ml



#20 Methoxychlor


R.T.: 0.000 min
Exp R.T.: 7.501 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
OU4-CF-14-080624




#20 Methoxychlor

R.T.: 6.620 min
Delta R.T.: -0.004 min
Response: 14658
Conc: 0.01 ng/ml




#22 Mirex

R.T.: 0.000 min
Exp R.T.: 8.118 min
Response: 0
Conc: N.D.



#22 Mirex


R.T.: 7.031 min
Delta R.T.: -0.003 min
Response: 25881
Conc: 0.01 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 5.234 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
OU4-CF-14-080624




#24 Chlordane-2

R.T.: 4.336 min
Delta R.T.: -0.024 min
Response: 452372
Conc: 4.81 ng/ml




#25 Chlordane-3

R.T.: 0.000 min
Exp R.T.: 5.944 min
Response: 0
Conc: N.D.



#25 Chlordane-3


R.T.: 4.993 min
Delta R.T.: 0.000 min
Response: 140667
Conc: 0.58 ng/ml



#26 Chlordane-4


R.T.: 0.000 min
Exp R.T.: 6.026 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
OU4-CF-14-080624




#26 Chlordane-4

R.T.: 5.037 min
Delta R.T.: -0.018 min
Response: 55825
Conc: 0.24 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.875 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.742 min
Delta R.T.: 0.022 min
Response: 220443
Conc: 3.18 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.055 min
Delta R.T.: 0.000 min
Response: 19965321
Conc: 13.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
OU4-CF-14-080624



#28 Decachlorobiphenyl

R.T.: 7.925 min
Delta R.T.: -0.001 min
Response: 21920988
Conc: 11.57 ng/ml