

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081424\
 Data File : PL091065.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Aug 2024 19:10
 Operator : AR\AJ
 Sample : PB162686BL
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB162686BL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 15 03:51:19 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
 Quant Title : GC Extractables
 QLast Update : Wed Aug 14 13:09:19 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.544	2.784	42071000	37014461	19.594	18.962
28)	SA Decachlor...	9.055	7.925	33635885	38838383	22.063	20.505
Target Compounds							
2)	A alpha-BHC	0.000	3.272f	0	75477	N.D.	0.027 #
3)	MA gamma-BHC...	0.000	3.636f	0	410646	N.D.	0.156 #
5)	MB Aldrin	0.000	4.260f	0	115791	N.D.	0.047 #
7)	B delta-BHC	0.000	4.172f	0	14035	N.D.	0.006 #
8)	B Heptachlo...	0.000	4.749	0	21213	N.D.	0.009 #
9)	A Endosulfan I	0.000	5.101	0	41225	N.D.	0.020 #
10)	B gamma-Chl...	0.000	4.999	0	102457	N.D.	0.043 #
11)	B alpha-Chl...	0.000	5.055	0	77847	N.D.	0.033 #
12)	B 4,4'-DDE	0.000	5.266f	0	8426	N.D.	0.004 #
13)	MA Dieldrin	0.000	5.372	0	90732	N.D.	0.040 #
14)	MA Endrin	0.000	5.669f	0	1000976	N.D.	0.491 #
16)	A 4,4'-DDD	0.000	5.800	0	21857	N.D.	0.013 #
17)	MA 4,4'-DDT	0.000	6.052	0	49064	N.D.	0.028 #
18)	B Endrin al...	0.000	6.133	0	36102	N.D.	0.023 #
19)	B Endosulfa...	0.000	6.352	0	41947	N.D.	0.022 #
20)	A Methoxychlor	0.000	6.606f	0	14543	N.D.	0.015 #
22)	Mirex	0.000	7.018f	0	35749	N.D.	0.019 #
23)	Chlordane-1	0.000	3.802f	0	181647	N.D.	2.492 #
24)	Chlordane-2	0.000	4.337f	0	243994	N.D.	2.597 #
25)	Chlordane-3	0.000	4.999	0	102457	N.D.	0.422 #
26)	Chlordane-4	0.000	5.055	0	77847	N.D.	0.334 #
27)	Chlordane-5	0.000	5.743f	0	150994	N.D.	2.181 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081424\
Data File : PL091065.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Aug 2024 19:10
Operator : AR\AJ
Sample : PB162686BL
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB162686BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 15 03:51:19 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
Quant Title : GC Extractables
QLast Update : Wed Aug 14 13:09:19 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.544 min
Delta R.T.: 0.000 min
Response: 42071000
Conc: 19.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB162686BL




#1 Tetrachloro-m-xylene

R.T.: 2.784 min
Delta R.T.: 0.000 min
Response: 37014461
Conc: 18.96 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 3.999 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 3.272 min
Delta R.T.: -0.016 min
Response: 75477
Conc: 0.03 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T.: 4.332 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162686BL




#3 gamma-BHC (Lindane)

R.T.: 3.636 min
Delta R.T.: 0.018 min
Response: 410646
Conc: 0.16 ng/ml




#5 Aldrin

R.T.: 0.000 min
Exp R.T.: 5.262 min
Response: 0
Conc: N.D.



#5 Aldrin


R.T.: 4.260 min
Delta R.T.: 0.021 min
Response: 115791
Conc: 0.05 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T. : 4.775 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162686BL




#7 delta-BHC

R.T.: 4.172 min
Delta R.T.: 0.025 min
Response: 14035
Conc: 0.01 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T. : 5.688 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 4.749 min
Delta R.T.: 0.008 min
Response: 21213
Conc: 0.01 ng/ml



#9 Endosulfan I


R.T.: 0.000 min
Exp R.T.: 6.073 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162686BL




#9 Endosulfan I

R.T.: 5.101 min
Delta R.T.: -0.010 min
Response: 41225
Conc: 0.02 ng/ml




#10 gamma-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.943 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 4.999 min
Delta R.T.: 0.008 min
Response: 102457
Conc: 0.04 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T.: 6.022 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162686BL




#11 alpha-Chlordane

R.T.: 5.055 min
Delta R.T.: 0.000 min
Response: 77847
Conc: 0.03 ng/ml




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T.: 6.195 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 5.266 min
Delta R.T.: 0.022 min
Response: 8426
Conc: 0.00 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T.: 6.348 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162686BL




#13 Dieldrin

R.T.: 5.372 min
Delta R.T.: -0.004 min
Response: 90732
Conc: 0.04 ng/ml




#14 Endrin

R.T.: 0.000 min
Exp R.T.: 6.577 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 5.669 min
Delta R.T.: 0.018 min
Response: 1000976
Conc: 0.49 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T.: 6.711 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162686BL




#16 4,4'-DDD

R.T.: 5.800 min
Delta R.T.: 0.001 min
Response: 21857
Conc: 0.01 ng/ml




#17 4,4'-DDT

R.T.: 0.000 min
Exp R.T.: 7.025 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 6.052 min
Delta R.T.: 0.002 min
Response: 49064
Conc: 0.03 ng/ml



#18 Endrin aldehyde


R.T.: 0.000 min
Exp R.T.: 6.925 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162686BL




#18 Endrin aldehyde

R.T.: 6.133 min
Delta R.T.: 0.008 min
Response: 36102
Conc: 0.02 ng/ml




#19 Endosulfan Sulfate

R.T.: 0.000 min
Exp R.T.: 7.160 min
Response: 0
Conc: N.D.



#19 Endosulfan Sulfate


R.T.: 6.352 min
Delta R.T.: 0.005 min
Response: 41947
Conc: 0.02 ng/ml



#20 Methoxychlor


R.T.: 0.000 min
Exp R.T.: 7.501 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162686BL




#20 Methoxychlor

R.T.: 6.606 min
Delta R.T.: -0.018 min
Response: 14543
Conc: 0.01 ng/ml




#22 Mirex

R.T.: 0.000 min
Exp R.T.: 8.118 min
Response: 0
Conc: N.D.



#22 Mirex


R.T.: 7.018 min
Delta R.T.: -0.016 min
Response: 35749
Conc: 0.02 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.706 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162686BL




#23 Chlordane-1

R.T.: 3.802 min
Delta R.T.: 0.018 min
Response: 181647
Conc: 2.49 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 5.234 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 4.337 min
Delta R.T.: -0.023 min
Response: 243994
Conc: 2.60 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T.: 5.944 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162686BL




#25 Chlordane-3

R.T.: 4.999 min
Delta R.T.: 0.007 min
Response: 102457
Conc: 0.42 ng/ml




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T.: 6.026 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 5.055 min
Delta R.T.: 0.000 min
Response: 77847
Conc: 0.33 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.875 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PB162686BL




#27 Chlordane-5

R.T.: 5.743 min
Delta R.T.: 0.023 min
Response: 150994
Conc: 2.18 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.055 min
Delta R.T.: 0.000 min
Response: 33635885
Conc: 22.06 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.925 min
Delta R.T.: 0.000 min
Response: 38838383
Conc: 20.50 ng/ml