

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081424\
 Data File : PL091068.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Aug 2024 20:05
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 100 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 28 04:08:37 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
 Quant Title : GC Extractables
 QLast Update : Wed Aug 14 13:09:19 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.543	2.784	103.9E6	97692290	48.381	50.047
28)	SA Decachlor...	9.055	7.925	75308561	91766352	49.397	48.448
Target Compounds							
2)	A alpha-BHC	3.999	3.287	145.4E6	142.4E6	48.503	51.341
3)	MA gamma-BHC...	4.331	3.618	138.8E6	133.8E6	48.399	50.785
4)	MA Heptachlor	4.920	3.958	124.7E6	126.8E6	46.835	49.112
5)	MB Aldrin	5.262	4.238	122.3E6	122.4E6	47.405	49.784
6)	B beta-BHC	4.527	3.916	65467468	58604192	48.410	49.788
7)	B delta-BHC	4.775	4.146	132.4E6	130.6E6	48.634	51.518
8)	B Heptachlo...	5.687	4.740	113.6E6	111.6E6	46.416	49.476
9)	A Endosulfan I	6.072	5.110	104.9E6	104.6E6	46.699	49.549
10)	B gamma-Chl...	5.943	4.990	113.4E6	116.4E6	46.946	49.240
11)	B alpha-Chl...	6.022	5.054	112.7E6	115.6E6	46.789	49.154
12)	B 4,4'-DDE	6.195	5.243	99080619	104.0E6	47.359	49.767
13)	MA Dieldrin	6.347	5.374	110.7E6	112.3E6	47.008	49.328
14)	MA Endrin	6.577	5.650	88020669	95722085	45.389	46.988
15)	B Endosulfa...	6.796	5.944	96304851	97251056	47.589	50.267
16)	A 4,4'-DDD	6.712	5.798	83081453	88101955	54.971	53.370
17)	MA 4,4'-DDT	7.025	6.048	82592745	83280573	46.529	46.882
18)	B Endrin al...	6.926	6.123	76003847	76000081	47.609	48.790
19)	B Endosulfa...	7.159	6.346	91007174	94355257	47.433	48.939
20)	A Methoxychlor	7.500	6.623	44551768	46143416	47.382	46.470
21)	B Endrin ke...	7.644	6.852	102.5E6	110.7E6	48.828	50.835
22)	Mirex	8.118	7.033	79338293	88211158	46.638	47.262
24)	Chlordane-2	5.262f	4.375	122.3E6	563161	1204.936	5.994 #
25)	Chlordane-3	5.943	4.990	113.4E6	116.4E6	326.614	479.341 #
26)	Chlordane-4	6.022	5.054	112.7E6	115.6E6	267.834	495.940 #
27)	Chlordane-5	0.000	5.732	0	42631	N.D.	0.616 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081424\
Data File : PL091068.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Aug 2024 20:05
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 100 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 28 04:08:37 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
Quant Title : GC Extractables
QLast Update : Wed Aug 14 13:09:19 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.543 min
Delta R.T.: 0.000 min
Response: 103882310
Conc: 48.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.784 min
Delta R.T.: -0.001 min
Response: 97692290
Conc: 50.05 ng/ml




#2 alpha-BHC

R.T.: 3.999 min
Delta R.T.: 0.000 min
Response: 145402464
Conc: 48.50 ng/ml



#2 alpha-BHC


R.T.: 3.287 min
Delta R.T.: -0.001 min
Response: 142392708
Conc: 51.34 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.331 min
Delta R.T.: 0.000 min
Response: 138840654
Conc: 48.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.618 min
Delta R.T.: 0.000 min
Response: 133764542
Conc: 50.79 ng/ml




#4 Heptachlor

R.T.: 4.920 min
Delta R.T.: 0.000 min
Response: 124722493
Conc: 46.84 ng/ml



#4 Heptachlor


R.T.: 3.958 min
Delta R.T.: 0.000 min
Response: 126842929
Conc: 49.11 ng/ml



#5 Aldrin


R.T.: 5.262 min
Delta R.T.: 0.000 min
Response: 122346318
Conc: 47.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.238 min
Delta R.T.: -0.001 min
Response: 122426522
Conc: 49.78 ng/ml




#6 beta-BHC

R.T.: 4.527 min
Delta R.T.: 0.000 min
Response: 65467468
Conc: 48.41 ng/ml



#6 beta-BHC


R.T.: 3.916 min
Delta R.T.: 0.000 min
Response: 58604192
Conc: 49.79 ng/ml



#7 delta-BHC


R.T.: 4.775 min
Delta R.T.: 0.000 min
Response: 132406125
Conc: 48.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.146 min
Delta R.T.: 0.000 min
Response: 130556290
Conc: 51.52 ng/ml




#8 Heptachlor epoxide

R.T.: 5.687 min
Delta R.T.: 0.000 min
Response: 113559353
Conc: 46.42 ng/ml



#8 Heptachlor epoxide


R.T.: 4.740 min
Delta R.T.: 0.000 min
Response: 111560680
Conc: 49.48 ng/ml



#9 Endosulfan I


R.T.: 6.072 min
Delta R.T.: 0.000 min
Response: 104855927
Conc: 46.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.110 min
Delta R.T.: 0.000 min
Response: 104556305
Conc: 49.55 ng/ml




#10 gamma-Chlordane

R.T.: 5.943 min
Delta R.T.: 0.000 min
Response: 113441310
Conc: 46.95 ng/ml



#10 gamma-Chlordane


R.T.: 4.990 min
Delta R.T.: -0.001 min
Response: 116400964
Conc: 49.24 ng/ml



#11 alpha-Chlordane


R.T.: 6.022 min
Delta R.T.: 0.000 min
Response: 112654010
Conc: 46.79 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.054 min
Delta R.T.: -0.001 min
Response: 115637562
Conc: 49.15 ng/ml




#12 4,4'-DDE

R.T.: 6.195 min
Delta R.T.: 0.000 min
Response: 99080619
Conc: 47.36 ng/ml



#12 4,4'-DDE


R.T.: 5.243 min
Delta R.T.: -0.001 min
Response: 103984699
Conc: 49.77 ng/ml



#13 Dieldrin


R.T.: 6.347 min
Delta R.T.: 0.000 min
Response: 110713739
Conc: 47.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.374 min
Delta R.T.: -0.002 min
Response: 112345767
Conc: 49.33 ng/ml




#14 Endrin

R.T.: 6.577 min
Delta R.T.: 0.000 min
Response: 88020669
Conc: 45.39 ng/ml



#14 Endrin


R.T.: 5.650 min
Delta R.T.: -0.002 min
Response: 95722085
Conc: 46.99 ng/ml



#15 Endosulfan II


R.T.: 6.796 min
Delta R.T.: 0.000 min
Response: 96304851
Conc: 47.59 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.944 min
Delta R.T.: -0.001 min
Response: 97251056
Conc: 50.27 ng/ml




#16 4,4'-DDD

R.T.: 6.712 min
Delta R.T.: 0.000 min
Response: 83081453
Conc: 54.97 ng/ml



#16 4,4'-DDD


R.T.: 5.798 min
Delta R.T.: 0.000 min
Response: 88101955
Conc: 53.37 ng/ml



#17 4,4'-DDT


R.T.: 7.025 min
Delta R.T.: 0.000 min
Response: 82592745
Conc: 46.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.048 min
Delta R.T.: -0.002 min
Response: 83280573
Conc: 46.88 ng/ml




#18 Endrin aldehyde

R.T.: 6.926 min
Delta R.T.: 0.000 min
Response: 76003847
Conc: 47.61 ng/ml



#18 Endrin aldehyde


R.T.: 6.123 min
Delta R.T.: -0.001 min
Response: 76000081
Conc: 48.79 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.159 min
Delta R.T.: 0.000 min
Response: 91007174
Conc: 47.43 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.346 min
Delta R.T.: -0.001 min
Response: 94355257
Conc: 48.94 ng/ml




#20 Methoxychlor

R.T.: 7.500 min
Delta R.T.: 0.000 min
Response: 44551768
Conc: 47.38 ng/ml



#20 Methoxychlor


R.T.: 6.623 min
Delta R.T.: -0.001 min
Response: 46143416
Conc: 46.47 ng/ml



#21 Endrin ketone


R.T.: 7.644 min
Delta R.T.: 0.000 min
Response: 102525704
Conc: 48.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.852 min
Delta R.T.: 0.000 min
Response: 110717494
Conc: 50.84 ng/ml




#22 Mirex

R.T.: 8.118 min
Delta R.T.: 0.000 min
Response: 79338293
Conc: 46.64 ng/ml



#22 Mirex


R.T.: 7.033 min
Delta R.T.: -0.001 min
Response: 88211158
Conc: 47.26 ng/ml



#24 Chlordane-2


R.T.: 5.262 min
Delta R.T.: 0.028 min
Response: 122346318
Conc: 1204.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.375 min
Delta R.T.: 0.015 min
Response: 563161
Conc: 5.99 ng/ml




#25 Chlordane-3

R.T.: 5.943 min
Delta R.T.: -0.002 min
Response: 113441310
Conc: 326.61 ng/ml



#25 Chlordane-3


R.T.: 4.990 min
Delta R.T.: -0.001 min
Response: 116400964
Conc: 479.34 ng/ml



#26 Chlordane-4


R.T.: 6.022 min
Delta R.T.: -0.005 min
Response: 112654010
Conc: 267.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.054 min
Delta R.T.: 0.000 min
Response: 115637562
Conc: 495.94 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.875 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.732 min
Delta R.T.: 0.011 min
Response: 42631
Conc: 0.62 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.055 min
Delta R.T.: 0.000 min
Response: 75308561
Conc: 49.40 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.925 min
Delta R.T.: -0.001 min
Response: 91766352
Conc: 48.45 ng/ml