

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081424\
 Data File : PL091073.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Aug 2024 21:14
 Operator : AR\AJ
 Sample : P3579-02
 Misc :
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 VCPS-B1-081224-0-16

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 15 03:54:20 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
 Quant Title : GC Extractables
 QLast Update : Wed Aug 14 13:09:19 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.543	2.784	26941971	23340787	12.548	11.957
28)	SA Decachlor...	9.054	7.924	19760690	19477976	12.962	10.283
Target Compounds							
3)	MA gamma-BHC...	0.000	3.638f	0	30161	N.D.	0.011 #
5)	MB Aldrin	0.000	4.240	0	880328	N.D.	0.358 #
6)	B beta-BHC	4.548f	3.898f	-1018831	14854496	N.D.	12.620
7)	B delta-BHC	0.000	4.144	0	765656	N.D.	0.302 #
8)	B Heptachlo...	0.000	4.751	0	697672	N.D.	0.309 #
9)	A Endosulfan I	0.000	5.131f	0	2164407	N.D.	1.026 #
10)	B gamma-Chl...	5.942	4.991	4977324	1986326	2.060	0.840 #
11)	B alpha-Chl...	0.000	5.053	0	3913112	N.D.	1.663 #
12)	B 4,4'-DDE	0.000	5.244	0	498892	N.D.	0.239 #
13)	MA Dieldrin	0.000	5.377	0	2182837	N.D.	0.958 #
14)	MA Endrin	0.000	5.666	0	652056	N.D.	0.320 #
17)	MA 4,4'-DDT	0.000	6.041	0	320206	N.D.	0.180 #
18)	B Endrin al...	0.000	6.112	0	561754	N.D.	0.361 #
19)	B Endosulfa...	0.000	6.370f	0	39009	N.D.	0.020 #
22)	Mirex	0.000	7.035	0	319855	N.D.	0.171 #
23)	Chlordane-1	0.000	3.784	0	2025976	N.D.	27.790 #
24)	Chlordane-2	0.000	4.379f	0	142564	N.D.	1.517 #
25)	Chlordane-3	5.942	4.991	4977324	1986326	14.330	8.180 #
26)	Chlordane-4	0.000	5.053	0	3913112	N.D.	16.782 #
27)	Chlordane-5	0.000	5.713	0	308784	N.D.	4.460 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081424\
Data File : PL091073.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Aug 2024 21:14
Operator : AR\AJ
Sample : P3579-02
Misc :
ALS Vial : 41 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
VCPS-B1-081224-0-16

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 15 03:54:20 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
Quant Title : GC Extractables
QLast Update : Wed Aug 14 13:09:19 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.543 min
Delta R.T.: 0.000 min
Response: 26941971
Conc: 12.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
VCPS-B1-081224-0-16




#1 Tetrachloro-m-xylene

R.T.: 2.784 min
Delta R.T.: -0.001 min
Response: 23340787
Conc: 11.96 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 0.000 min
Exp R.T. : 4.332 min
Response: 0
Conc: N.D.



#3 gamma-BHC (Lindane)


R.T.: 3.638 min
Delta R.T.: 0.020 min
Response: 30161
Conc: 0.01 ng/ml



#5 Aldrin


R.T.: 0.000 min
Exp R.T.: 5.262 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
VCPS-B1-081224-0-16




#5 Aldrin

R.T.: 4.240 min
Delta R.T.: 0.001 min
Response: 880328
Conc: 0.36 ng/ml




#6 beta-BHC

R.T.: 4.548 min
Delta R.T.: 0.020 min
Response: -1018831
Conc: N.D.



#6 beta-BHC


R.T.: 3.898 min
Delta R.T.: -0.019 min
Response: 14854496
Conc: 12.62 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T.: 4.775 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
VCPS-B1-081224-0-16




#7 delta-BHC

R.T.: 4.144 min
Delta R.T.: -0.003 min
Response: 765656
Conc: 0.30 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T.: 5.688 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 4.751 min
Delta R.T.: 0.010 min
Response: 697672
Conc: 0.31 ng/ml



#9 Endosulfan I


R.T.: 0.000 min
Exp R.T.: 6.073 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
VCPS-B1-081224-0-16




#9 Endosulfan I

R.T.: 5.131 min
Delta R.T.: 0.020 min
Response: 2164407
Conc: 1.03 ng/ml




#10 gamma-Chlordane

R.T.: 5.942 min
Delta R.T.: -0.001 min
Response: 4977324
Conc: 2.06 ng/ml



#10 gamma-Chlordane


R.T.: 4.991 min
Delta R.T.: 0.000 min
Response: 1986326
Conc: 0.84 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T.: 6.022 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
VCPS-B1-081224-0-16




#11 alpha-Chlordane

R.T.: 5.053 min
Delta R.T.: -0.002 min
Response: 3913112
Conc: 1.66 ng/ml




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T.: 6.195 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 5.244 min
Delta R.T.: 0.000 min
Response: 498892
Conc: 0.24 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T.: 6.348 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
VCPS-B1-081224-0-16




#13 Dieldrin

R.T.: 5.377 min
Delta R.T.: 0.000 min
Response: 2182837
Conc: 0.96 ng/ml




#14 Endrin

R.T.: 0.000 min
Exp R.T.: 6.577 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 5.666 min
Delta R.T.: 0.015 min
Response: 652056
Conc: 0.32 ng/ml



#17 4,4'-DDT


R.T.: 0.000 min
Exp R.T.: 7.025 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
VCPS-B1-081224-0-16




#17 4,4'-DDT

R.T.: 6.041 min
Delta R.T.: -0.008 min
Response: 320206
Conc: 0.18 ng/ml




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T.: 6.925 min
Response: 0
Conc: N.D.



#18 Endrin aldehyde


R.T.: 6.112 min
Delta R.T.: -0.012 min
Response: 561754
Conc: 0.36 ng/ml



#19 Endosulfan Sulfate


R.T.: 0.000 min
Exp R.T.: 7.160 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
VCPS-B1-081224-0-16




#19 Endosulfan Sulfate

R.T.: 6.370 min
Delta R.T.: 0.023 min
Response: 39009
Conc: 0.02 ng/ml




#22 Mirex

R.T.: 0.000 min
Exp R.T.: 8.118 min
Response: 0
Conc: N.D.



#22 Mirex


R.T.: 7.035 min
Delta R.T.: 0.000 min
Response: 319855
Conc: 0.17 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.706 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
VCPS-B1-081224-0-16




#23 Chlordane-1

R.T.: 3.784 min
Delta R.T.: 0.000 min
Response: 2025976
Conc: 27.79 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 5.234 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 4.379 min
Delta R.T.: 0.019 min
Response: 142564
Conc: 1.52 ng/ml



#25 Chlordane-3


R.T.: 5.942 min
Delta R.T.: -0.003 min
Response: 4977324
Conc: 14.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
VCPS-B1-081224-0-16




#25 Chlordane-3

R.T.: 4.991 min
Delta R.T.: -0.001 min
Response: 1986326
Conc: 8.18 ng/ml




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T. : 6.026 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 5.053 min
Delta R.T.: 0.000 min
Response: 3913112
Conc: 16.78 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.875 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
VCPS-B1-081224-0-16




#27 Chlordane-5

R.T.: 5.713 min
Delta R.T.: -0.008 min
Response: 308784
Conc: 4.46 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.054 min
Delta R.T.: -0.001 min
Response: 19760690
Conc: 12.96 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.924 min
Delta R.T.: -0.002 min
Response: 19477976
Conc: 10.28 ng/ml