

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081424\
 Data File : PL091077.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Aug 2024 22:09
 Operator : AR\AJ
 Sample : P3600-02
 Misc :
 ALS Vial : 45 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 VCPS-B2-081324-0-12

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 15 03:55:37 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
 Quant Title : GC Extractables
 QLast Update : Wed Aug 14 13:09:19 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.543	2.784	20653489	19414828	9.619	9.946
28)	SA Decachlor...	9.054	7.925	14853179	14525056	9.743	7.669
Target Compounds							
2)	A alpha-BHC	0.000	3.269f	0	269342	N.D.	0.097 #
3)	MA gamma-BHC...	0.000	3.637f	0	65716	N.D.	0.025 #
5)	MB Aldrin	0.000	4.242	0	902781	N.D.	0.367 #
6)	B beta-BHC	4.546f	3.899f	-1452224	20189878	N.D.	17.153
7)	B delta-BHC	0.000	4.150	0	1683409	N.D.	0.664 #
8)	B Heptachlo...	0.000	4.753	0	1827690	N.D.	0.811 #
9)	A Endosulfan I	0.000	5.131f	0	875200	N.D.	0.415 #
10)	B gamma-Chl...	5.944	4.992	232255	3501723	0.096	1.481 #
11)	B alpha-Chl...	0.000	5.054	0	1770199	N.D.	0.752 #
12)	B 4,4'-DDE	0.000	5.245	0	190825	N.D.	0.091 #
13)	MA Dieldrin	0.000	5.378	0	1004193	N.D.	0.441 #
14)	MA Endrin	0.000	5.668f	0	849404	N.D.	0.417 #
16)	A 4,4'-DDD	0.000	5.809	0	43723	N.D.	0.026 #
17)	MA 4,4'-DDT	0.000	6.043	0	154598	N.D.	0.087 #
18)	B Endrin al...	0.000	6.117	0	138481	N.D.	0.089 #
22)	Mirex	0.000	7.034	0	51728	N.D.	0.028 #
23)	Chlordane-1	0.000	3.778	0	1504848	N.D.	20.642 #
24)	Chlordane-2	0.000	4.341f	0	436240	N.D.	4.643 #
25)	Chlordane-3	5.944	4.992	232255	3501723	0.669	14.420 #
26)	Chlordane-4	0.000	5.054	0	1770199	N.D.	7.592 #
27)	Chlordane-5	0.000	5.719	0	59579	N.D.	0.861 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081424\
Data File : PL091077.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Aug 2024 22:09
Operator : AR\AJ
Sample : P3600-02
Misc :
ALS Vial : 45 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
VCPS-B2-081324-0-12

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 15 03:55:37 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
Quant Title : GC Extractables
QLast Update : Wed Aug 14 13:09:19 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.543 min
Delta R.T.: 0.000 min
Response: 20653489
Conc: 9.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
VCPS-B2-081324-0-12




#1 Tetrachloro-m-xylene

R.T.: 2.784 min
Delta R.T.: 0.000 min
Response: 19414828
Conc: 9.95 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 3.999 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 3.269 min
Delta R.T.: -0.019 min
Response: 269342
Conc: 0.10 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T.: 4.332 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
VCPS-B2-081324-0-12




#3 gamma-BHC (Lindane)

R.T.: 3.637 min
Delta R.T.: 0.018 min
Response: 65716
Conc: 0.02 ng/ml




#5 Aldrin

R.T.: 0.000 min
Exp R.T.: 5.262 min
Response: 0
Conc: N.D.



#5 Aldrin


R.T.: 4.242 min
Delta R.T.: 0.003 min
Response: 902781
Conc: 0.37 ng/ml



#6 beta-BHC


R.T.: 4.546 min
Delta R.T.: 0.018 min
Response: -1452224
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
VCPS-B2-081324-0-12




#6 beta-BHC

R.T.: 3.899 min
Delta R.T.: -0.018 min
Response: 20189878
Conc: 17.15 ng/ml




#7 delta-BHC

R.T.: 0.000 min
Exp R.T. : 4.775 min
Response: 0
Conc: N.D.



#7 delta-BHC


R.T.: 4.150 min
Delta R.T.: 0.003 min
Response: 1683409
Conc: 0.66 ng/ml



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T.: 5.688 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
VCPS-B2-081324-0-12




#8 Heptachlor epoxide

R.T.: 4.753 min
Delta R.T.: 0.011 min
Response: 1827690
Conc: 0.81 ng/ml




#9 Endosulfan I

R.T.: 0.000 min
Exp R.T.: 6.073 min
Response: 0
Conc: N.D.



#9 Endosulfan I


R.T.: 5.131 min
Delta R.T.: 0.020 min
Response: 875200
Conc: 0.41 ng/ml



#10 gamma-Chlordane


R.T.: 5.944 min
Delta R.T.: 0.000 min
Response: 232255
Conc: 0.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
VCPS-B2-081324-0-12




#10 gamma-Chlordane

R.T.: 4.992 min
Delta R.T.: 0.000 min
Response: 3501723
Conc: 1.48 ng/ml




#11 alpha-Chlordane

R.T.: 0.000 min
Exp R.T. : 6.022 min
Response: 0
Conc: N.D.



#11 alpha-Chlordane


R.T.: 5.054 min
Delta R.T.: -0.001 min
Response: 1770199
Conc: 0.75 ng/ml



#12 4,4'-DDE


R.T.: 0.000 min
Exp R.T.: 6.195 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
VCPS-B2-081324-0-12




#12 4,4'-DDE

R.T.: 5.245 min
Delta R.T.: 0.000 min
Response: 190825
Conc: 0.09 ng/ml




#13 Dieldrin

R.T.: 0.000 min
Exp R.T.: 6.348 min
Response: 0
Conc: N.D.



#13 Dieldrin


R.T.: 5.378 min
Delta R.T.: 0.002 min
Response: 1004193
Conc: 0.44 ng/ml



#14 Endrin


R.T.: 0.000 min
Exp R.T.: 6.577 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
VCPS-B2-081324-0-12




#14 Endrin

R.T.: 5.668 min
Delta R.T.: 0.017 min
Response: 849404
Conc: 0.42 ng/ml




#16 4,4'-DDD

R.T.: 0.000 min
Exp R.T.: 6.711 min
Response: 0
Conc: N.D.



#16 4,4'-DDD


R.T.: 5.809 min
Delta R.T.: 0.010 min
Response: 43723
Conc: 0.03 ng/ml



#17 4,4'-DDT


R.T.: 0.000 min
Exp R.T.: 7.025 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
VCPS-B2-081324-0-12




#17 4,4'-DDT

R.T.: 6.043 min
Delta R.T.: -0.007 min
Response: 154598
Conc: 0.09 ng/ml




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T.: 6.925 min
Response: 0
Conc: N.D.



#18 Endrin aldehyde


R.T.: 6.117 min
Delta R.T.: -0.008 min
Response: 138481
Conc: 0.09 ng/ml



#22 Mirex


R.T.: 0.000 min
Exp R.T.: 8.118 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
VCPS-B2-081324-0-12




#22 Mirex

R.T.: 7.034 min
Delta R.T.: 0.000 min
Response: 51728
Conc: 0.03 ng/ml




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T.: 4.706 min
Response: 0
Conc: N.D.



#23 Chlordane-1


R.T.: 3.778 min
Delta R.T.: -0.006 min
Response: 1504848
Conc: 20.64 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 5.234 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
VCPS-B2-081324-0-12




#24 Chlordane-2

R.T.: 4.341 min
Delta R.T.: -0.019 min
Response: 436240
Conc: 4.64 ng/ml




#25 Chlordane-3

R.T.: 5.944 min
Delta R.T.: 0.000 min
Response: 232255
Conc: 0.67 ng/ml



#25 Chlordane-3


R.T.: 4.992 min
Delta R.T.: 0.000 min
Response: 3501723
Conc: 14.42 ng/ml



#26 Chlordane-4


R.T.: 0.000 min
Exp R.T.: 6.026 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
VCPS-B2-081324-0-12




#26 Chlordane-4

R.T.: 5.054 min
Delta R.T.: 0.000 min
Response: 1770199
Conc: 7.59 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.875 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.719 min
Delta R.T.: -0.002 min
Response: 59579
Conc: 0.86 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.054 min
Delta R.T.: -0.001 min
Response: 14853179
Conc: 9.74 ng/ml

Instrument :
ECD_L
ClientSampleId :
VCPS-B2-081324-0-12



#28 Decachlorobiphenyl

R.T.: 7.925 min
Delta R.T.: -0.001 min
Response: 14525056
Conc: 7.67 ng/ml