

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081424\
 Data File : PL091087.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Aug 2024 00:40
 Operator : AR\AJ
 Sample : P3574-02
 Misc :
 ALS Vial : 52 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 WC-W-06-202408

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 15 03:59:16 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
 Quant Title : GC Extractables
 QLast Update : Wed Aug 14 13:09:19 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.544	2.784	39804381	41354998	18.538	21.186
28)	SA Decachlor...	9.053	7.924	22592851	25279757	14.819	13.346
Target Compounds							
2)	A alpha-BHC	0.000	3.295	0	160941	N.D.	0.058 #
3)	MA gamma-BHC...	0.000	3.636f	0	92169	N.D.	0.035 #
4)	MA Heptachlor	0.000	3.952	0	4083203	N.D.	1.581 #
5)	MB Aldrin	0.000	4.221f	0	116434	N.D.	0.047 #
6)	B beta-BHC	0.000	3.921	0	74100	N.D.	0.063 #
7)	B delta-BHC	4.774	4.146	6515126	1352801	2.393	0.534 #
8)	B Heptachlo...	0.000	4.742	0	985224	N.D.	0.437 #
10)	B gamma-Chl...	0.000	4.998	0	356045	N.D.	0.151 #
11)	B alpha-Chl...	0.000	5.072f	0	438293	N.D.	0.186 #
13)	MA Dieldrin	0.000	5.380	0	284757	N.D.	0.125 #
14)	MA Endrin	0.000	5.669f	0	731175	N.D.	0.359 #
15)	B Endosulfa...	0.000	5.972f	0	332	N.D.	0.000 #
16)	A 4,4'-DDD	0.000	5.795	0	70421	N.D.	0.043 #
17)	MA 4,4'-DDT	0.000	6.049	0	56555	N.D.	0.032 #
18)	B Endrin al...	0.000	6.121	0	38323	N.D.	0.025 #
19)	B Endosulfa...	0.000	6.353	0	904709	N.D.	0.469 #
20)	A Methoxychlor	0.000	6.622	0	76780	N.D.	0.077 #
22)	Mirex	0.000	7.016f	0	37271	N.D.	0.020 #
23)	Chlordane-1	0.000	3.802f	0	312891	N.D.	4.292 #
24)	Chlordane-2	0.000	4.345	0	639448	N.D.	6.806 #
25)	Chlordane-3	0.000	4.998	0	356045	N.D.	1.466 #
26)	Chlordane-4	0.000	5.072	0	438293	N.D.	1.880 #
27)	Chlordane-5	0.000	5.732	0	105896	N.D.	1.529 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081424\
Data File : PL091087.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Aug 2024 00:40
Operator : AR\AJ
Sample : P3574-02
Misc :
ALS Vial : 52 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
WC-W-06-202408

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 15 03:59:16 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
Quant Title : GC Extractables
QLast Update : Wed Aug 14 13:09:19 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.544 min
Delta R.T.: 0.000 min
Response: 39804381
Conc: 18.54 ng/ml

Instrument :
ECD_L
ClientSampleId :
WC-W-06-202408




#1 Tetrachloro-m-xylene

R.T.: 2.784 min
Delta R.T.: 0.000 min
Response: 41354998
Conc: 21.19 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 3.999 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 3.295 min
Delta R.T.: 0.007 min
Response: 160941
Conc: 0.06 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T.: 4.332 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
WC-W-06-202408




#3 gamma-BHC (Lindane)

R.T.: 3.636 min
Delta R.T.: 0.017 min
Response: 92169
Conc: 0.03 ng/ml




#4 Heptachlor

R.T.: 0.000 min
Exp R.T.: 4.921 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 3.952 min
Delta R.T.: -0.007 min
Response: 4083203
Conc: 1.58 ng/ml



#5 Aldrin


R.T.: 0.000 min
Exp R.T.: 5.262 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
WC-W-06-202408




#5 Aldrin

R.T.: 4.221 min
Delta R.T.: -0.018 min
Response: 116434
Conc: 0.05 ng/ml




#6 beta-BHC

R.T.: 0.000 min
Exp R.T.: 4.528 min
Response: 0
Conc: N.D.



#6 beta-BHC


R.T.: 3.921 min
Delta R.T.: 0.004 min
Response: 74100
Conc: 0.06 ng/ml



#7 delta-BHC


R.T.: 4.774 min
Delta R.T.: 0.000 min
Response: 6515126
Conc: 2.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
WC-W-06-202408




#7 delta-BHC

R.T.: 4.146 min
Delta R.T.: -0.001 min
Response: 1352801
Conc: 0.53 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T. : 5.688 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 4.742 min
Delta R.T.: 0.000 min
Response: 985224
Conc: 0.44 ng/ml



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.943 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
WC-W-06-202408




#10 gamma-Chlordane

R.T.: 4.998 min
Delta R.T.: 0.007 min
Response: 356045
Conc: 0.15 ng/ml




#11 alpha-Chlordane

R.T.: 0.000 min
Exp R.T.: 6.022 min
Response: 0
Conc: N.D.



#11 alpha-Chlordane


R.T.: 5.072 min
Delta R.T.: 0.016 min
Response: 438293
Conc: 0.19 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T.: 6.348 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
WC-W-06-202408




#13 Dieldrin

R.T.: 5.380 min
Delta R.T.: 0.004 min
Response: 284757
Conc: 0.13 ng/ml




#14 Endrin

R.T.: 0.000 min
Exp R.T.: 6.577 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 5.669 min
Delta R.T.: 0.018 min
Response: 731175
Conc: 0.36 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T.: 6.796 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
WC-W-06-202408




#15 Endosulfan II

R.T.: 5.972 min
Delta R.T.: 0.027 min
Response: 332
Conc: 0.00 ng/ml




#16 4,4'-DDD

R.T.: 0.000 min
Exp R.T.: 6.711 min
Response: 0
Conc: N.D.



#16 4,4'-DDD


R.T.: 5.795 min
Delta R.T.: -0.004 min
Response: 70421
Conc: 0.04 ng/ml



#17 4,4'-DDT


R.T.: 0.000 min
Exp R.T.: 7.025 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
WC-W-06-202408




#17 4,4'-DDT

R.T.: 6.049 min
Delta R.T.: 0.000 min
Response: 56555
Conc: 0.03 ng/ml




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T.: 6.925 min
Response: 0
Conc: N.D.



#18 Endrin aldehyde


R.T.: 6.121 min
Delta R.T.: -0.004 min
Response: 38323
Conc: 0.02 ng/ml



#19 Endosulfan Sulfate


R.T.: 0.000 min
Exp R.T. : 7.160 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
WC-W-06-202408




#19 Endosulfan Sulfate

R.T.: 6.353 min
Delta R.T.: 0.006 min
Response: 904709
Conc: 0.47 ng/ml




#20 Methoxychlor

R.T.: 0.000 min
Exp R.T. : 7.501 min
Response: 0
Conc: N.D.



#20 Methoxychlor


R.T.: 6.622 min
Delta R.T.: -0.002 min
Response: 76780
Conc: 0.08 ng/ml



#22 Mirex


R.T.: 0.000 min
Exp R.T.: 8.118 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
WC-W-06-202408




#22 Mirex

R.T.: 7.016 min
Delta R.T.: -0.018 min
Response: 37271
Conc: 0.02 ng/ml




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T.: 4.706 min
Response: 0
Conc: N.D.



#23 Chlordane-1


R.T.: 3.802 min
Delta R.T.: 0.018 min
Response: 312891
Conc: 4.29 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 5.234 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
WC-W-06-202408




#24 Chlordane-2

R.T.: 4.345 min
Delta R.T.: -0.015 min
Response: 639448
Conc: 6.81 ng/ml




#25 Chlordane-3

R.T.: 0.000 min
Exp R.T.: 5.944 min
Response: 0
Conc: N.D.



#25 Chlordane-3


R.T.: 4.998 min
Delta R.T.: 0.006 min
Response: 356045
Conc: 1.47 ng/ml



#26 Chlordane-4


R.T.: 0.000 min
Exp R.T.: 6.026 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
WC-W-06-202408




#26 Chlordane-4

R.T.: 5.072 min
Delta R.T.: 0.018 min
Response: 438293
Conc: 1.88 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.875 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.732 min
Delta R.T.: 0.012 min
Response: 105896
Conc: 1.53 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.053 min
Delta R.T.: -0.002 min
Response: 22592851
Conc: 14.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
WC-W-06-202408



#28 Decachlorobiphenyl

R.T.: 7.924 min
Delta R.T.: -0.002 min
Response: 25279757
Conc: 13.35 ng/ml