

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081424\
 Data File : PL091092.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Aug 2024 01:49
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 15 04:00:55 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
 Quant Title : GC Extractables
 QLast Update : Wed Aug 14 13:09:19 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.544	2.785	105.0E6	98287744	48.904	50.352
28)	SA Decachlor...	9.055	7.925	76610673	92275398	50.252	48.717
Target Compounds							
2)	A alpha-BHC	3.999	3.288	146.5E6	143.2E6	48.883	51.620
3)	MA gamma-BHC...	4.332	3.618	139.3E6	134.7E6	48.542	51.149
4)	MA Heptachlor	4.920	3.958	125.7E6	126.8E6	47.186	49.097
5)	MB Aldrin	5.262	4.238	123.8E6	124.8E6	47.960	50.762
6)	B beta-BHC	4.528	3.917	66043069	59305930	48.835	50.384
7)	B delta-BHC	4.775	4.146	134.0E6	133.2E6	49.213	52.557
8)	B Heptachlo...	5.687	4.741	117.7E6	112.6E6	48.106	49.927
9)	A Endosulfan I	6.073	5.111	108.3E6	103.8E6	48.224	49.169
10)	B gamma-Chl...	5.943	4.991	118.0E6	117.8E6	48.813	49.823
11)	B alpha-Chl...	6.022	5.055	115.5E6	117.0E6	47.986	49.732
12)	B 4,4'-DDE	6.195	5.244	102.0E6	107.7E6	48.756	51.534
13)	MA Dieldrin	6.348	5.375	111.4E6	114.5E6	47.299	50.257
14)	MA Endrin	6.577	5.651	88022071	96836424	45.390	47.535
15)	B Endosulfa...	6.796	5.944	96886019	99106045	47.876	51.226
16)	A 4,4'-DDD	6.712	5.798	85272790	91205319	56.421	55.250
17)	MA 4,4'-DDT	7.026	6.049	82214091	83017294	46.316	46.733
18)	B Endrin al...	6.926	6.123	76969369	76958717	48.214	49.406
19)	B Endosulfa...	7.160	6.346	91651835	95036914	47.769	49.293
20)	A Methoxychlor	7.500	6.623	44624010	46097669	47.459	46.423
21)	B Endrin ke...	7.644	6.852	103.9E6	111.3E6	49.500	51.102
22)	Mirex	8.118	7.033	79565920	88525977	46.772	47.431
24)	Chlordane-2	5.262f	4.376	123.8E6	2387918	1219.049	25.416 #
25)	Chlordane-3	5.943	4.991	118.0E6	117.8E6	339.605	485.013 #
26)	Chlordane-4	6.022	5.055	115.5E6	117.0E6	274.687	501.775 #
27)	Chlordane-5	0.000	5.746f	0	115001	N.D.	1.661 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081424\
Data File : PL091092.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Aug 2024 01:49
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 15 04:00:55 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
Quant Title : GC Extractables
QLast Update : Wed Aug 14 13:09:19 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.544 min
Delta R.T.: 0.000 min
Response: 105006309
Conc: 48.90 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.785 min
Delta R.T.: 0.000 min
Response: 98287744
Conc: 50.35 ng/ml




#2 alpha-BHC

R.T.: 3.999 min
Delta R.T.: 0.000 min
Response: 146543357
Conc: 48.88 ng/ml



#2 alpha-BHC


R.T.: 3.288 min
Delta R.T.: 0.000 min
Response: 143165219
Conc: 51.62 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.332 min
Delta R.T.: 0.000 min
Response: 139251643
Conc: 48.54 ng/ml

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.618 min
Delta R.T.: 0.000 min
Response: 134723375
Conc: 51.15 ng/ml




#4 Heptachlor

R.T.: 4.920 min
Delta R.T.: 0.000 min
Response: 125657050
Conc: 47.19 ng/ml



#4 Heptachlor


R.T.: 3.958 min
Delta R.T.: 0.000 min
Response: 126803651
Conc: 49.10 ng/ml



#5 Aldrin


R.T.: 5.262 min
Delta R.T.: 0.000 min
Response: 123779289
Conc: 47.96 ng/ml

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.238 min
Delta R.T.: 0.000 min
Response: 124831706
Conc: 50.76 ng/ml




#6 beta-BHC

R.T.: 4.528 min
Delta R.T.: 0.000 min
Response: 66043069
Conc: 48.84 ng/ml



#6 beta-BHC


R.T.: 3.917 min
Delta R.T.: 0.000 min
Response: 59305930
Conc: 50.38 ng/ml



#7 delta-BHC


R.T.: 4.775 min
Delta R.T.: 0.000 min
Response: 133981799
Conc: 49.21 ng/ml

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.146 min
Delta R.T.: 0.000 min
Response: 133189797
Conc: 52.56 ng/ml




#8 Heptachlor epoxide

R.T.: 5.687 min
Delta R.T.: 0.000 min
Response: 117694192
Conc: 48.11 ng/ml



#8 Heptachlor epoxide


R.T.: 4.741 min
Delta R.T.: 0.000 min
Response: 112578524
Conc: 49.93 ng/ml



#9 Endosulfan I


R.T.: 6.073 min
Delta R.T.: 0.000 min
Response: 108279641
Conc: 48.22 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 5.111 min
Delta R.T.: 0.000 min
Response: 103754581
Conc: 49.17 ng/ml




#10 gamma-Chlordane

R.T.: 5.943 min
Delta R.T.: 0.000 min
Response: 117953233
Conc: 48.81 ng/ml



#10 gamma-Chlordane


R.T.: 4.991 min
Delta R.T.: 0.000 min
Response: 117778303
Conc: 49.82 ng/ml



#11 alpha-Chlordane


R.T.: 6.022 min
Delta R.T.: 0.000 min
Response: 115536639
Conc: 47.99 ng/ml

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.055 min
Delta R.T.: 0.000 min
Response: 116998129
Conc: 49.73 ng/ml




#12 4,4'-DDE

R.T.: 6.195 min
Delta R.T.: 0.000 min
Response: 102001680
Conc: 48.76 ng/ml



#12 4,4'-DDE


R.T.: 5.244 min
Delta R.T.: 0.000 min
Response: 107675546
Conc: 51.53 ng/ml



#13 Dieldrin


R.T.: 6.348 min
Delta R.T.: 0.000 min
Response: 111399258
Conc: 47.30 ng/ml

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.375 min
Delta R.T.: 0.000 min
Response: 114462300
Conc: 50.26 ng/ml




#14 Endrin

R.T.: 6.577 min
Delta R.T.: 0.000 min
Response: 88022071
Conc: 45.39 ng/ml



#14 Endrin


R.T.: 5.651 min
Delta R.T.: 0.000 min
Response: 96836424
Conc: 47.54 ng/ml



#15 Endosulfan II


R.T.: 6.796 min
Delta R.T.: 0.000 min
Response: 96886019
Conc: 47.88 ng/ml

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.944 min
Delta R.T.: 0.000 min
Response: 99106045
Conc: 51.23 ng/ml




#16 4,4'-DDD

R.T.: 6.712 min
Delta R.T.: 0.000 min
Response: 85272790
Conc: 56.42 ng/ml



#16 4,4'-DDD


R.T.: 5.798 min
Delta R.T.: 0.000 min
Response: 91205319
Conc: 55.25 ng/ml



#17 4,4'-DDT


R.T.: 7.026 min
Delta R.T.: 0.000 min
Response: 82214091
Conc: 46.32 ng/ml

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.049 min
Delta R.T.: 0.000 min
Response: 83017294
Conc: 46.73 ng/ml




#18 Endrin aldehyde

R.T.: 6.926 min
Delta R.T.: 0.000 min
Response: 76969369
Conc: 48.21 ng/ml



#18 Endrin aldehyde


R.T.: 6.123 min
Delta R.T.: -0.001 min
Response: 76958717
Conc: 49.41 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.160 min
Delta R.T.: 0.000 min
Response: 91651835
Conc: 47.77 ng/ml

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.346 min
Delta R.T.: -0.001 min
Response: 95036914
Conc: 49.29 ng/ml




#20 Methoxychlor

R.T.: 7.500 min
Delta R.T.: 0.000 min
Response: 44624010
Conc: 47.46 ng/ml



#20 Methoxychlor


R.T.: 6.623 min
Delta R.T.: -0.001 min
Response: 46097669
Conc: 46.42 ng/ml



#21 Endrin ketone


R.T.: 7.644 min
Delta R.T.: 0.000 min
Response: 103936732
Conc: 49.50 ng/ml

Instrument :
ECD_L
ClientSampleId :




#21 Endrin ketone

R.T.: 6.852 min
Delta R.T.: 0.000 min
Response: 111298205
Conc: 51.10 ng/ml




#22 Mirex

R.T.: 8.118 min
Delta R.T.: 0.000 min
Response: 79565920
Conc: 46.77 ng/ml



#22 Mirex


R.T.: 7.033 min
Delta R.T.: 0.000 min
Response: 88525977
Conc: 47.43 ng/ml



#24 Chlordane-2


R.T.: 5.262 min
Delta R.T.: 0.028 min
Response: 123779289
Conc: 1219.05 ng/ml

Instrument :
ECD_L
ClientSampleId :




#24 Chlordane-2

R.T.: 4.376 min
Delta R.T.: 0.015 min
Response: 2387918
Conc: 25.42 ng/ml




#25 Chlordane-3

R.T.: 5.943 min
Delta R.T.: -0.001 min
Response: 117953233
Conc: 339.60 ng/ml



#25 Chlordane-3


R.T.: 4.991 min
Delta R.T.: 0.000 min
Response: 117778303
Conc: 485.01 ng/ml



#26 Chlordane-4


R.T.: 6.022 min
Delta R.T.: -0.004 min
Response: 115536639
Conc: 274.69 ng/ml

Instrument :
ECD_L
ClientSampleId :




#26 Chlordane-4

R.T.: 5.055 min
Delta R.T.: 0.000 min
Response: 116998129
Conc: 501.77 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.875 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.746 min
Delta R.T.: 0.026 min
Response: 115001
Conc: 1.66 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.055 min
Delta R.T.: 0.000 min
Response: 76610673
Conc: 50.25 ng/ml

Instrument :
ECD_L
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.925 min
Delta R.T.: 0.000 min
Response: 92275398
Conc: 48.72 ng/ml