

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081424\
 Data File : PL091102.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Aug 2024 04:34
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 15 08:16:11 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
 Quant Title : GC Extractables
 QLast Update : Wed Aug 14 13:09:19 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.544	2.784	48985250	44514281	22.814	22.804
28)	SA Decachlor...	9.056	7.925	33888752	38746460	22.229	20.456
Target Compounds							
2)	A alpha-BHC	0.000	3.275	0	154728	N.D.	0.056 #
3)	MA gamma-BHC...	0.000	3.635f	0	674575	N.D.	0.256 #
4)	MA Heptachlor	4.908	3.975f	2488991	18298	0.935	0.007 #
5)	MB Aldrin	0.000	4.247	0	2942970	N.D.	1.197 #
6)	B beta-BHC	0.000	3.923	0	173581	N.D.	0.147 #
7)	B delta-BHC	0.000	4.136	0	973041	N.D.	0.384 #
8)	B Heptachlo...	5.684	4.740	11603145	52404	4.743	0.023 #
9)	A Endosulfan I	6.064	0.000	44909362	0	20.001	N.D. #
10)	B gamma-Chl...	0.000	4.991	0	3763655	N.D.	1.592 #
11)	B alpha-Chl...	0.000	5.049	0	1283624	N.D.	0.546 #
12)	B 4,4'-DDE	0.000	5.246	0	741009	N.D.	0.355 #
13)	MA Dieldrin	0.000	5.376	0	849382	N.D.	0.373 #
14)	MA Endrin	0.000	5.669f	0	1481300	N.D.	0.727 #
15)	B Endosulfa...	0.000	5.932	0	401617	N.D.	0.208 #
16)	A 4,4'-DDD	0.000	5.786	0	285554	N.D.	0.173 #
17)	MA 4,4'-DDT	0.000	6.070f	0	844837	N.D.	0.476 #
18)	B Endrin al...	0.000	6.129	0	226855	N.D.	0.146 #
19)	B Endosulfa...	0.000	6.356	0	98760	N.D.	0.051 #
20)	A Methoxychlor	0.000	6.610	0	69399	N.D.	0.070 #
23)	Chlordane-1	0.000	3.780	0	118014	N.D.	1.619 #
24)	Chlordane-2	0.000	4.376	0	2241009	N.D.	23.852 #
25)	Chlordane-3	0.000	4.991	0	3763655	N.D.	15.499 #
26)	Chlordane-4	0.000	5.049	0	1283624	N.D.	5.505 #
27)	Chlordane-5	0.000	5.736	0	357158	N.D.	5.159 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081424\
Data File : PL091102.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Aug 2024 04:34
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 15 08:16:11 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
Quant Title : GC Extractables
QLast Update : Wed Aug 14 13:09:19 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.544 min
Delta R.T.: 0.000 min
Response: 48985250
Conc: 22.81 ng/ml

Instrument :
ECD_L
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.784 min
Delta R.T.: 0.000 min
Response: 44514281
Conc: 22.80 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 3.999 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 3.275 min
Delta R.T.: -0.014 min
Response: 154728
Conc: 0.06 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T.: 4.332 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.635 min
Delta R.T.: 0.017 min
Response: 674575
Conc: 0.26 ng/ml




#4 Heptachlor

R.T.: 4.908 min
Delta R.T.: -0.012 min
Response: 2488991
Conc: 0.93 ng/ml



#4 Heptachlor


R.T.: 3.975 min
Delta R.T.: 0.016 min
Response: 18298
Conc: 0.01 ng/ml



#5 Aldrin


R.T.: 0.000 min
Exp R.T.: 5.262 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#5 Aldrin

R.T.: 4.247 min
Delta R.T.: 0.008 min
Response: 2942970
Conc: 1.20 ng/ml




#6 beta-BHC

R.T.: 0.000 min
Exp R.T.: 4.528 min
Response: 0
Conc: N.D.



#6 beta-BHC


R.T.: 3.923 min
Delta R.T.: 0.006 min
Response: 173581
Conc: 0.15 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T.: 4.775 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#7 delta-BHC

R.T.: 4.136 min
Delta R.T.: -0.011 min
Response: 973041
Conc: 0.38 ng/ml




#8 Heptachlor epoxide

R.T.: 5.684 min
Delta R.T.: -0.004 min
Response: 11603145
Conc: 4.74 ng/ml



#8 Heptachlor epoxide


R.T.: 4.740 min
Delta R.T.: -0.001 min
Response: 52404
Conc: 0.02 ng/ml



#9 Endosulfan I


R.T.: 6.064 min
Delta R.T.: -0.009 min
Response: 44909362
Conc: 20.00 ng/ml

Instrument :
ECD_L
ClientSampleId :




#9 Endosulfan I

R.T.: 0.000 min
Exp R.T. : 5.111 min
Response: 0
Conc: N.D.




#10 gamma-Chlordane

R.T.: 0.000 min
Exp R.T. : 5.943 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 4.991 min
Delta R.T.: 0.000 min
Response: 3763655
Conc: 1.59 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T.: 6.022 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.049 min
Delta R.T.: -0.006 min
Response: 1283624
Conc: 0.55 ng/ml




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T.: 6.195 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 5.246 min
Delta R.T.: 0.001 min
Response: 741009
Conc: 0.35 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T.: 6.348 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#13 Dieldrin

R.T.: 5.376 min
Delta R.T.: 0.000 min
Response: 849382
Conc: 0.37 ng/ml




#14 Endrin

R.T.: 0.000 min
Exp R.T.: 6.577 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 5.669 min
Delta R.T.: 0.017 min
Response: 1481300
Conc: 0.73 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T.: 6.796 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#15 Endosulfan II

R.T.: 5.932 min
Delta R.T.: -0.013 min
Response: 401617
Conc: 0.21 ng/ml




#16 4,4'-DDD

R.T.: 0.000 min
Exp R.T.: 6.711 min
Response: 0
Conc: N.D.



#16 4,4'-DDD


R.T.: 5.786 min
Delta R.T.: -0.012 min
Response: 285554
Conc: 0.17 ng/ml



#17 4,4'-DDT


R.T.: 0.000 min
Exp R.T.: 7.025 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.070 min
Delta R.T.: 0.020 min
Response: 844837
Conc: 0.48 ng/ml




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T.: 6.925 min
Response: 0
Conc: N.D.



#18 Endrin aldehyde


R.T.: 6.129 min
Delta R.T.: 0.005 min
Response: 226855
Conc: 0.15 ng/ml



#19 Endosulfan Sulfate


R.T.: 0.000 min
Exp R.T. : 7.160 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.356 min
Delta R.T.: 0.008 min
Response: 98760
Conc: 0.05 ng/ml




#20 Methoxychlor

R.T.: 0.000 min
Exp R.T. : 7.501 min
Response: 0
Conc: N.D.



#20 Methoxychlor


R.T.: 6.610 min
Delta R.T.: -0.014 min
Response: 69399
Conc: 0.07 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.706 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#23 Chlordane-1

R.T.: 3.780 min
Delta R.T.: -0.004 min
Response: 118014
Conc: 1.62 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 5.234 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 4.376 min
Delta R.T.: 0.016 min
Response: 2241009
Conc: 23.85 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T.: 5.944 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#25 Chlordane-3

R.T.: 4.991 min
Delta R.T.: 0.000 min
Response: 3763655
Conc: 15.50 ng/ml




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T.: 6.026 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 5.049 min
Delta R.T.: -0.005 min
Response: 1283624
Conc: 5.51 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.875 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :




#27 Chlordane-5

R.T.: 5.736 min
Delta R.T.: 0.016 min
Response: 357158
Conc: 5.16 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.056 min
Delta R.T.: 0.000 min
Response: 33888752
Conc: 22.23 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.925 min
Delta R.T.: -0.001 min
Response: 38746460
Conc: 20.46 ng/ml