

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081624\
 Data File : PL091163.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 16 Aug 2024 18:19
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 100 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 27 08:18:51 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
 Quant Title : GC Extractables
 QLast Update : Wed Aug 14 13:09:19 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.545	2.785	105.5E6	107.5E6	49.119	55.088
28)	SA Decachlor...	9.056	7.925	72959686	90469250	47.857	47.763
Target Compounds							
2)	A alpha-BHC	4.000	3.289	150.0E6	157.4E6	50.040	56.766
3)	MA gamma-BHC...	4.332	3.619	143.6E6	147.5E6	50.061	56.009
4)	MA Heptachlor	4.921	3.958	124.9E6	135.2E6	46.915	52.342
5)	MB Aldrin	5.263	4.238	126.0E6	134.5E6	48.833	54.692
6)	B beta-BHC	4.528	3.917	67006398	64467091	49.548	54.769
7)	B delta-BHC	4.776	4.146	138.2E6	145.0E6	50.777	57.217
8)	B Heptachlo...	5.688	4.740	117.0E6	122.3E6	47.834	54.235
9)	A Endosulfan I	6.073	5.110	107.6E6	114.3E6	47.918	54.185
10)	B gamma-Chl...	5.943	4.991	119.7E6	128.9E6	49.527	54.542
11)	B alpha-Chl...	6.023	5.054	115.8E6	126.8E6	48.100	53.900
12)	B 4,4'-DDE	6.196	5.243	102.9E6	115.8E6	49.200	55.411
13)	MA Dieldrin	6.348	5.374	112.8E6	124.0E6	47.903	54.429
14)	MA Endrin	6.578	5.650	91506474	107.6E6	47.187	52.821
15)	B Endosulfa...	6.796	5.944	97117978	107.1E6	47.991	55.368
16)	A 4,4'-DDD	6.712	5.798	87027261	97595157	57.581	59.120
17)	MA 4,4'-DDT	7.026	6.048	81620489	90860632	45.981	51.149
18)	B Endrin al...	6.926	6.123	76000308	82279083	47.607	52.821
19)	B Endosulfa...	7.160	6.346	90806429	102.3E6	47.328	53.069
20)	A Methoxychlor	7.501	6.623	44077985	47670302	46.878	48.007
21)	B Endrin ke...	7.645	6.851	100.2E6	112.9E6	47.717	51.816
22)	Mirex	8.118	7.033	76718656	90039696	45.098	48.242
23)	Chlordane-1	0.000	3.809f	0	23070	N.D.	0.316 #
24)	Chlordane-2	5.263f	4.375	126.0E6	566927	1241.227	6.034 #
25)	Chlordane-3	5.943	4.991	119.7E6	128.9E6	344.569	530.956 #
26)	Chlordane-4	6.023	5.054	115.8E6	126.8E6	275.339	543.822 #
27)	Chlordane-5	0.000	5.723	0	337874	N.D.	4.880 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081624\
Data File : PL091163.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Aug 2024 18:19
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 100 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 27 08:18:51 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
Quant Title : GC Extractables
QLast Update : Wed Aug 14 13:09:19 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.545 min
Delta R.T.: 0.000 min
Response: 105467016
Conc: 49.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.785 min
Delta R.T.: -0.015 min
Response: 107532082
Conc: 55.09 ng/ml




#2 alpha-BHC

R.T.: 4.000 min
Delta R.T.: 0.000 min
Response: 150010628
Conc: 50.04 ng/ml



#2 alpha-BHC


R.T.: 3.289 min
Delta R.T.: 0.000 min
Response: 157438452
Conc: 56.77 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.332 min
Delta R.T.: 0.000 min
Response: 143607477
Conc: 50.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.619 min
Delta R.T.: 0.000 min
Response: 147523279
Conc: 56.01 ng/ml




#4 Heptachlor

R.T.: 4.921 min
Delta R.T.: 0.000 min
Response: 124935023
Conc: 46.91 ng/ml



#4 Heptachlor


R.T.: 3.958 min
Delta R.T.: 0.000 min
Response: 135184682
Conc: 52.34 ng/ml



#5 Aldrin


R.T.: 5.263 min
Delta R.T.: 0.000 min
Response: 126031168
Conc: 48.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.238 min
Delta R.T.: 0.000 min
Response: 134497010
Conc: 54.69 ng/ml




#6 beta-BHC

R.T.: 4.528 min
Delta R.T.: 0.000 min
Response: 67006398
Conc: 49.55 ng/ml



#6 beta-BHC


R.T.: 3.917 min
Delta R.T.: 0.000 min
Response: 64467091
Conc: 54.77 ng/ml



#7 delta-BHC


R.T.: 4.776 min
Delta R.T.: 0.000 min
Response: 138240937
Conc: 50.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.146 min
Delta R.T.: 0.000 min
Response: 144999672
Conc: 57.22 ng/ml




#8 Heptachlor epoxide

R.T.: 5.688 min
Delta R.T.: 0.000 min
Response: 117027922
Conc: 47.83 ng/ml



#8 Heptachlor epoxide


R.T.: 4.740 min
Delta R.T.: 0.000 min
Response: 122290989
Conc: 54.23 ng/ml



#9 Endosulfan I


R.T.: 6.073 min
Delta R.T.: 0.000 min
Response: 107591383
Conc: 47.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.110 min
Delta R.T.: 0.000 min
Response: 114339921
Conc: 54.19 ng/ml




#10 gamma-Chlordane

R.T.: 5.943 min
Delta R.T.: 0.000 min
Response: 119677245
Conc: 49.53 ng/ml



#10 gamma-Chlordane


R.T.: 4.991 min
Delta R.T.: -0.005 min
Response: 128935084
Conc: 54.54 ng/ml



#11 alpha-Chlordane


R.T.: 6.023 min
Delta R.T.: 0.000 min
Response: 115810806
Conc: 48.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.054 min
Delta R.T.: 0.000 min
Response: 126802275
Conc: 53.90 ng/ml




#12 4,4'-DDE

R.T.: 6.196 min
Delta R.T.: 0.000 min
Response: 102931001
Conc: 49.20 ng/ml



#12 4,4'-DDE


R.T.: 5.243 min
Delta R.T.: 0.000 min
Response: 115775719
Conc: 55.41 ng/ml



#13 Dieldrin


R.T.: 6.348 min
Delta R.T.: 0.000 min
Response: 112822831
Conc: 47.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.374 min
Delta R.T.: -0.002 min
Response: 123962644
Conc: 54.43 ng/ml




#14 Endrin

R.T.: 6.578 min
Delta R.T.: 0.000 min
Response: 91506474
Conc: 47.19 ng/ml



#14 Endrin


R.T.: 5.650 min
Delta R.T.: -0.001 min
Response: 107603879
Conc: 52.82 ng/ml



#15 Endosulfan II


R.T.: 6.796 min
Delta R.T.: 0.000 min
Response: 97117978
Conc: 47.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.944 min
Delta R.T.: -0.001 min
Response: 107120158
Conc: 55.37 ng/ml




#16 4,4'-DDD

R.T.: 6.712 min
Delta R.T.: 0.000 min
Response: 87027261
Conc: 57.58 ng/ml



#16 4,4'-DDD


R.T.: 5.798 min
Delta R.T.: -0.001 min
Response: 97595157
Conc: 59.12 ng/ml



#17 4,4'-DDT


R.T.: 7.026 min
Delta R.T.: 0.001 min
Response: 81620489
Conc: 45.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.048 min
Delta R.T.: -0.002 min
Response: 90860632
Conc: 51.15 ng/ml




#18 Endrin aldehyde

R.T.: 6.926 min
Delta R.T.: 0.000 min
Response: 76000308
Conc: 47.61 ng/ml



#18 Endrin aldehyde


R.T.: 6.123 min
Delta R.T.: -0.002 min
Response: 82279083
Conc: 52.82 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.160 min
Delta R.T.: 0.000 min
Response: 90806429
Conc: 47.33 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.346 min
Delta R.T.: -0.001 min
Response: 102316960
Conc: 53.07 ng/ml




#20 Methoxychlor

R.T.: 7.501 min
Delta R.T.: 0.000 min
Response: 44077985
Conc: 46.88 ng/ml



#20 Methoxychlor


R.T.: 6.623 min
Delta R.T.: -0.002 min
Response: 47670302
Conc: 48.01 ng/ml



#21 Endrin ketone


R.T.: 7.645 min
Delta R.T.: 0.000 min
Response: 100192350
Conc: 47.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.851 min
Delta R.T.: -0.001 min
Response: 112853932
Conc: 51.82 ng/ml




#22 Mirex

R.T.: 8.118 min
Delta R.T.: 0.000 min
Response: 76718656
Conc: 45.10 ng/ml



#22 Mirex


R.T.: 7.033 min
Delta R.T.: 0.000 min
Response: 90039696
Conc: 48.24 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.706 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.809 min
Delta R.T.: 0.025 min
Response: 23070
Conc: 0.32 ng/ml




#24 Chlordane-2

R.T.: 5.263 min
Delta R.T.: 0.029 min
Response: 126031168
Conc: 1241.23 ng/ml



#24 Chlordane-2


R.T.: 4.375 min
Delta R.T.: 0.015 min
Response: 566927
Conc: 6.03 ng/ml



#25 Chlordane-3


R.T.: 5.943 min
Delta R.T.: -0.001 min
Response: 119677245
Conc: 344.57 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 4.991 min
Delta R.T.: -0.001 min
Response: 128935084
Conc: 530.96 ng/ml




#26 Chlordane-4

R.T.: 6.023 min
Delta R.T.: -0.004 min
Response: 115810806
Conc: 275.34 ng/ml



#26 Chlordane-4


R.T.: 5.054 min
Delta R.T.: 0.000 min
Response: 126802275
Conc: 543.82 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.875 min
Response: 0
Conc: N.D.

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 5.723 min
Delta R.T.: 0.003 min
Response: 337874
Conc: 4.88 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.056 min
Delta R.T.: 0.000 min
Response: 72959686
Conc: 47.86 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.925 min
Delta R.T.: -0.002 min
Response: 90469250
Conc: 47.76 ng/ml