

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081820\
 Data File : PL060786.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Aug 2020 12:38
 Operator : DD\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 18 13:17:33 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081820.M
 Quant Title : GC Extractables
 QLast Update : Tue Aug 18 13:17:15 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml



System Monitoring Compounds							
1)	SA Tetrachlo...	3.461	4.009	85002691	144.8E6	50.000	50.000
28)	SA Decachlor...	8.217	9.099	69770736	100.7E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.898	4.399	126.5E6	225.6E6	50.000	50.000
3)	MA gamma-BHC...	4.182	4.684	112.8E6	207.7E6	50.000	50.000
4)	MA Heptachlor	4.484	5.195	102.5E6	195.1E6	50.000	50.000
5)	MB Aldrin	4.732	5.501	90462713	180.2E6	50.000	50.000
6)	B beta-BHC	4.433	4.855	46244650	85301078	50.000	50.000
7)	B delta-BHC	4.637	5.073	106.3E6	156.0E6	50.000	50.000
8)	B Heptachlo...	5.175	5.888	86462045	140.0E6	50.000	50.000
9)	A Endosulfan I	5.514	6.247	79688953	151.4E6	50.000	50.000
10)	B gamma-Chl...	5.402	6.124	85054584	158.2E6	50.000	50.000
11)	B alpha-Chl...	5.461	6.197	85179667	161.5E6	50.000	50.000
12)	B 4,4'-DDE	5.626	6.355	78072831	154.0E6	50.000	50.000
13)	MA Dieldrin	5.757	6.505	83250024	158.6E6	50.000	50.000
14)	MA Endrin	6.013	6.723	77233676	134.8E6	50.000	50.000
15)	B Endosulfa...	6.287	6.933	76366624	131.1E6	50.000	50.000
16)	A 4,4'-DDD	6.141	6.846	65914246	121.2E6	50.000	50.000
17)	MA 4,4'-DDT	6.382	7.146	64453821	114.3E6	50.000	50.000
18)	B Endrin al...	6.455	7.058	65792415	110.9E6	50.000	50.000
19)	B Endosulfa...	6.668	7.281	74329276	121.6E6	50.000	50.000
20)	A Methoxychlor	6.928	7.606	39680191	65896207	50.000	50.000
21)	B Endrin ke...	7.158	7.753	80773727	121.1E6	50.000	50.000
22)	Mirex	7.347	8.209	60245492	84625740	50.000	50.000


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081820\
Data File : PL060786.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Aug 2020 12:38
Operator : DD\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 18 13:17:33 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081820.M
Quant Title : GC Extractables
QLast Update : Tue Aug 18 13:17:15 2020
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.461 min
Delta R.T.: 0.000 min
Response: 85002691
Conc: 50.00 ng/ml




#1 Tetrachloro-m-xylene

R.T.: 4.009 min
Delta R.T.: 0.000 min
Response: 144750201
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.898 min
Delta R.T.: 0.000 min
Response: 126547779
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 4.399 min
Delta R.T.: 0.000 min
Response: 225593572
Conc: 50.00 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.182 min
Delta R.T.: 0.000 min
Response: 112754634
Conc: 50.00 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.684 min
Delta R.T.: 0.000 min
Response: 207699984
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.484 min
Delta R.T.: 0.000 min
Response: 102451048
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 5.195 min
Delta R.T.: 0.000 min
Response: 195085551
Conc: 50.00 ng/ml




#5 Aldrin

R.T.: 4.732 min
Delta R.T.: 0.000 min
Response: 90462713
Conc: 50.00 ng/ml




#5 Aldrin

R.T.: 5.501 min
Delta R.T.: 0.000 min
Response: 180228061
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.433 min
Delta R.T.: 0.000 min
Response: 46244650
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.855 min
Delta R.T.: 0.000 min
Response: 85301078
Conc: 50.00 ng/ml




#7 delta-BHC

R.T.: 4.637 min
Delta R.T.: 0.000 min
Response: 106283928
Conc: 50.00 ng/ml




#7 delta-BHC

R.T.: 5.073 min
Delta R.T.: 0.000 min
Response: 156007860
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.175 min
Delta R.T.: 0.000 min
Response: 86462045
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.888 min
Delta R.T.: 0.000 min
Response: 140001149
Conc: 50.00 ng/ml




#9 Endosulfan I

R.T.: 5.514 min
Delta R.T.: 0.000 min
Response: 79688953
Conc: 50.00 ng/ml




#9 Endosulfan I

R.T.: 6.247 min
Delta R.T.: 0.000 min
Response: 151358715
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.402 min
Delta R.T.: 0.000 min
Response: 85054584
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 6.124 min
Delta R.T.: 0.000 min
Response: 158207275
Conc: 50.00 ng/ml




#11 alpha-Chlordane

R.T.: 5.461 min
Delta R.T.: 0.000 min
Response: 85179667
Conc: 50.00 ng/ml




#11 alpha-Chlordane

R.T.: 6.197 min
Delta R.T.: 0.000 min
Response: 161531116
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.626 min
Delta R.T.: 0.000 min
Response: 78072831
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 6.355 min
Delta R.T.: 0.000 min
Response: 153990915
Conc: 50.00 ng/ml




#13 Dieldrin

R.T.: 5.757 min
Delta R.T.: 0.000 min
Response: 83250024
Conc: 50.00 ng/ml




#13 Dieldrin

R.T.: 6.505 min
Delta R.T.: 0.000 min
Response: 158605815
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.013 min
Delta R.T.: 0.000 min
Response: 77233676
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.723 min
Delta R.T.: 0.000 min
Response: 134771006
Conc: 50.00 ng/ml




#15 Endosulfan II

R.T.: 6.287 min
Delta R.T.: 0.000 min
Response: 76366624
Conc: 50.00 ng/ml




#15 Endosulfan II

R.T.: 6.933 min
Delta R.T.: 0.000 min
Response: 131089286
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.141 min
Delta R.T.: 0.000 min
Response: 65914246
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.846 min
Delta R.T.: 0.000 min
Response: 121179187
Conc: 50.00 ng/ml




#17 4,4'-DDT

R.T.: 6.382 min
Delta R.T.: 0.000 min
Response: 64453821
Conc: 50.00 ng/ml




#17 4,4'-DDT

R.T.: 7.146 min
Delta R.T.: 0.000 min
Response: 114286225
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.455 min
Delta R.T.: 0.000 min
Response: 65792415
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 7.058 min
Delta R.T.: 0.000 min
Response: 110916781
Conc: 50.00 ng/ml




#19 Endosulfan Sulfate

R.T.: 6.668 min
Delta R.T.: 0.000 min
Response: 74329276
Conc: 50.00 ng/ml




#19 Endosulfan Sulfate

R.T.: 7.281 min
Delta R.T.: 0.000 min
Response: 121616153
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.928 min
Delta R.T.: 0.000 min
Response: 39680191
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 7.606 min
Delta R.T.: 0.000 min
Response: 65896207
Conc: 50.00 ng/ml




#21 Endrin ketone

R.T.: 7.158 min
Delta R.T.: 0.000 min
Response: 80773727
Conc: 50.00 ng/ml




#21 Endrin ketone

R.T.: 7.753 min
Delta R.T.: 0.000 min
Response: 121134097
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.347 min
Delta R.T.: 0.000 min
Response: 60245492
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 8.209 min
Delta R.T.: 0.000 min
Response: 84625740
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.217 min
Delta R.T.: 0.000 min
Response: 69770736
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.099 min
Delta R.T.: 0.000 min
Response: 100676872
Conc: 50.00 ng/ml