

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081920\
 Data File : PL060825.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 19 Aug 2020 08:43
 Operator : DD\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 19 15:17:27 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081820.M
 Quant Title : GC Extractables
 QLast Update : Wed Aug 19 06:13:38 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.462	4.009	87016946	134.4E6	52.124	48.333
28)	SA Decachlor...	8.217	9.099	72106246	99632817	50.479	49.295
Target Compounds							
2)	A alpha-BHC	3.898	4.398	127.6E6	211.2E6	52.399	49.719
3)	MA gamma-BHC...	4.182	4.684	113.9E6	194.1E6	52.521	49.235
4)	MA Heptachlor	4.483	5.195	104.1E6	187.4E6	52.444	49.869
5)	MB Aldrin	4.731	5.501	92541201	172.9E6	53.061	50.156
6)	B beta-BHC	4.433	4.855	46735309	79003573	52.021	48.897
7)	B delta-BHC	4.637	5.073	107.8E6	155.7E6	53.002	52.844
8)	B Heptachlo...	5.175	5.889	88328187	140.6E6	52.397	50.297
9)	A Endosulfan I	5.513	6.247	81341736	143.5E6	52.695	48.513
10)	B gamma-Chl...	5.402	6.124	86608317	151.3E6	52.603	49.548
11)	B alpha-Chl...	5.460	6.196	86902961	152.7E6	52.752	48.434
12)	B 4,4'-DDE	5.625	6.354	80197488	143.2E6	52.007	47.294
13)	MA Dieldrin	5.757	6.504	85231364	149.5E6	53.021	48.572
14)	MA Endrin	6.013	6.723	78515270	124.2E6	51.897	47.815
15)	B Endosulfa...	6.287	6.932	77382805	127.2E6	51.316	48.755
16)	A 4,4'-DDD	6.141	6.846	67377491	115.2E6	52.591	49.389
17)	MA 4,4'-DDT	6.382	7.146	65923639	113.3E6	54.975	52.217
18)	B Endrin al...	6.454	7.057	67153589	109.0E6	52.072	50.378
19)	B Endosulfa...	6.668	7.281	74612123	122.1E6	51.443	51.465
20)	A Methoxychlor	6.928	7.606	40220450	64120406	53.137	51.242
21)	B Endrin ke...	7.158	7.753	85087968	121.7E6	54.779	52.790
22)	Mirex	7.348	8.210	65102749	84946052	54.380	52.586



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081920\
Data File : PL060825.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 19 Aug 2020 08:43
Operator : DD\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 19 15:17:27 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081820.M
Quant Title : GC Extractables
QLast Update : Wed Aug 19 06:13:38 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.462 min
Delta R.T.: 0.000 min
Response: 87016946
Conc: 52.12 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 4.009 min
Delta R.T.: 0.000 min
Response: 134448609
Conc: 48.33 ng/ml




#2 alpha-BHC

R.T.: 3.898 min
Delta R.T.: 0.000 min
Response: 127602074
Conc: 52.40 ng/ml



#2 alpha-BHC


R.T.: 4.398 min
Delta R.T.: 0.000 min
Response: 211211684
Conc: 49.72 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.182 min
Delta R.T.: 0.000 min
Response: 113935486
Conc: 52.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.684 min
Delta R.T.: 0.000 min
Response: 194077098
Conc: 49.23 ng/ml




#4 Heptachlor

R.T.: 4.483 min
Delta R.T.: 0.000 min
Response: 104100074
Conc: 52.44 ng/ml



#4 Heptachlor

R.T.: 5.195 min
Delta R.T.: 0.000 min
Response: 187412985
Conc: 49.87 ng/ml



#5 Aldrin


R.T.: 4.731 min

Delta R.T.: 0.000 min

Response: 92541201

Conc: 53.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.501 min

Delta R.T.: 0.000 min

Response: 172874942

Conc: 50.16 ng/ml




#6 beta-BHC

R.T.: 4.433 min

Delta R.T.: 0.000 min

Response: 46735309

Conc: 52.02 ng/ml




#6 beta-BHC

R.T.: 4.855 min

Delta R.T.: 0.000 min

Response: 79003573


Conc: 48.90 ng/ml



#7 delta-BHC


R.T.: 4.637 min
Delta R.T.: 0.000 min
Response: 107762419
Conc: 53.00 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.073 min
Delta R.T.: 0.000 min
Response: 155660344
Conc: 52.84 ng/ml




#8 Heptachlor epoxide

R.T.: 5.175 min
Delta R.T.: 0.000 min
Response: 88328187
Conc: 52.40 ng/ml



#8 Heptachlor epoxide


R.T.: 5.889 min
Delta R.T.: 0.000 min
Response: 140594095
Conc: 50.30 ng/ml



#9 Endosulfan I


R.T.: 5.513 min
Delta R.T.: 0.000 min
Response: 81341736
Conc: 52.69 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.247 min
Delta R.T.: 0.000 min
Response: 143522258
Conc: 48.51 ng/ml




#10 gamma-Chlordane

R.T.: 5.402 min
Delta R.T.: 0.000 min
Response: 86608317
Conc: 52.60 ng/ml



#10 gamma-Chlordane


R.T.: 6.124 min
Delta R.T.: 0.000 min
Response: 151280302
Conc: 49.55 ng/ml



#11 alpha-Chlordane


R.T.: 5.460 min
Delta R.T.: 0.000 min
Response: 86902961
Conc: 52.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.196 min
Delta R.T.: 0.000 min
Response: 152672716
Conc: 48.43 ng/ml




#12 4,4'-DDE

R.T.: 5.625 min
Delta R.T.: 0.000 min
Response: 80197488
Conc: 52.01 ng/ml



#12 4,4'-DDE


R.T.: 6.354 min
Delta R.T.: 0.000 min
Response: 143179349
Conc: 47.29 ng/ml



#13 Dieldrin


R.T.: 5.757 min
Delta R.T.: 0.000 min
Response: 85231364
Conc: 53.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.504 min
Delta R.T.: 0.000 min
Response: 149483857
Conc: 48.57 ng/ml




#14 Endrin

R.T.: 6.013 min
Delta R.T.: 0.000 min
Response: 78515270
Conc: 51.90 ng/ml



#14 Endrin


R.T.: 6.723 min
Delta R.T.: 0.000 min
Response: 124230774
Conc: 47.82 ng/ml



#15 Endosulfan II


R.T.: 6.287 min
Delta R.T.: 0.000 min
Response: 77382805
Conc: 51.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.932 min
Delta R.T.: 0.000 min
Response: 127178328
Conc: 48.75 ng/ml




#16 4,4'-DDD

R.T.: 6.141 min
Delta R.T.: 0.000 min
Response: 67377491
Conc: 52.59 ng/ml



#16 4,4'-DDD


R.T.: 6.846 min
Delta R.T.: 0.000 min
Response: 115190850
Conc: 49.39 ng/ml



#17 4,4'-DDT


R.T.: 6.382 min
Delta R.T.: 0.000 min
Response: 65923639
Conc: 54.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.146 min
Delta R.T.: 0.000 min
Response: 113325452
Conc: 52.22 ng/ml




#18 Endrin aldehyde

R.T.: 6.454 min
Delta R.T.: 0.000 min
Response: 67153589
Conc: 52.07 ng/ml



#18 Endrin aldehyde


R.T.: 7.057 min
Delta R.T.: 0.000 min
Response: 109020485
Conc: 50.38 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.668 min
Delta R.T.: 0.000 min
Response: 74612123
Conc: 51.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.281 min
Delta R.T.: 0.000 min
Response: 122105194
Conc: 51.46 ng/ml




#20 Methoxychlor

R.T.: 6.928 min
Delta R.T.: 0.000 min
Response: 40220450
Conc: 53.14 ng/ml



#20 Methoxychlor


R.T.: 7.606 min
Delta R.T.: 0.000 min
Response: 64120406
Conc: 51.24 ng/ml



#21 Endrin ketone


R.T.: 7.158 min
Delta R.T.: 0.000 min
Response: 85087968
Conc: 54.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.753 min
Delta R.T.: 0.000 min
Response: 121663723
Conc: 52.79 ng/ml




#22 Mirex

R.T.: 7.348 min
Delta R.T.: 0.000 min
Response: 65102749
Conc: 54.38 ng/ml



#22 Mirex


R.T.: 8.210 min
Delta R.T.: 0.000 min
Response: 84946052
Conc: 52.59 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.217 min
Delta R.T.: 0.000 min
Response: 72106246
Conc: 50.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.099 min
Delta R.T.: 0.000 min
Response: 99632817
Conc: 49.29 ng/ml