

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL082522\
 Data File : PL077313.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Aug 2022 09:10
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 25 22:30:43 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL082222.M
 Quant Title : GC Extractables
 QLast Update : Tue Aug 23 05:36:06 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml



System Monitoring Compounds							
1)	SA Tetrachlo...	3.417	2.631	27440124	59865086	20.167	19.479
28)	SA Decachlor...	8.907	7.734	22152286	45655548	18.903	16.362
Target Compounds							
2)	A alpha-BHC	3.882	3.124	18245142	43295794	9.849	9.915
3)	MA gamma-BHC...	4.218	3.449	19186802	39993076	10.961	10.237
6)	B beta-BHC	4.430	3.748	8213800	17530265	11.053	10.630
14)	MA Endrin	6.463	5.457	55345932	123.9E6	46.913	45.312
16)	A 4,4'-DDD	6.604	5.614	4178800	9243710	4.091	3.457
17)	MA 4,4'-DDT	6.914	5.863	100.1E6	229.1E6	89.638	86.961
18)	B Endrin al...	6.822	5.933	1575450	3760925	1.726	1.797
20)	A Methoxychlor	7.395	6.441	134.6E6	294.7E6	223.576	208.862
21)	B Endrin ke...	7.543	6.653	3745183	7128182	3.070	2.474m


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL082522\
Data File : PL077313.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Aug 2022 09:10
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 25 22:30:43 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL082222.M
Quant Title : GC Extractables
QLast Update : Tue Aug 23 05:36:06 2022
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.417 min
Delta R.T.: 0.002 min
Response: 27440124
Conc: 20.17 ng/ml




#1 Tetrachloro-m-xylene

R.T.: 2.631 min
Delta R.T.: 0.000 min
Response: 59865086
Conc: 19.48 ng/ml




#2 alpha-BHC

R.T.: 3.882 min
Delta R.T.: 0.001 min
Response: 18245142
Conc: 9.85 ng/ml




#2 alpha-BHC

R.T.: 3.124 min
Delta R.T.: 0.000 min
Response: 43295794
Conc: 9.92 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.218 min
Delta R.T.: 0.002 min
Response: 19186802
Conc: 10.96 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 3.449 min
Delta R.T.: 0.000 min
Response: 39993076
Conc: 10.24 ng/ml




#6 beta-BHC

R.T.: 4.430 min
Delta R.T.: 0.002 min
Response: 8213800
Conc: 11.05 ng/ml




#6 beta-BHC

R.T.: 3.748 min
Delta R.T.: 0.002 min
Response: 17530265
Conc: 10.63 ng/ml




#14 Endrin

R.T.: 6.463 min
Delta R.T.: 0.002 min
Response: 55345932
Conc: 46.91 ng/ml




#14 Endrin

R.T.: 5.457 min
Delta R.T.: 0.002 min
Response: 123876993
Conc: 45.31 ng/ml




#16 4,4'-DDD

R.T.: 6.604 min
Delta R.T.: 0.002 min
Response: 4178800
Conc: 4.09 ng/ml




#16 4,4'-DDD

R.T.: 5.614 min
Delta R.T.: 0.001 min
Response: 9243710
Conc: 3.46 ng/ml




#17 4,4'-DDT

R.T.: 6.914 min
Delta R.T.: 0.002 min
Response: 100129982
Conc: 89.64 ng/ml




#17 4,4'-DDT

R.T.: 5.863 min
Delta R.T.: 0.002 min
Response: 229071139
Conc: 86.96 ng/ml




#18 Endrin aldehyde

R.T.: 6.822 min
Delta R.T.: 0.002 min
Response: 1575450
Conc: 1.73 ng/ml




#18 Endrin aldehyde

R.T.: 5.933 min
Delta R.T.: 0.002 min
Response: 3760925
Conc: 1.80 ng/ml




#20 Methoxychlor

R.T.: 7.395 min
Delta R.T.: 0.002 min
Response: 134646909
Conc: 223.58 ng/ml




#20 Methoxychlor

R.T.: 6.441 min
Delta R.T.: 0.000 min
Response: 294651585
Conc: 208.86 ng/ml




#21 Endrin ketone

R.T.: 7.543 min
Delta R.T.: 0.001 min
Response: 3745183
Conc: 3.07 ng/ml




#21 Endrin ketone

R.T.: 6.653 min
Delta R.T.: 0.000 min
Response: 7128182
Conc: 2.47 ng/ml m



#28 Decachlorobiphenyl

R.T.: 8.907 min
Delta R.T.: 0.002 min
Response: 22152286
Conc: 18.90 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.734 min
Delta R.T.: 0.000 min
Response: 45655548
Conc: 16.36 ng/ml