

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL082523\
 Data File : PL085001.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Aug 2023 17:59
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 25 22:26:49 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080323.M
 Quant Title : GC Extractables
 QLast Update : Thu Aug 03 16:21:43 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.477	2.685	117.1E6	56599277	50.382	52.050
2)	SA Decachlor...	9.028	7.865	76058905	61033769	46.745	48.952
Target Compounds							
2)	A alpha-BHC	3.935	3.190	167.1E6	83213285	50.621	53.892
3)	MA gamma-BHC...	4.270	3.520	163.6E6	80737567	51.289	53.133
4)	MA Heptachlor	4.862	3.861	166.0E6	74796176	49.374	52.520
5)	MB Aldrin	5.204	4.141	160.4E6	76909470	48.518	52.917
6)	B beta-BHC	4.469	3.822	70323929	34694168	50.342	51.781
7)	B delta-BHC	4.716	4.051	163.9E6	81436858	50.832	53.640
8)	B Heptachlo...	5.634	4.647	142.9E6	68925452	47.420	51.948
9)	A Endosulfan I	6.020	5.018	123.4E6	64150715	46.882	51.764
10)	B gamma-Chl...	5.891	4.900	134.6E6	70604632	47.016	52.058
11)	B alpha-Chl...	5.971	4.965	132.7E6	70625607	47.006	51.835
12)	B 4,4'-DDE	6.150	5.163	112.3E6	65482737	48.909	53.175
13)	MA Dieldrin	6.297	5.285	124.7E6	71217036	47.184	52.451
14)	MA Endrin	6.526	5.560	100.9E6	63486897	46.262	51.902
15)	B Endosulfa...	6.747	5.858	98675837	61950317	46.655	51.343
16)	A 4,4'-DDD	6.669	5.721	84697583	56534408	50.518	54.716
17)	MA 4,4'-DDT	6.985	5.972	86506209	59019506	46.169	50.854
18)	B Endrin al...	6.878	6.039	77291345	49711541	45.817	50.125
19)	B Endosulfa...	7.115	6.264	92997132	60889970	46.552	51.203
20)	A Methoxychlor	7.467	6.557	45660723	33564848	47.579	48.921
21)	B Endrin ke...	7.599	6.769	97319109	74623844	48.649	51.721
22)	Mirex	8.073	6.949	75529082	56592958	45.477	49.071



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL082523\
Data File : PL085001.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Aug 2023 17:59
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 25 22:26:49 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080323.M
Quant Title : GC Extractables
QLast Update : Thu Aug 03 16:21:43 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.477 min
Delta R.T.: 0.000 min
Response: 117060817
Conc: 50.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.685 min
Delta R.T.: -0.002 min
Response: 56599277
Conc: 52.05 ng/ml




#2 alpha-BHC

R.T.: 3.935 min
Delta R.T.: 0.001 min
Response: 167118974
Conc: 50.62 ng/ml



#2 alpha-BHC


R.T.: 3.190 min
Delta R.T.: -0.002 min
Response: 83213285
Conc: 53.89 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.270 min
Delta R.T.: 0.001 min
Response: 163611010
Conc: 51.29 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.520 min
Delta R.T.: -0.002 min
Response: 80737567
Conc: 53.13 ng/ml




#4 Heptachlor

R.T.: 4.862 min
Delta R.T.: 0.002 min
Response: 166039178
Conc: 49.37 ng/ml



#4 Heptachlor


R.T.: 3.861 min
Delta R.T.: -0.002 min
Response: 74796176
Conc: 52.52 ng/ml



#5 Aldrin


R.T.: 5.204 min
Delta R.T.: 0.002 min
Response: 160368681
Conc: 48.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.141 min
Delta R.T.: -0.003 min
Response: 76909470
Conc: 52.92 ng/ml




#6 beta-BHC

R.T.: 4.469 min
Delta R.T.: 0.002 min
Response: 70323929
Conc: 50.34 ng/ml



#6 beta-BHC


R.T.: 3.822 min
Delta R.T.: -0.002 min
Response: 34694168
Conc: 51.78 ng/ml



#7 delta-BHC


R.T.: 4.716 min
Delta R.T.: 0.002 min
Response: 163918215
Conc: 50.83 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.051 min
Delta R.T.: -0.002 min
Response: 81436858
Conc: 53.64 ng/ml




#8 Heptachlor epoxide

R.T.: 5.634 min
Delta R.T.: 0.002 min
Response: 142860917
Conc: 47.42 ng/ml



#8 Heptachlor epoxide


R.T.: 4.647 min
Delta R.T.: -0.003 min
Response: 68925452
Conc: 51.95 ng/ml



#9 Endosulfan I


R.T.: 6.020 min
Delta R.T.: 0.001 min
Response: 123405877
Conc: 46.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.018 min
Delta R.T.: -0.002 min
Response: 64150715
Conc: 51.76 ng/ml




#10 gamma-Chlordane

R.T.: 5.891 min
Delta R.T.: 0.002 min
Response: 134635402
Conc: 47.02 ng/ml



#10 gamma-Chlordane


R.T.: 4.900 min
Delta R.T.: -0.003 min
Response: 70604632
Conc: 52.06 ng/ml



#11 alpha-Chlordane


R.T.: 5.971 min
Delta R.T.: 0.001 min
Response: 132708080
Conc: 47.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 4.965 min
Delta R.T.: -0.002 min
Response: 70625607
Conc: 51.84 ng/ml




#12 4,4'-DDE

R.T.: 6.150 min
Delta R.T.: 0.002 min
Response: 112259855
Conc: 48.91 ng/ml



#12 4,4'-DDE


R.T.: 5.163 min
Delta R.T.: -0.002 min
Response: 65482737
Conc: 53.17 ng/ml



#13 Dieldrin


R.T.: 6.297 min
Delta R.T.: 0.002 min
Response: 124689346
Conc: 47.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.285 min
Delta R.T.: -0.002 min
Response: 71217036
Conc: 52.45 ng/ml




#14 Endrin

R.T.: 6.526 min
Delta R.T.: 0.000 min
Response: 100896198
Conc: 46.26 ng/ml



#14 Endrin


R.T.: 5.560 min
Delta R.T.: -0.002 min
Response: 63486897
Conc: 51.90 ng/ml



#15 Endosulfan II


R.T.: 6.747 min
Delta R.T.: 0.002 min
Response: 98675837
Conc: 46.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.858 min
Delta R.T.: -0.002 min
Response: 61950317
Conc: 51.34 ng/ml




#16 4,4'-DDD

R.T.: 6.669 min
Delta R.T.: 0.002 min
Response: 84697583
Conc: 50.52 ng/ml



#16 4,4'-DDD


R.T.: 5.721 min
Delta R.T.: -0.002 min
Response: 56534408
Conc: 54.72 ng/ml



#17 4,4'-DDT


R.T.: 6.985 min
Delta R.T.: 0.002 min
Response: 86506209
Conc: 46.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 5.972 min
Delta R.T.: -0.002 min
Response: 59019506
Conc: 50.85 ng/ml




#18 Endrin aldehyde

R.T.: 6.878 min
Delta R.T.: 0.003 min
Response: 77291345
Conc: 45.82 ng/ml



#18 Endrin aldehyde


R.T.: 6.039 min
Delta R.T.: -0.002 min
Response: 49711541
Conc: 50.13 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.115 min
Delta R.T.: 0.002 min
Response: 92997132
Conc: 46.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.264 min
Delta R.T.: -0.002 min
Response: 60889970
Conc: 51.20 ng/ml




#20 Methoxychlor

R.T.: 7.467 min
Delta R.T.: 0.003 min
Response: 45660723
Conc: 47.58 ng/ml



#20 Methoxychlor


R.T.: 6.557 min
Delta R.T.: -0.002 min
Response: 33564848
Conc: 48.92 ng/ml



#21 Endrin ketone


R.T.: 7.599 min
Delta R.T.: 0.003 min
Response: 97319109
Conc: 48.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.769 min
Delta R.T.: -0.002 min
Response: 74623844
Conc: 51.72 ng/ml




#22 Mirex

R.T.: 8.073 min
Delta R.T.: 0.002 min
Response: 75529082
Conc: 45.48 ng/ml



#22 Mirex


R.T.: 6.949 min
Delta R.T.: -0.003 min
Response: 56592958
Conc: 49.07 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.028 min
Delta R.T.: 0.003 min
Response: 76058905
Conc: 46.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.865 min
Delta R.T.: -0.002 min
Response: 61033769
Conc: 48.95 ng/ml