

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL082622\
 Data File : PL077339.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Aug 2022 14:53
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 26 22:31:49 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL082222.M
 Quant Title : GC Extractables
 QLast Update : Tue Aug 23 05:36:06 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.416	2.631	73057174	161.0E6	53.692	52.376
2)	SA Decachlor...	8.905	7.733	58526172	131.3E6	49.942	47.053
Target Compounds							
2)	A alpha-BHC	3.881	3.124	101.1E6	231.5E6	54.585	53.028
3)	MA gamma-BHC...	4.216	3.448	93061839	208.4E6	53.163	53.355
4)	MA Heptachlor	4.792	3.780	89643936	199.0E6	51.804	51.056
5)	MB Aldrin	5.132	4.055	82090297	191.8E6	52.301	51.834
6)	B beta-BHC	4.428	3.746	39456524	85968183	53.095	52.128
7)	B delta-BHC	4.672	3.970	85303339	208.9E6	55.208	52.453
8)	B Heptachlo...	5.566	4.554	76027763	171.9E6	56.490	51.794
9)	A Endosulfan I	5.952	4.919	67801726	159.0E6	51.488	51.501
10)	B gamma-Chl...	5.821	4.803	73322855	172.4E6	52.287	51.567
11)	B alpha-Chl...	5.898	4.866	72558132	168.3E6	51.580	51.421
12)	B 4,4'-DDE	6.077	5.060	67067297	167.7E6	51.664	51.932
13)	MA Dieldrin	6.229	5.183	68265634	166.5E6	51.104	50.710
14)	MA Endrin	6.461	5.456	56919439	137.8E6	48.247	50.388
15)	B Endosulfa...	6.689	5.751	56025647	134.9E6	51.136	49.724
16)	A 4,4'-DDD	6.601	5.613	54120086	138.8E6	52.983	51.905
17)	MA 4,4'-DDT	6.913	5.861	52280171	125.9E6	46.802	47.786
18)	B Endrin al...	6.820	5.931	45297980	103.2E6	49.622	49.302
19)	B Endosulfa...	7.053	6.153	55561035	133.2E6	50.259	49.650
20)	A Methoxychlor	7.394	6.440	27704159	64579949	46.002	45.777
21)	B Endrin ke...	7.541	6.653	61726795	144.3E6	50.599	50.090
22)	Mirex	8.001	6.830	44744456	102.9E6	48.634	48.061



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL082622\
Data File : PL077339.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Aug 2022 14:53
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 26 22:31:49 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL082222.M
Quant Title : GC Extractables
QLast Update : Tue Aug 23 05:36:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.416 min
Delta R.T.: 0.001 min
Response: 73057174
Conc: 53.69 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.631 min
Delta R.T.: 0.000 min
Response: 160968969
Conc: 52.38 ng/ml




#2 alpha-BHC

R.T.: 3.881 min
Delta R.T.: 0.000 min
Response: 101119953
Conc: 54.59 ng/ml



#2 alpha-BHC


R.T.: 3.124 min
Delta R.T.: 0.000 min
Response: 231548178
Conc: 53.03 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.216 min
Delta R.T.: 0.000 min
Response: 93061839
Conc: 53.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.448 min
Delta R.T.: 0.000 min
Response: 208434886
Conc: 53.36 ng/ml




#4 Heptachlor

R.T.: 4.792 min
Delta R.T.: 0.000 min
Response: 89643936
Conc: 51.80 ng/ml



#4 Heptachlor


R.T.: 3.780 min
Delta R.T.: 0.000 min
Response: 199037407
Conc: 51.06 ng/ml



#5 Aldrin


R.T.: 5.132 min
Delta R.T.: 0.000 min
Response: 82090297
Conc: 52.30 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.055 min
Delta R.T.: 0.000 min
Response: 191842467
Conc: 51.83 ng/ml




#6 beta-BHC

R.T.: 4.428 min
Delta R.T.: 0.000 min
Response: 39456524
Conc: 53.10 ng/ml



#6 beta-BHC


R.T.: 3.746 min
Delta R.T.: 0.000 min
Response: 85968183
Conc: 52.13 ng/ml



#7 delta-BHC


R.T.: 4.672 min
Delta R.T.: 0.000 min
Response: 85303339
Conc: 55.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 3.970 min
Delta R.T.: 0.000 min
Response: 208855567
Conc: 52.45 ng/ml




#8 Heptachlor epoxide

R.T.: 5.566 min
Delta R.T.: 0.000 min
Response: 76027763
Conc: 56.49 ng/ml



#8 Heptachlor epoxide


R.T.: 4.554 min
Delta R.T.: 0.000 min
Response: 171893560
Conc: 51.79 ng/ml



#9 Endosulfan I


R.T.: 5.952 min
Delta R.T.: 0.000 min
Response: 67801726
Conc: 51.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 4.919 min
Delta R.T.: 0.000 min
Response: 158968789
Conc: 51.50 ng/ml




#10 gamma-Chlordane

R.T.: 5.821 min
Delta R.T.: 0.000 min
Response: 73322855
Conc: 52.29 ng/ml



#10 gamma-Chlordane


R.T.: 4.803 min
Delta R.T.: 0.000 min
Response: 172404860
Conc: 51.57 ng/ml



#11 alpha-Chlordane


R.T.: 5.898 min
Delta R.T.: 0.000 min
Response: 72558132
Conc: 51.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 4.866 min
Delta R.T.: 0.000 min
Response: 168333874
Conc: 51.42 ng/ml




#12 4,4'-DDE

R.T.: 6.077 min
Delta R.T.: 0.000 min
Response: 67067297
Conc: 51.66 ng/ml



#12 4,4'-DDE


R.T.: 5.060 min
Delta R.T.: 0.000 min
Response: 167738650
Conc: 51.93 ng/ml



#13 Dieldrin


R.T.: 6.229 min
Delta R.T.: 0.000 min
Response: 68265634
Conc: 51.10 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.183 min
Delta R.T.: 0.000 min
Response: 166523396
Conc: 50.71 ng/ml




#14 Endrin

R.T.: 6.461 min
Delta R.T.: 0.000 min
Response: 56919439
Conc: 48.25 ng/ml



#14 Endrin


R.T.: 5.456 min
Delta R.T.: 0.000 min
Response: 137755219
Conc: 50.39 ng/ml



#15 Endosulfan II


R.T.: 6.689 min
Delta R.T.: 0.000 min
Response: 56025647
Conc: 51.14 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.751 min
Delta R.T.: 0.000 min
Response: 134854409
Conc: 49.72 ng/ml




#16 4,4'-DDD

R.T.: 6.601 min
Delta R.T.: 0.000 min
Response: 54120086
Conc: 52.98 ng/ml



#16 4,4'-DDD


R.T.: 5.613 min
Delta R.T.: 0.000 min
Response: 138784584
Conc: 51.90 ng/ml



#17 4,4'-DDT


R.T.: 6.913 min
Delta R.T.: 0.001 min
Response: 52280171
Conc: 46.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 5.861 min
Delta R.T.: 0.000 min
Response: 125877979
Conc: 47.79 ng/ml




#18 Endrin aldehyde

R.T.: 6.820 min
Delta R.T.: 0.000 min
Response: 45297980
Conc: 49.62 ng/ml



#18 Endrin aldehyde


R.T.: 5.931 min
Delta R.T.: 0.000 min
Response: 103161123
Conc: 49.30 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.053 min
Delta R.T.: 0.000 min
Response: 55561035
Conc: 50.26 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.153 min
Delta R.T.: 0.000 min
Response: 133184384
Conc: 49.65 ng/ml




#20 Methoxychlor

R.T.: 7.394 min
Delta R.T.: 0.000 min
Response: 27704159
Conc: 46.00 ng/ml



#20 Methoxychlor


R.T.: 6.440 min
Delta R.T.: 0.000 min
Response: 64579949
Conc: 45.78 ng/ml



#21 Endrin ketone


R.T.: 7.541 min
Delta R.T.: 0.000 min
Response: 61726795
Conc: 50.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.653 min
Delta R.T.: 0.000 min
Response: 144298995
Conc: 50.09 ng/ml




#22 Mirex

R.T.: 8.001 min
Delta R.T.: 0.000 min
Response: 44744456
Conc: 48.63 ng/ml



#22 Mirex


R.T.: 6.830 min
Delta R.T.: 0.000 min
Response: 102939243
Conc: 48.06 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.905 min
Delta R.T.: 0.000 min
Response: 58526172
Conc: 49.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.733 min
Delta R.T.: -0.002 min
Response: 131292952
Conc: 47.05 ng/ml