

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL082719\
 Data File : PL051879.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Aug 2019 07:09
 Operator : SG\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Manual Integrations
 APPROVED

Ankita
 8/28/2019 3:41:46 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 28 07:55:45 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081919.M
 Quant Title : GC Extractables
 QLast Update : Mon Aug 19 18:03:07 2019
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.314	3.925	438.6E6	101.4E6	51.249	46.416
28)	SA Decachlor...	7.973	8.951	547.0E6	140.1E6	45.065	46.021
Target Compounds							
2)	A alpha-BHC	3.741	4.313	753.4E6	164.8E6	51.993	51.147
3)	MA gamma-BHC...	4.016	4.596	719.2E6	161.9E6	54.662	51.423
4)	MA Heptachlor	4.300	5.097	790.4E6	178.8E6	52.212	50.991
5)	MB Aldrin	4.537	5.399	789.3E6	178.6E6	54.623	54.475
6)	B beta-BHC	4.271	4.774	304.6E6	74306160	53.346	50.985
7)	B delta-BHC	4.463	4.987	789.7E6	173.1E6	53.108	55.294
8)	B Heptachlo...	4.973	5.786	698.3E6	172.8E6	49.929	51.215
9)	A Endosulfan I	5.302	6.141	688.5E6	169.1E6	51.213m	52.289
10)	B gamma-Chl...	5.196	6.019	800.6E6	181.5E6	53.618	49.721
11)	B alpha-Chl...	5.251	6.091	814.3E6	176.6E6	56.268	51.170
12)	B 4,4'-DDE	5.418	6.252	656.1E6	180.6E6	47.938	51.295
13)	MA Dieldrin	5.542	6.397	786.5E6	185.4E6	51.724	54.129
14)	MA Endrin	5.794	6.614	707.0E6	158.7E6	48.472	52.462
15)	B Endosulfa...	6.070	6.826	798.1E6	167.8E6	57.360	50.919
16)	A 4,4'-DDD	5.929	6.742	631.8E6	155.6E6	51.596	57.483
17)	MA 4,4'-DDT	6.163	7.038	599.4E6	136.6E6	47.010	46.664
18)	B Endrin al...	6.236	6.950	562.2E6	139.2E6	48.327	49.256
19)	B Endosulfa...	6.448	7.173	667.7E6	160.2E6	51.324	51.883
20)	A Methoxychlor	6.707	7.499	287.0E6	74521720	42.327	44.432
21)	B Endrin ke...	6.929	7.641	695.7E6	168.0E6	49.180	52.509
22)	Mirex	7.102	8.089	481.0E6	124.2E6	45.436	51.061

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL082719\
Data File : PL051879.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Aug 2019 07:09
Operator : SG\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1



Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/28/2019 3:41:46 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 28 07:55:45 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081919.M
Quant Title : GC Extractables
QLast Update : Mon Aug 19 18:03:07 2019
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene

R.T.: 3.314 min
Delta R.T.: -0.002 min
Response: 438623877
Conc: 51.25 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/28/2019 3:41:46 PM




#1 Tetrachloro-m-xylene

R.T.: 3.925 min
Delta R.T.: -0.001 min
Response: 101409990
Conc: 46.42 ng/ml




#2 alpha-BHC

R.T.: 3.741 min
Delta R.T.: -0.002 min
Response: 753360257
Conc: 51.99 ng/ml



#2 alpha-BHC

R.T.: 4.313 min
Delta R.T.: -0.002 min
Response: 164814645
Conc: 51.15 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.016 min
Delta R.T.: -0.002 min
Response: 719160041
Conc: 54.66 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/28/2019 3:41:46 PM




#3 gamma-BHC (Lindane)

R.T.: 4.596 min
Delta R.T.: -0.002 min
Response: 161894407
Conc: 51.42 ng/ml




#4 Heptachlor

R.T.: 4.300 min
Delta R.T.: -0.002 min
Response: 790416467
Conc: 52.21 ng/ml



#4 Heptachlor

R.T.: 5.097 min
Delta R.T.: -0.002 min
Response: 178819979
Conc: 50.99 ng/ml




#5 Aldrin

R.T.: 4.537 min
Delta R.T.: -0.002 min
Response: 789336675
Conc: 54.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/28/2019 3:41:46 PM




#5 Aldrin

R.T.: 5.399 min
Delta R.T.: -0.002 min
Response: 178617333
Conc: 54.48 ng/ml




#6 beta-BHC

R.T.: 4.271 min
Delta R.T.: -0.002 min
Response: 304611382
Conc: 53.35 ng/ml



#6 beta-BHC

R.T.: 4.774 min
Delta R.T.: -0.002 min
Response: 74306160
Conc: 50.98 ng/ml




#7 delta-BHC

R.T.: 4.463 min
Delta R.T.: -0.002 min
Response: 789666518
Conc: 53.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/28/2019 3:41:46 PM




#7 delta-BHC

R.T.: 4.987 min
Delta R.T.: -0.001 min
Response: 173054826
Conc: 55.29 ng/ml




#8 Heptachlor epoxide

R.T.: 4.973 min
Delta R.T.: -0.002 min
Response: 698275356
Conc: 49.93 ng/ml



#8 Heptachlor epoxide

R.T.: 5.786 min
Delta R.T.: 0.000 min
Response: 172839612
Conc: 51.21 ng/ml




#9 Endosulfan I

R.T.: 5.302 min
Delta R.T.: -0.004 min
Response: 688489913
Conc: 51.21 ng/ml m

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/28/2019 3:41:46 PM




#9 Endosulfan I

R.T.: 6.141 min
Delta R.T.: -0.002 min
Response: 169059494
Conc: 52.29 ng/ml




#10 gamma-Chlordane

R.T.: 5.196 min
Delta R.T.: -0.001 min
Response: 800629626
Conc: 53.62 ng/ml



#10 gamma-Chlordane

R.T.: 6.019 min
Delta R.T.: 0.000 min
Response: 181531134
Conc: 49.72 ng/ml




#11 alpha-Chlordane

R.T.: 5.251 min
Delta R.T.: -0.003 min
Response: 814271868
Conc: 56.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/28/2019 3:41:46 PM




#11 alpha-Chlordane

R.T.: 6.091 min
Delta R.T.: -0.002 min
Response: 176587902
Conc: 51.17 ng/ml




#12 4,4'-DDE

R.T.: 5.418 min
Delta R.T.: 0.000 min
Response: 656065800
Conc: 47.94 ng/ml



#12 4,4'-DDE

R.T.: 6.252 min
Delta R.T.: -0.002 min
Response: 180562962
Conc: 51.30 ng/ml




#13 Dieldrin

R.T.: 5.542 min
Delta R.T.: -0.002 min
Response: 786458260
Conc: 51.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/28/2019 3:41:46 PM




#13 Dieldrin

R.T.: 6.397 min
Delta R.T.: -0.003 min
Response: 185368340
Conc: 54.13 ng/ml




#14 Endrin

R.T.: 5.794 min
Delta R.T.: -0.002 min
Response: 707015170
Conc: 48.47 ng/ml



#14 Endrin

R.T.: 6.614 min
Delta R.T.: -0.002 min
Response: 158678499
Conc: 52.46 ng/ml




#15 Endosulfan II

R.T.: 6.070 min
Delta R.T.: -0.002 min
Response: 798099970
Conc: 57.36 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/28/2019 3:41:46 PM




#15 Endosulfan II

R.T.: 6.826 min
Delta R.T.: -0.002 min
Response: 167832116
Conc: 50.92 ng/ml




#16 4,4'-DDD

R.T.: 5.929 min
Delta R.T.: -0.002 min
Response: 631812885
Conc: 51.60 ng/ml



#16 4,4'-DDD

R.T.: 6.742 min
Delta R.T.: -0.002 min
Response: 155627006
Conc: 57.48 ng/ml




#17 4,4'-DDT

R.T.: 6.163 min
Delta R.T.: -0.002 min
Response: 599437519
Conc: 47.01 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/28/2019 3:41:46 PM




#17 4,4'-DDT

R.T.: 7.038 min
Delta R.T.: -0.003 min
Response: 136617993
Conc: 46.66 ng/ml




#18 Endrin aldehyde

R.T.: 6.236 min
Delta R.T.: -0.003 min
Response: 562194158
Conc: 48.33 ng/ml



#18 Endrin aldehyde

R.T.: 6.950 min
Delta R.T.: -0.003 min
Response: 139206219
Conc: 49.26 ng/ml




#19 Endosulfan Sulfate

R.T.: 6.448 min
Delta R.T.: -0.002 min
Response: 667678935
Conc: 51.32 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/28/2019 3:41:46 PM




#19 Endosulfan Sulfate

R.T.: 7.173 min
Delta R.T.: -0.003 min
Response: 160218194
Conc: 51.88 ng/ml




#20 Methoxychlor

R.T.: 6.707 min
Delta R.T.: -0.002 min
Response: 286967507
Conc: 42.33 ng/ml



#20 Methoxychlor

R.T.: 7.499 min
Delta R.T.: -0.003 min
Response: 74521720
Conc: 44.43 ng/ml




#21 Endrin ketone

R.T.: 6.929 min
Delta R.T.: -0.002 min
Response: 695744115
Conc: 49.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
8/28/2019 3:41:46 PM




#21 Endrin ketone

R.T.: 7.641 min
Delta R.T.: -0.003 min
Response: 168001064
Conc: 52.51 ng/ml




#22 Mirex

R.T.: 7.102 min
Delta R.T.: -0.002 min
Response: 481043584
Conc: 45.44 ng/ml



#22 Mirex

R.T.: 8.089 min
Delta R.T.: -0.004 min
Response: 124216708
Conc: 51.06 ng/ml




#28 Decachlorobiphenyl

R.T.: 7.973 min
Delta R.T.: -0.002 min
Response: 546993888
Conc: 45.07 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Manual Integrations
APPROVED

Ankita
8/28/2019 3:41:46 PM



#28 Decachlorobiphenyl

R.T.: 8.951 min
Delta R.T.: -0.003 min
Response: 140081865
Conc: 46.02 ng/ml