

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL082923\
 Data File : PL085062.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 29 Aug 2023 19:06
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 29 20:57:35 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080323.M
 Quant Title : GC Extractables
 QLast Update : Thu Aug 03 16:21:43 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.477	2.684	116.3E6	56829037	50.058	52.261
28)	SA Decachlor...	9.026	7.864	77574194	61986706	47.677	49.717
Target Compounds							
2)	A alpha-BHC	3.935	3.189	166.4E6	83216228	50.390	53.894
3)	MA gamma-BHC...	4.269	3.520	159.2E6	81003302	49.901	53.308
4)	MA Heptachlor	4.861	3.860	154.5E6	75156874	45.951	52.773
5)	MB Aldrin	5.204	4.140	146.7E6	76905369	44.382	52.914
6)	B beta-BHC	4.468	3.822	67876916	34635634	48.590	51.693
7)	B delta-BHC	4.715	4.050	153.7E6	80750837	47.654	53.188
8)	B Heptachlo...	5.634	4.646	132.5E6	69109054	43.994	52.087
9)	A Endosulfan I	6.020	5.017	115.0E6	64425562	43.671	51.985
10)	B gamma-Chl...	5.891	4.899	124.6E6	71011846	43.499	52.359
11)	B alpha-Chl...	5.971	4.963	123.5E6	71107309	43.748	52.189
12)	B 4,4'-DDE	6.150	5.161	105.6E6	65296871	46.011	53.024
13)	MA Dieldrin	6.297	5.284	117.8E6	71538166	44.579	52.687
14)	MA Endrin	6.526	5.559	96959718	63174478	44.457	51.646
15)	B Endosulfa...	6.747	5.856	97119712	62774776	45.919	52.027
16)	A 4,4'-DDD	6.669	5.720	83235711	56180107	49.646	54.373
17)	MA 4,4'-DDT	6.985	5.971	86013394	58993558	45.906	50.832
18)	B Endrin al...	6.878	6.038	76588151	49946062	45.400	50.362
19)	B Endosulfa...	7.114	6.263	92298122	61425636	46.203	51.653
20)	A Methoxychlor	7.467	6.556	45387147	33436111	47.294	48.734
21)	B Endrin ke...	7.598	6.768	96784575	75841412	48.382	52.565
22)	Mirex	8.074	6.948	76045334	58290904	45.788	50.544



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL082923\
Data File : PL085062.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 Aug 2023 19:06
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 29 20:57:35 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL080323.M
Quant Title : GC Extractables
QLast Update : Thu Aug 03 16:21:43 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.477 min
Delta R.T.: 0.001 min
Response: 116309516
Conc: 50.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.684 min
Delta R.T.: -0.002 min
Response: 56829037
Conc: 52.26 ng/ml




#2 alpha-BHC

R.T.: 3.935 min
Delta R.T.: 0.000 min
Response: 166356239
Conc: 50.39 ng/ml



#2 alpha-BHC


R.T.: 3.189 min
Delta R.T.: -0.003 min
Response: 83216228
Conc: 53.89 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.269 min
Delta R.T.: 0.000 min
Response: 159185643
Conc: 49.90 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.520 min
Delta R.T.: -0.003 min
Response: 81003302
Conc: 53.31 ng/ml




#4 Heptachlor

R.T.: 4.861 min
Delta R.T.: 0.001 min
Response: 154527129
Conc: 45.95 ng/ml



#4 Heptachlor


R.T.: 3.860 min
Delta R.T.: -0.003 min
Response: 75156874
Conc: 52.77 ng/ml



#5 Aldrin


R.T.: 5.204 min
Delta R.T.: 0.001 min
Response: 146699784
Conc: 44.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.140 min
Delta R.T.: -0.003 min
Response: 76905369
Conc: 52.91 ng/ml




#6 beta-BHC

R.T.: 4.468 min
Delta R.T.: 0.001 min
Response: 67876916
Conc: 48.59 ng/ml



#6 beta-BHC


R.T.: 3.822 min
Delta R.T.: -0.002 min
Response: 34635634
Conc: 51.69 ng/ml



#7 delta-BHC


R.T.: 4.715 min
Delta R.T.: 0.001 min
Response: 153670537
Conc: 47.65 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.050 min
Delta R.T.: -0.003 min
Response: 80750837
Conc: 53.19 ng/ml




#8 Heptachlor epoxide

R.T.: 5.634 min
Delta R.T.: 0.002 min
Response: 132539536
Conc: 43.99 ng/ml



#8 Heptachlor epoxide


R.T.: 4.646 min
Delta R.T.: -0.004 min
Response: 69109054
Conc: 52.09 ng/ml



#9 Endosulfan I


R.T.: 6.020 min
Delta R.T.: 0.001 min
Response: 114954616
Conc: 43.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.017 min
Delta R.T.: -0.003 min
Response: 64425562
Conc: 51.99 ng/ml




#10 gamma-Chlordane

R.T.: 5.891 min
Delta R.T.: 0.002 min
Response: 124564197
Conc: 43.50 ng/ml



#10 gamma-Chlordane


R.T.: 4.899 min
Delta R.T.: -0.004 min
Response: 71011846
Conc: 52.36 ng/ml



#11 alpha-Chlordane


R.T.: 5.971 min
Delta R.T.: 0.001 min
Response: 123509337
Conc: 43.75 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 4.963 min
Delta R.T.: -0.003 min
Response: 71107309
Conc: 52.19 ng/ml




#12 4,4'-DDE

R.T.: 6.150 min
Delta R.T.: 0.001 min
Response: 105608246
Conc: 46.01 ng/ml



#12 4,4'-DDE


R.T.: 5.161 min
Delta R.T.: -0.004 min
Response: 65296871
Conc: 53.02 ng/ml



#13 Dieldrin


R.T.: 6.297 min
Delta R.T.: 0.002 min
Response: 117803894
Conc: 44.58 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.284 min
Delta R.T.: -0.003 min
Response: 71538166
Conc: 52.69 ng/ml




#14 Endrin

R.T.: 6.526 min
Delta R.T.: 0.001 min
Response: 96959718
Conc: 44.46 ng/ml



#14 Endrin


R.T.: 5.559 min
Delta R.T.: -0.003 min
Response: 63174478
Conc: 51.65 ng/ml



#15 Endosulfan II


R.T.: 6.747 min
Delta R.T.: 0.002 min
Response: 97119712
Conc: 45.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.856 min
Delta R.T.: -0.003 min
Response: 62774776
Conc: 52.03 ng/ml




#16 4,4'-DDD

R.T.: 6.669 min
Delta R.T.: 0.002 min
Response: 83235711
Conc: 49.65 ng/ml



#16 4,4'-DDD


R.T.: 5.720 min
Delta R.T.: -0.003 min
Response: 56180107
Conc: 54.37 ng/ml



#17 4,4'-DDT


R.T.: 6.985 min
Delta R.T.: 0.002 min
Response: 86013394
Conc: 45.91 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 5.971 min
Delta R.T.: -0.004 min
Response: 58993558
Conc: 50.83 ng/ml




#18 Endrin aldehyde

R.T.: 6.878 min
Delta R.T.: 0.002 min
Response: 76588151
Conc: 45.40 ng/ml



#18 Endrin aldehyde


R.T.: 6.038 min
Delta R.T.: -0.003 min
Response: 49946062
Conc: 50.36 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.114 min
Delta R.T.: 0.001 min
Response: 92298122
Conc: 46.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.263 min
Delta R.T.: -0.003 min
Response: 61425636
Conc: 51.65 ng/ml




#20 Methoxychlor

R.T.: 7.467 min
Delta R.T.: 0.002 min
Response: 45387147
Conc: 47.29 ng/ml



#20 Methoxychlor


R.T.: 6.556 min
Delta R.T.: -0.003 min
Response: 33436111
Conc: 48.73 ng/ml



#21 Endrin ketone


R.T.: 7.598 min
Delta R.T.: 0.002 min
Response: 96784575
Conc: 48.38 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.768 min
Delta R.T.: -0.003 min
Response: 75841412
Conc: 52.56 ng/ml




#22 Mirex

R.T.: 8.074 min
Delta R.T.: 0.002 min
Response: 76045334
Conc: 45.79 ng/ml



#22 Mirex


R.T.: 6.948 min
Delta R.T.: -0.004 min
Response: 58290904
Conc: 50.54 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.026 min
Delta R.T.: 0.000 min
Response: 77574194
Conc: 47.68 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.864 min
Delta R.T.: -0.003 min
Response: 61986706
Conc: 49.72 ng/ml