

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081324\
 Data File : PL091428.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 29 Aug 2024 18:36
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 30 05:08:58 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
 Quant Title : GC Extractables
 QLast Update : Wed Aug 14 13:09:19 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.543	2.782	103.9E6	109.4E6	48.368	56.069
28) SA Decachlor...	9.051	7.921	79368332	102.1E6	52.060	53.922
Target Compounds						
2) A alpha-BHC	3.998	3.286	145.1E6	157.3E6	48.404	56.730
3) MA gamma-BHC...	4.330	3.616	138.7E6	147.7E6	48.341	56.058
4) MA Heptachlor	4.919	3.955	127.5E6	142.0E6	47.894	54.975
5) MB Aldrin	5.260	4.235	123.4E6	133.6E6	47.801	54.340
6) B beta-BHC	4.527	3.914	66513140	64339119	49.183	54.661
7) B delta-BHC	4.774	4.143	137.8E6	146.2E6	50.615	57.680m
8) B Heptachlo...	5.686	4.738	115.2E6	121.1E6	47.086	53.694
9) A Endosulfan I	6.071	5.107	106.6E6	113.0E6	47.468	53.569
10) B gamma-Chl...	5.942	4.987	115.5E6	126.0E6	47.792	53.294
11) B alpha-Chl...	6.021	5.051	114.5E6	124.9E6	47.551	53.092
12) B 4,4'-DDE	6.193	5.240	100.5E6	113.0E6	48.059	54.104
13) MA Dieldrin	6.346	5.371	112.9E6	121.6E6	47.937	53.371
14) MA Endrin	6.575	5.647	92230312	105.8E6	47.560	51.949
15) B Endosulfa...	6.794	5.941	100.6E6	106.6E6	49.727	55.079
16) A 4,4'-DDD	6.710	5.795	84927800	92246132	56.192	55.880
17) MA 4,4'-DDT	7.023	6.045	87732627	93592475	49.425	52.686
18) B Endrin al...	6.924	6.120	75970010	79987388	47.588	51.350
19) B Endosulfa...	7.158	6.343	94912525	103.5E6	49.469	53.674
20) A Methoxychlor	7.498	6.619	47963146	51067306	51.010	51.428
21) B Endrin ke...	7.643	6.848	104.7E6	118.2E6	49.884	54.252
22) Mirex	8.115	7.029	81819395	95397644	48.097	51.112



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL083124\
Data File : PL091428.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 Aug 2024 18:36
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 30 05:08:58 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
Quant Title : GC Extractables
QLast Update : Wed Aug 14 13:09:19 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.543 min
Delta R.T.: -0.001 min
Response: 103855692
Conc: 48.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.782 min
Delta R.T.: -0.003 min
Response: 109447336
Conc: 56.07 ng/ml




#2 alpha-BHC

R.T.: 3.998 min
Delta R.T.: -0.001 min
Response: 145106310
Conc: 48.40 ng/ml



#2 alpha-BHC


R.T.: 3.286 min
Delta R.T.: -0.003 min
Response: 157338012
Conc: 56.73 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.330 min
Delta R.T.: -0.001 min
Response: 138675160
Conc: 48.34 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.616 min
Delta R.T.: -0.003 min
Response: 147651799
Conc: 56.06 ng/ml




#4 Heptachlor

R.T.: 4.919 min
Delta R.T.: -0.002 min
Response: 127542014
Conc: 47.89 ng/ml



#4 Heptachlor


R.T.: 3.955 min
Delta R.T.: -0.004 min
Response: 141984648
Conc: 54.98 ng/ml



#5 Aldrin


R.T.: 5.260 min
Delta R.T.: -0.002 min
Response: 123367480
Conc: 47.80 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.235 min
Delta R.T.: -0.004 min
Response: 133631594
Conc: 54.34 ng/ml




#6 beta-BHC

R.T.: 4.527 min
Delta R.T.: 0.000 min
Response: 66513140
Conc: 49.18 ng/ml



#6 beta-BHC


R.T.: 3.914 min
Delta R.T.: -0.003 min
Response: 64339119
Conc: 54.66 ng/ml



#7 delta-BHC


R.T.: 4.774 min
Delta R.T.: -0.001 min
Response: 137799493
Conc: 50.62 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.143 min
Delta R.T.: -0.005 min
Response: 146174223
Conc: 57.68 ng/ml




#8 Heptachlor epoxide

R.T.: 5.686 min
Delta R.T.: -0.002 min
Response: 115198969
Conc: 47.09 ng/ml



#8 Heptachlor epoxide


R.T.: 4.738 min
Delta R.T.: -0.004 min
Response: 121072282
Conc: 53.69 ng/ml



#9 Endosulfan I


R.T.: 6.071 min
Delta R.T.: -0.002 min
Response: 106581061
Conc: 47.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.107 min
Delta R.T.: -0.004 min
Response: 113039837
Conc: 53.57 ng/ml




#10 gamma-Chlordane

R.T.: 5.942 min
Delta R.T.: -0.002 min
Response: 115486358
Conc: 47.79 ng/ml



#10 gamma-Chlordane


R.T.: 4.987 min
Delta R.T.: -0.004 min
Response: 125985262
Conc: 53.29 ng/ml



#11 alpha-Chlordane


R.T.: 6.021 min
Delta R.T.: -0.002 min
Response: 114490881
Conc: 47.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.051 min
Delta R.T.: -0.004 min
Response: 124901674
Conc: 53.09 ng/ml




#12 4,4'-DDE

R.T.: 6.193 min
Delta R.T.: -0.002 min
Response: 100545101
Conc: 48.06 ng/ml



#12 4,4'-DDE


R.T.: 5.240 min
Delta R.T.: -0.004 min
Response: 113044507
Conc: 54.10 ng/ml



#13 Dieldrin


R.T.: 6.346 min
Delta R.T.: -0.002 min
Response: 112902809
Conc: 47.94 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.371 min
Delta R.T.: -0.005 min
Response: 121555125
Conc: 53.37 ng/ml




#14 Endrin

R.T.: 6.575 min
Delta R.T.: -0.002 min
Response: 92230312
Conc: 47.56 ng/ml



#14 Endrin


R.T.: 5.647 min
Delta R.T.: -0.004 min
Response: 105828345
Conc: 51.95 ng/ml



#15 Endosulfan II


R.T.: 6.794 min
Delta R.T.: -0.002 min
Response: 100630687
Conc: 49.73 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.941 min
Delta R.T.: -0.004 min
Response: 106559996
Conc: 55.08 ng/ml




#16 4,4'-DDD

R.T.: 6.710 min
Delta R.T.: -0.001 min
Response: 84927800
Conc: 56.19 ng/ml



#16 4,4'-DDD


R.T.: 5.795 min
Delta R.T.: -0.004 min
Response: 92246132
Conc: 55.88 ng/ml



#17 4,4'-DDT


R.T.: 7.023 min
Delta R.T.: -0.002 min
Response: 87732627
Conc: 49.42 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.045 min
Delta R.T.: -0.005 min
Response: 93592475
Conc: 52.69 ng/ml




#18 Endrin aldehyde

R.T.: 6.924 min
Delta R.T.: -0.001 min
Response: 75970010
Conc: 47.59 ng/ml



#18 Endrin aldehyde


R.T.: 6.120 min
Delta R.T.: -0.005 min
Response: 79987388
Conc: 51.35 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.158 min
Delta R.T.: -0.002 min
Response: 94912525
Conc: 49.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.343 min
Delta R.T.: -0.004 min
Response: 103483836
Conc: 53.67 ng/ml




#20 Methoxychlor

R.T.: 7.498 min
Delta R.T.: -0.002 min
Response: 47963146
Conc: 51.01 ng/ml



#20 Methoxychlor


R.T.: 6.619 min
Delta R.T.: -0.005 min
Response: 51067306
Conc: 51.43 ng/ml



#21 Endrin ketone


R.T.: 7.643 min
Delta R.T.: -0.002 min
Response: 104741608
Conc: 49.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.848 min
Delta R.T.: -0.004 min
Response: 118158337
Conc: 54.25 ng/ml




#22 Mirex

R.T.: 8.115 min
Delta R.T.: -0.003 min
Response: 81819395
Conc: 48.10 ng/ml



#22 Mirex


R.T.: 7.029 min
Delta R.T.: -0.005 min
Response: 95397644
Conc: 51.11 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.051 min
Delta R.T.: -0.004 min
Response: 79368332
Conc: 52.06 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.921 min
Delta R.T.: -0.005 min
Response: 102134800
Conc: 53.92 ng/ml