

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL081324\
 Data File : PL091430.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 29 Aug 2024 19:31
 Operator : AR\AJ
 Sample : PB163061BS
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB163061BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 30 05:10:38 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
 Quant Title : GC Extractables
 QLast Update : Wed Aug 14 13:09:19 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.543	2.782	38610057	38226343	17.982	19.583
28)	SA Decachlor...	9.052	7.920	33267121	41030353	21.821	21.662
Target Compounds							
2)	A alpha-BHC	3.998	3.285	133.5E6	143.4E6	44.528	51.689
3)	MA gamma-BHC...	4.330	3.615	126.8E6	134.8E6	44.201	51.172
4)	MA Heptachlor	4.919	3.955	121.4E6	132.2E6	45.589	51.184
5)	MB Aldrin	5.260	4.235	115.9E6	123.9E6	44.891	50.389
6)	B beta-BHC	4.526	3.914	60922738	58266702	45.049	49.502
7)	B delta-BHC	4.774	4.143	120.3E6	127.7E6	44.196	50.389
8)	B Heptachlo...	5.686	4.737	110.6E6	114.0E6	45.200	50.571
9)	A Endosulfan I	6.071	5.106	101.8E6	107.4E6	45.354	50.899
10)	B gamma-Chl...	5.941	4.987	109.4E6	118.0E6	45.284	49.933
11)	B alpha-Chl...	6.020	5.050	108.8E6	117.2E6	45.178	49.830
12)	B 4,4'-DDE	6.193	5.240	95367631	106.1E6	45.585	50.777
13)	MA Dieldrin	6.346	5.371	107.2E6	114.5E6	45.516	50.278
14)	MA Endrin	6.575	5.646	87993439	99423468	45.375	48.805
15)	B Endosulfa...	6.794	5.940	95605747	100.2E6	47.244	51.812
16)	A 4,4'-DDD	6.710	5.794	81131887	87426301	53.681	52.960
17)	MA 4,4'-DDT	7.023	6.044	83502880	87786952	47.042	49.418
18)	B Endrin al...	6.924	6.119	75194021	78905769	47.102	50.656
19)	B Endosulfa...	7.158	6.342	89770955	96897251	46.789	50.258
20)	A Methoxychlor	7.499	6.619	45686239	47966365	48.589	48.305
21)	B Endrin ke...	7.642	6.847	100.5E6	112.1E6	47.863	51.480
22)	Mirex	8.115	7.028	80141535	92779181	47.110	49.709



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL083124\
Data File : PL091430.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 Aug 2024 19:31
Operator : AR\AJ
Sample : PB163061BS
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB163061BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 30 05:10:38 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
Quant Title : GC Extractables
QLast Update : Wed Aug 14 13:09:19 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.543 min
Delta R.T.: -0.001 min
Response: 38610057
Conc: 17.98 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163061BS




#1 Tetrachloro-m-xylene

R.T.: 2.782 min
Delta R.T.: -0.003 min
Response: 38226343
Conc: 19.58 ng/ml




#2 alpha-BHC

R.T.: 3.998 min
Delta R.T.: 0.000 min
Response: 133487058
Conc: 44.53 ng/ml



#2 alpha-BHC


R.T.: 3.285 min
Delta R.T.: -0.003 min
Response: 143356890
Conc: 51.69 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.330 min
Delta R.T.: -0.001 min
Response: 126797729
Conc: 44.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163061BS




#3 gamma-BHC (Lindane)

R.T.: 3.615 min
Delta R.T.: -0.003 min
Response: 134784817
Conc: 51.17 ng/ml




#4 Heptachlor

R.T.: 4.919 min
Delta R.T.: -0.002 min
Response: 121403551
Conc: 45.59 ng/ml



#4 Heptachlor


R.T.: 3.955 min
Delta R.T.: -0.004 min
Response: 132193049
Conc: 51.18 ng/ml



#5 Aldrin


R.T.: 5.260 min
Delta R.T.: -0.002 min
Response: 115858212
Conc: 44.89 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163061BS




#5 Aldrin

R.T.: 4.235 min
Delta R.T.: -0.004 min
Response: 123914109
Conc: 50.39 ng/ml




#6 beta-BHC

R.T.: 4.526 min
Delta R.T.: -0.001 min
Response: 60922738
Conc: 45.05 ng/ml



#6 beta-BHC


R.T.: 3.914 min
Delta R.T.: -0.003 min
Response: 58266702
Conc: 49.50 ng/ml



#7 delta-BHC


R.T.: 4.774 min
Delta R.T.: -0.001 min
Response: 120323801
Conc: 44.20 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163061BS




#7 delta-BHC

R.T.: 4.143 min
Delta R.T.: -0.004 min
Response: 127697661
Conc: 50.39 ng/ml




#8 Heptachlor epoxide

R.T.: 5.686 min
Delta R.T.: -0.002 min
Response: 110584335
Conc: 45.20 ng/ml



#8 Heptachlor epoxide


R.T.: 4.737 min
Delta R.T.: -0.004 min
Response: 114030142
Conc: 50.57 ng/ml



#9 Endosulfan I


R.T.: 6.071 min
Delta R.T.: -0.002 min
Response: 101835937
Conc: 45.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163061BS




#9 Endosulfan I

R.T.: 5.106 min
Delta R.T.: -0.005 min
Response: 107406675
Conc: 50.90 ng/ml




#10 gamma-Chlordane

R.T.: 5.941 min
Delta R.T.: -0.002 min
Response: 109425871
Conc: 45.28 ng/ml



#10 gamma-Chlordane


R.T.: 4.987 min
Delta R.T.: -0.005 min
Response: 118038808
Conc: 49.93 ng/ml



#11 alpha-Chlordane


R.T.: 6.020 min
Delta R.T.: -0.002 min
Response: 108776898
Conc: 45.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163061BS




#11 alpha-Chlordane

R.T.: 5.050 min
Delta R.T.: -0.005 min
Response: 117229232
Conc: 49.83 ng/ml




#12 4,4'-DDE

R.T.: 6.193 min
Delta R.T.: -0.002 min
Response: 95367631
Conc: 45.58 ng/ml



#12 4,4'-DDE


R.T.: 5.240 min
Delta R.T.: -0.005 min
Response: 106093612
Conc: 50.78 ng/ml



#13 Dieldrin


R.T.: 6.346 min
Delta R.T.: -0.003 min
Response: 107201609
Conc: 45.52 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163061BS




#13 Dieldrin

R.T.: 5.371 min
Delta R.T.: -0.005 min
Response: 114508925
Conc: 50.28 ng/ml




#14 Endrin

R.T.: 6.575 min
Delta R.T.: -0.002 min
Response: 87993439
Conc: 45.38 ng/ml



#14 Endrin


R.T.: 5.646 min
Delta R.T.: -0.005 min
Response: 99423468
Conc: 48.81 ng/ml



#15 Endosulfan II


R.T.: 6.794 min
Delta R.T.: -0.002 min
Response: 95605747
Conc: 47.24 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163061BS




#15 Endosulfan II

R.T.: 5.940 min
Delta R.T.: -0.005 min
Response: 100239406
Conc: 51.81 ng/ml




#16 4,4'-DDD

R.T.: 6.710 min
Delta R.T.: -0.002 min
Response: 81131887
Conc: 53.68 ng/ml



#16 4,4'-DDD


R.T.: 5.794 min
Delta R.T.: -0.005 min
Response: 87426301
Conc: 52.96 ng/ml



#17 4,4'-DDT


R.T.: 7.023 min
Delta R.T.: -0.002 min
Response: 83502880
Conc: 47.04 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163061BS




#17 4,4'-DDT

R.T.: 6.044 min
Delta R.T.: -0.005 min
Response: 87786952
Conc: 49.42 ng/ml




#18 Endrin aldehyde

R.T.: 6.924 min
Delta R.T.: -0.002 min
Response: 75194021
Conc: 47.10 ng/ml



#18 Endrin aldehyde


R.T.: 6.119 min
Delta R.T.: -0.005 min
Response: 78905769
Conc: 50.66 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.158 min
Delta R.T.: -0.002 min
Response: 89770955
Conc: 46.79 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163061BS




#19 Endosulfan Sulfate

R.T.: 6.342 min
Delta R.T.: -0.006 min
Response: 96897251
Conc: 50.26 ng/ml




#20 Methoxychlor

R.T.: 7.499 min
Delta R.T.: -0.002 min
Response: 45686239
Conc: 48.59 ng/ml



#20 Methoxychlor


R.T.: 6.619 min
Delta R.T.: -0.005 min
Response: 47966365
Conc: 48.31 ng/ml



#21 Endrin ketone


R.T.: 7.642 min
Delta R.T.: -0.002 min
Response: 100499611
Conc: 47.86 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163061BS




#21 Endrin ketone

R.T.: 6.847 min
Delta R.T.: -0.005 min
Response: 112122435
Conc: 51.48 ng/ml




#22 Mirex

R.T.: 8.115 min
Delta R.T.: -0.003 min
Response: 80141535
Conc: 47.11 ng/ml



#22 Mirex


R.T.: 7.028 min
Delta R.T.: -0.005 min
Response: 92779181
Conc: 49.71 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.052 min
Delta R.T.: -0.003 min
Response: 33267121
Conc: 21.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163061BS



#28 Decachlorobiphenyl

R.T.: 7.920 min
Delta R.T.: -0.006 min
Response: 41030353
Conc: 21.66 ng/ml