

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL090124\
 Data File : PL091448.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 30 Aug 2024 14:29
 Operator : AR\AJ
 Sample : PB163075BS
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PB163075BS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 31 03:35:31 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
 Quant Title : GC Extractables
 QLast Update : Wed Aug 14 13:09:19 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.544	2.784	36845129	38545271	17.160	19.747
28)	SA Decachlor...	9.056	7.922	32183052	40353974	21.110	21.305
Target Compounds							
2)	A alpha-BHC	4.000	3.287	138.3E6	153.0E6	46.136	55.182
3)	MA gamma-BHC...	4.332	3.617	131.8E6	143.7E6	45.960	54.563
4)	MA Heptachlor	4.920	3.957	125.5E6	141.9E6	47.113	54.945
5)	MB Aldrin	5.262	4.237	119.0E6	131.0E6	46.115	53.265
6)	B beta-BHC	4.529	3.916	62558848	61337525	46.259	52.110
7)	B delta-BHC	4.775	4.145	123.6E6	135.5E6	45.409	53.456
8)	B Heptachlo...	5.687	4.739	112.5E6	120.2E6	45.988	53.308
9)	A Endosulfan I	6.073	5.109	103.9E6	112.4E6	46.267	53.281
10)	B gamma-Chl...	5.944	4.989	112.0E6	124.2E6	46.348	52.542
11)	B alpha-Chl...	6.023	5.052	111.2E6	123.4E6	46.170	52.435
12)	B 4,4'-DDE	6.195	5.242	97172073	110.7E6	46.447	52.982
13)	MA Dieldrin	6.347	5.373	110.0E6	120.4E6	46.704	52.877
14)	MA Endrin	6.576	5.648	96641743	109.7E6	49.835m	53.827
15)	B Endosulfa...	6.797	5.941	97836714	105.0E6	48.346	54.275m
16)	A 4,4'-DDD	6.712	5.796	79129890	86435438	52.356	52.360
17)	MA 4,4'-DDT	7.026	6.046	86587757	96004909	48.780	54.044
18)	B Endrin al...	6.926	6.122	75981019	82004337	47.595	52.645
19)	B Endosulfa...	7.160	6.344	90540980	100.4E6	47.190	52.077
20)	A Methoxychlor	7.501	6.621	46072018	51695318	48.999	52.061
21)	B Endrin ke...	7.645	6.848	100.2E6	115.9E6	47.719	53.200m
22)	Mirex	8.118	7.031	81227885	94931459	47.749	50.863



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL090124\
Data File : PL091448.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Aug 2024 14:29
Operator : AR\AJ
Sample : PB163075BS
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PB163075BS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 31 03:35:31 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
Quant Title : GC Extractables
QLast Update : Wed Aug 14 13:09:19 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.544 min
Delta R.T.: 0.000 min
Response: 36845129
Conc: 17.16 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163075BS




#1 Tetrachloro-m-xylene

R.T.: 2.784 min
Delta R.T.: 0.000 min
Response: 38545271
Conc: 19.75 ng/ml




#2 alpha-BHC

R.T.: 4.000 min
Delta R.T.: 0.000 min
Response: 138308032
Conc: 46.14 ng/ml



#2 alpha-BHC


R.T.: 3.287 min
Delta R.T.: -0.001 min
Response: 153044331
Conc: 55.18 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.332 min
Delta R.T.: 0.000 min
Response: 131842327
Conc: 45.96 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163075BS




#3 gamma-BHC (Lindane)

R.T.: 3.617 min
Delta R.T.: -0.001 min
Response: 143714392
Conc: 54.56 ng/ml




#4 Heptachlor

R.T.: 4.920 min
Delta R.T.: 0.000 min
Response: 125463467
Conc: 47.11 ng/ml



#4 Heptachlor


R.T.: 3.957 min
Delta R.T.: -0.002 min
Response: 141906042
Conc: 54.94 ng/ml



#5 Aldrin


R.T.: 5.262 min
Delta R.T.: 0.000 min
Response: 119016018
Conc: 46.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163075BS




#5 Aldrin

R.T.: 4.237 min
Delta R.T.: -0.002 min
Response: 130988195
Conc: 53.27 ng/ml




#6 beta-BHC

R.T.: 4.529 min
Delta R.T.: 0.000 min
Response: 62558848
Conc: 46.26 ng/ml



#6 beta-BHC


R.T.: 3.916 min
Delta R.T.: -0.001 min
Response: 61337525
Conc: 52.11 ng/ml



#7 delta-BHC


R.T.: 4.775 min
Delta R.T.: 0.000 min
Response: 123626805
Conc: 45.41 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163075BS




#7 delta-BHC

R.T.: 4.145 min
Delta R.T.: -0.002 min
Response: 135469152
Conc: 53.46 ng/ml




#8 Heptachlor epoxide

R.T.: 5.687 min
Delta R.T.: 0.000 min
Response: 112510981
Conc: 45.99 ng/ml



#8 Heptachlor epoxide


R.T.: 4.739 min
Delta R.T.: -0.003 min
Response: 120200176
Conc: 53.31 ng/ml



#9 Endosulfan I


R.T.: 6.073 min
Delta R.T.: 0.000 min
Response: 103885438
Conc: 46.27 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163075BS




#9 Endosulfan I

R.T.: 5.109 min
Delta R.T.: -0.003 min
Response: 112431532
Conc: 53.28 ng/ml




#10 gamma-Chlordane

R.T.: 5.944 min
Delta R.T.: 0.000 min
Response: 111996378
Conc: 46.35 ng/ml



#10 gamma-Chlordane


R.T.: 4.989 min
Delta R.T.: -0.003 min
Response: 124207764
Conc: 52.54 ng/ml



#11 alpha-Chlordane


R.T.: 6.023 min
Delta R.T.: 0.000 min
Response: 111165574
Conc: 46.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163075BS




#11 alpha-Chlordane

R.T.: 5.052 min
Delta R.T.: -0.003 min
Response: 123357255
Conc: 52.44 ng/ml




#12 4,4'-DDE

R.T.: 6.195 min
Delta R.T.: 0.000 min
Response: 97172073
Conc: 46.45 ng/ml



#12 4,4'-DDE


R.T.: 5.242 min
Delta R.T.: -0.003 min
Response: 110702135
Conc: 52.98 ng/ml



#13 Dieldrin


R.T.: 6.347 min
Delta R.T.: 0.000 min
Response: 109998383
Conc: 46.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163075BS




#13 Dieldrin

R.T.: 5.373 min
Delta R.T.: -0.003 min
Response: 120430135
Conc: 52.88 ng/ml




#14 Endrin

R.T.: 6.576 min
Delta R.T.: -0.001 min
Response: 96641743
Conc: 49.83 ng/ml m



#14 Endrin


R.T.: 5.648 min
Delta R.T.: -0.003 min
Response: 109653426
Conc: 53.83 ng/ml



#15 Endosulfan II


R.T.: 6.797 min
Delta R.T.: 0.000 min
Response: 97836714
Conc: 48.35 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163075BS




#15 Endosulfan II

R.T.: 5.941 min
Delta R.T.: -0.004 min
Response: 105005093
Conc: 54.28 ng/ml m




#16 4,4'-DDD

R.T.: 6.712 min
Delta R.T.: 0.000 min
Response: 79129890
Conc: 52.36 ng/ml



#16 4,4'-DDD


R.T.: 5.796 min
Delta R.T.: -0.003 min
Response: 86435438
Conc: 52.36 ng/ml



#17 4,4'-DDT


R.T.: 7.026 min
Delta R.T.: 0.000 min
Response: 86587757
Conc: 48.78 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163075BS




#17 4,4'-DDT

R.T.: 6.046 min
Delta R.T.: -0.003 min
Response: 96004909
Conc: 54.04 ng/ml




#18 Endrin aldehyde

R.T.: 6.926 min
Delta R.T.: 0.000 min
Response: 75981019
Conc: 47.59 ng/ml



#18 Endrin aldehyde


R.T.: 6.122 min
Delta R.T.: -0.003 min
Response: 82004337
Conc: 52.64 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.160 min
Delta R.T.: 0.000 min
Response: 90540980
Conc: 47.19 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163075BS




#19 Endosulfan Sulfate

R.T.: 6.344 min
Delta R.T.: -0.003 min
Response: 100405305
Conc: 52.08 ng/ml




#20 Methoxychlor

R.T.: 7.501 min
Delta R.T.: 0.000 min
Response: 46072018
Conc: 49.00 ng/ml



#20 Methoxychlor


R.T.: 6.621 min
Delta R.T.: -0.003 min
Response: 51695318
Conc: 52.06 ng/ml



#21 Endrin ketone


R.T.: 7.645 min
Delta R.T.: 0.000 min
Response: 100195699
Conc: 47.72 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163075BS




#21 Endrin ketone

R.T.: 6.848 min
Delta R.T.: -0.004 min
Response: 115867633
Conc: 53.20 ng/ml m




#22 Mirex

R.T.: 8.118 min
Delta R.T.: 0.000 min
Response: 81227885
Conc: 47.75 ng/ml



#22 Mirex


R.T.: 7.031 min
Delta R.T.: -0.003 min
Response: 94931459
Conc: 50.86 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.056 min
Delta R.T.: 0.000 min
Response: 32183052
Conc: 21.11 ng/ml

Instrument :
ECD_L
ClientSampleId :
PB163075BS



#28 Decachlorobiphenyl

R.T.: 7.922 min
Delta R.T.: -0.004 min
Response: 40353974
Conc: 21.30 ng/ml