

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL090324\
 Data File : PL091487.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 03 Sep 2024 16:58
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 04 06:28:16 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
 Quant Title : GC Extractables
 QLast Update : Wed Aug 14 13:09:19 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.544	2.784	101.9E6	109.8E6	47.466	56.272
28)	SA Decachlor...	9.055	7.922	71877613	81317173	47.147	42.932
Target Compounds							
2)	A alpha-BHC	3.999	3.287	140.4E6	157.6E6	46.819	56.828
3)	MA gamma-BHC...	4.332	3.616	133.1E6	146.1E6	46.388	55.473
4)	MA Heptachlor	4.920	3.956	121.6E6	137.8E6	45.646	53.357
5)	MB Aldrin	5.262	4.236	116.7E6	131.1E6	45.212	53.318
6)	B beta-BHC	4.528	3.915	63720430	63825846	47.118	54.224
7)	B delta-BHC	4.775	4.145	132.0E6	144.9E6	48.484	57.180
8)	B Heptachlo...	5.687	4.738	108.0E6	115.8E6	44.139	51.338
9)	A Endosulfan I	6.072	5.108	100.0E6	107.2E6	44.557	50.791
10)	B gamma-Chl...	5.943	4.988	108.2E6	120.2E6	44.773	50.840
11)	B alpha-Chl...	6.022	5.052	107.3E6	119.1E6	44.550	50.606
12)	B 4,4'-DDE	6.195	5.241	94634530	107.5E6	45.234	51.439
13)	MA Dieldrin	6.347	5.372	104.8E6	114.4E6	44.492	50.210
14)	MA Endrin	6.577	5.647	87864530	100.9E6	45.309	49.515
15)	B Endosulfa...	6.795	5.941	92368885	97562155	45.644	50.428
16)	A 4,4'-DDD	6.711	5.794	79940972	85121261	52.893	51.564
17)	MA 4,4'-DDT	7.025	6.046	81437258	86392811	45.878	48.634
18)	B Endrin al...	6.925	6.121	70248164	73241696	44.004	47.019
19)	B Endosulfa...	7.160	6.343	85987558	93867486	44.817	48.686
20)	A Methoxychlor	7.501	6.620	45451787	45545244	48.339	45.867
21)	B Endrin ke...	7.644	6.849	93163094	102.2E6	44.369	46.920
22)	Mirex	8.118	7.030	72684986	83211151	42.727	44.583
24)	Chlordane-2	5.262f	4.373	116.7E6	654961	1149.180	6.971 #
25)	Chlordane-3	5.943	4.988	108.2E6	120.2E6	311.498	494.919 #
26)	Chlordane-4	6.022	5.052	107.3E6	119.1E6	255.017	510.595 #
27)	Chlordane-5	0.000	5.737	0	74992	N.D.	1.083 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL090324\
Data File : PL091487.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 03 Sep 2024 16:58
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 04 06:28:16 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL081324.M
Quant Title : GC Extractables
QLast Update : Wed Aug 14 13:09:19 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.544 min
Delta R.T.: 0.000 min
Response: 101917334
Conc: 47.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.784 min
Delta R.T.: -0.001 min
Response: 109842279
Conc: 56.27 ng/ml




#2 alpha-BHC

R.T.: 3.999 min
Delta R.T.: 0.000 min
Response: 140353683
Conc: 46.82 ng/ml



#2 alpha-BHC


R.T.: 3.287 min
Delta R.T.: -0.002 min
Response: 157610389
Conc: 56.83 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.332 min
Delta R.T.: 0.000 min
Response: 133072267
Conc: 46.39 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.616 min
Delta R.T.: -0.002 min
Response: 146113126
Conc: 55.47 ng/ml




#4 Heptachlor

R.T.: 4.920 min
Delta R.T.: 0.000 min
Response: 121555716
Conc: 45.65 ng/ml



#4 Heptachlor


R.T.: 3.956 min
Delta R.T.: -0.003 min
Response: 137805517
Conc: 53.36 ng/ml



#5 Aldrin


R.T.: 5.262 min
Delta R.T.: 0.000 min
Response: 116684970
Conc: 45.21 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.236 min
Delta R.T.: -0.003 min
Response: 131119001
Conc: 53.32 ng/ml




#6 beta-BHC

R.T.: 4.528 min
Delta R.T.: 0.000 min
Response: 63720430
Conc: 47.12 ng/ml



#6 beta-BHC


R.T.: 3.915 min
Delta R.T.: -0.002 min
Response: 63825846
Conc: 54.22 ng/ml



#7 delta-BHC


R.T.: 4.775 min
Delta R.T.: 0.000 min
Response: 131998058
Conc: 48.48 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.145 min
Delta R.T.: -0.003 min
Response: 144906111
Conc: 57.18 ng/ml




#8 Heptachlor epoxide

R.T.: 5.687 min
Delta R.T.: 0.000 min
Response: 107988645
Conc: 44.14 ng/ml



#8 Heptachlor epoxide


R.T.: 4.738 min
Delta R.T.: -0.003 min
Response: 115758337
Conc: 51.34 ng/ml



#9 Endosulfan I


R.T.: 6.072 min
Delta R.T.: 0.000 min
Response: 100045111
Conc: 44.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.108 min
Delta R.T.: -0.003 min
Response: 107177447
Conc: 50.79 ng/ml




#10 gamma-Chlordane

R.T.: 5.943 min
Delta R.T.: 0.000 min
Response: 108191184
Conc: 44.77 ng/ml



#10 gamma-Chlordane


R.T.: 4.988 min
Delta R.T.: -0.003 min
Response: 120183940
Conc: 50.84 ng/ml



#11 alpha-Chlordane


R.T.: 6.022 min
Delta R.T.: 0.000 min
Response: 107263374
Conc: 44.55 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.052 min
Delta R.T.: -0.003 min
Response: 119054772
Conc: 50.61 ng/ml




#12 4,4'-DDE

R.T.: 6.195 min
Delta R.T.: 0.000 min
Response: 94634530
Conc: 45.23 ng/ml



#12 4,4'-DDE


R.T.: 5.241 min
Delta R.T.: -0.003 min
Response: 107478273
Conc: 51.44 ng/ml



#13 Dieldrin


R.T.: 6.347 min
Delta R.T.: 0.000 min
Response: 104789129
Conc: 44.49 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.372 min
Delta R.T.: -0.004 min
Response: 114354573
Conc: 50.21 ng/ml




#14 Endrin

R.T.: 6.577 min
Delta R.T.: 0.000 min
Response: 87864530
Conc: 45.31 ng/ml



#14 Endrin


R.T.: 5.647 min
Delta R.T.: -0.004 min
Response: 100869629
Conc: 49.52 ng/ml



#15 Endosulfan II


R.T.: 6.795 min
Delta R.T.: 0.000 min
Response: 92368885
Conc: 45.64 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.941 min
Delta R.T.: -0.004 min
Response: 97562155
Conc: 50.43 ng/ml




#16 4,4'-DDD

R.T.: 6.711 min
Delta R.T.: 0.000 min
Response: 79940972
Conc: 52.89 ng/ml



#16 4,4'-DDD


R.T.: 5.794 min
Delta R.T.: -0.004 min
Response: 85121261
Conc: 51.56 ng/ml



#17 4,4'-DDT


R.T.: 7.025 min
Delta R.T.: 0.000 min
Response: 81437258
Conc: 45.88 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.046 min
Delta R.T.: -0.004 min
Response: 86392811
Conc: 48.63 ng/ml




#18 Endrin aldehyde

R.T.: 6.925 min
Delta R.T.: 0.000 min
Response: 70248164
Conc: 44.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.121 min
Delta R.T.: -0.004 min
Response: 73241696
Conc: 47.02 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.160 min
Delta R.T.: 0.000 min
Response: 85987558
Conc: 44.82 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.343 min
Delta R.T.: -0.004 min
Response: 93867486
Conc: 48.69 ng/ml




#20 Methoxychlor

R.T.: 7.501 min
Delta R.T.: 0.000 min
Response: 45451787
Conc: 48.34 ng/ml



#20 Methoxychlor


R.T.: 6.620 min
Delta R.T.: -0.004 min
Response: 45545244
Conc: 45.87 ng/ml



#21 Endrin ketone


R.T.: 7.644 min
Delta R.T.: 0.000 min
Response: 93163094
Conc: 44.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.849 min
Delta R.T.: -0.004 min
Response: 102190623
Conc: 46.92 ng/ml




#22 Mirex

R.T.: 8.118 min
Delta R.T.: 0.000 min
Response: 72684986
Conc: 42.73 ng/ml



#22 Mirex


R.T.: 7.030 min
Delta R.T.: -0.004 min
Response: 83211151
Conc: 44.58 ng/ml



#24 Chlordane-2


R.T.: 5.262 min
Delta R.T.: 0.028 min
Response: 116684970
Conc: 1149.18 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.373 min
Delta R.T.: 0.013 min
Response: 654961
Conc: 6.97 ng/ml




#25 Chlordane-3

R.T.: 5.943 min
Delta R.T.: -0.001 min
Response: 108191184
Conc: 311.50 ng/ml



#25 Chlordane-3


R.T.: 4.988 min
Delta R.T.: -0.004 min
Response: 120183940
Conc: 494.92 ng/ml



#26 Chlordane-4


R.T.: 6.022 min
Delta R.T.: -0.005 min
Response: 107263374
Conc: 255.02 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.052 min
Delta R.T.: -0.002 min
Response: 119054772
Conc: 510.60 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.875 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.737 min
Delta R.T.: 0.017 min
Response: 74992
Conc: 1.08 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.055 min
Delta R.T.: 0.000 min
Response: 71877613
Conc: 47.15 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.922 min
Delta R.T.: -0.004 min
Response: 81317173
Conc: 42.93 ng/ml