

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL090523\
 Data File : PL085105.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 05 Sep 2023 11:11
 Operator : AR\AJ
 Sample : PSTDICC025
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC025

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 05 12:28:33 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090523.M
 Quant Title : GC Extractables
 QLast Update : Tue Sep 05 12:09:02 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.476	2.684	58722152	27234405	24.605	24.318
28)	SA Decachlor...	9.027	7.864	40026940	32180312	25.874	25.248
Target Compounds							
2)	A alpha-BHC	3.934	3.189	80244126	37988778	23.203	22.890
3)	MA gamma-BHC...	4.268	3.520	77997815	37423969	23.709	23.299
4)	MA Heptachlor	4.860	3.860	78066910	35802760	24.455	23.679
5)	MB Aldrin	5.203	4.140	72636726	35898691	23.990	23.320
6)	B beta-BHC	4.468	3.822	34103493	16533285	25.601	24.834
7)	B delta-BHC	4.714	4.050	72789551	36343465	23.611	22.998
8)	B Heptachlo...	5.633	4.646	62498215	32431073	24.292	23.835
9)	A Endosulfan I	6.019	5.017	57812349	34694098	24.922	25.392
10)	B gamma-Chl...	5.891	4.899	62010784	32317588	24.595	23.448
11)	B alpha-Chl...	5.971	4.964	61697590	34634560	24.774	24.341
12)	B 4,4'-DDE	6.149	5.162	48595543	28981989	23.864	23.040
13)	MA Dieldrin	6.297	5.284	57800551	32813358	24.230	23.338
14)	MA Endrin	6.526	5.559	49176848	30082562	24.486	23.605
15)	B Endosulfa...	6.747	5.856	48662387	29394674	25.175	24.031
16)	A 4,4'-DDD	6.668	5.719	36803512	24603651	24.374	23.244
17)	MA 4,4'-DDT	6.985	5.971	40380575	27443287	24.466	23.494
18)	B Endrin al...	6.878	6.038	37591364	24485547	25.497	24.946
19)	B Endosulfa...	7.114	6.263	45625215	28578651	25.461	24.199
20)	A Methoxychlor	7.466	6.556	22667644	16585617	25.850	25.212
21)	B Endrin ke...	7.598	6.768	47703021	35365292	25.222	24.344
22)	Mirex	8.073	6.948	41577245	28855128	26.673	25.418



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL090523\
Data File : PL085105.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Sep 2023 11:11
Operator : AR\AJ
Sample : PSTDICC025
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC025

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 05 12:28:33 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL090523.M
Quant Title : GC Extractables
QLast Update : Tue Sep 05 12:09:02 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x0.5µm






#1 Tetrachloro-m-xylene


R.T.: 3.476 min
Delta R.T.: 0.000 min
Response: 58722152
Conc: 24.60 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#1 Tetrachloro-m-xylene

R.T.: 2.684 min
Delta R.T.: 0.000 min
Response: 27234405
Conc: 24.32 ng/ml




#2 alpha-BHC

R.T.: 3.934 min
Delta R.T.: 0.000 min
Response: 80244126
Conc: 23.20 ng/ml



#2 alpha-BHC


R.T.: 3.189 min
Delta R.T.: 0.000 min
Response: 37988778
Conc: 22.89 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.268 min
Delta R.T.: 0.000 min
Response: 77997815
Conc: 23.71 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#3 gamma-BHC (Lindane)

R.T.: 3.520 min
Delta R.T.: 0.000 min
Response: 37423969
Conc: 23.30 ng/ml




#4 Heptachlor

R.T.: 4.860 min
Delta R.T.: 0.000 min
Response: 78066910
Conc: 24.45 ng/ml



#4 Heptachlor


R.T.: 3.860 min
Delta R.T.: 0.000 min
Response: 35802760
Conc: 23.68 ng/ml



#5 Aldrin


R.T.: 5.203 min
Delta R.T.: 0.000 min
Response: 72636726
Conc: 23.99 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#5 Aldrin

R.T.: 4.140 min
Delta R.T.: 0.000 min
Response: 35898691
Conc: 23.32 ng/ml




#6 beta-BHC

R.T.: 4.468 min
Delta R.T.: 0.000 min
Response: 34103493
Conc: 25.60 ng/ml



#6 beta-BHC


R.T.: 3.822 min
Delta R.T.: 0.000 min
Response: 16533285
Conc: 24.83 ng/ml



#7 delta-BHC


R.T.: 4.714 min
Delta R.T.: 0.000 min
Response: 72789551
Conc: 23.61 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#7 delta-BHC

R.T.: 4.050 min
Delta R.T.: 0.000 min
Response: 36343465
Conc: 23.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.633 min
Delta R.T.: 0.000 min
Response: 62498215
Conc: 24.29 ng/ml



#8 Heptachlor epoxide


R.T.: 4.646 min
Delta R.T.: 0.000 min
Response: 32431073
Conc: 23.83 ng/ml



#9 Endosulfan I


R.T.: 6.019 min
Delta R.T.: 0.000 min
Response: 57812349
Conc: 24.92 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#9 Endosulfan I

R.T.: 5.017 min
Delta R.T.: 0.000 min
Response: 34694098
Conc: 25.39 ng/ml




#10 gamma-Chlordane

R.T.: 5.891 min
Delta R.T.: 0.000 min
Response: 62010784
Conc: 24.60 ng/ml



#10 gamma-Chlordane


R.T.: 4.899 min
Delta R.T.: 0.000 min
Response: 32317588
Conc: 23.45 ng/ml



#11 alpha-Chlordane


R.T.: 5.971 min
Delta R.T.: 0.000 min
Response: 61697590
Conc: 24.77 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#11 alpha-Chlordane

R.T.: 4.964 min
Delta R.T.: 0.000 min
Response: 34634560
Conc: 24.34 ng/ml




#12 4,4'-DDE

R.T.: 6.149 min
Delta R.T.: 0.000 min
Response: 48595543
Conc: 23.86 ng/ml



#12 4,4'-DDE


R.T.: 5.162 min
Delta R.T.: 0.000 min
Response: 28981989
Conc: 23.04 ng/ml



#13 Dieldrin


R.T.: 6.297 min
Delta R.T.: 0.000 min
Response: 57800551
Conc: 24.23 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#13 Dieldrin

R.T.: 5.284 min
Delta R.T.: 0.000 min
Response: 32813358
Conc: 23.34 ng/ml




#14 Endrin

R.T.: 6.526 min
Delta R.T.: 0.000 min
Response: 49176848
Conc: 24.49 ng/ml



#14 Endrin


R.T.: 5.559 min
Delta R.T.: 0.000 min
Response: 30082562
Conc: 23.61 ng/ml



#15 Endosulfan II


R.T.: 6.747 min
Delta R.T.: 0.000 min
Response: 48662387
Conc: 25.17 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#15 Endosulfan II

R.T.: 5.856 min
Delta R.T.: 0.000 min
Response: 29394674
Conc: 24.03 ng/ml




#16 4,4'-DDD

R.T.: 6.668 min
Delta R.T.: 0.000 min
Response: 36803512
Conc: 24.37 ng/ml



#16 4,4'-DDD


R.T.: 5.719 min
Delta R.T.: 0.000 min
Response: 24603651
Conc: 23.24 ng/ml



#17 4,4'-DDT


R.T.: 6.985 min
Delta R.T.: 0.000 min
Response: 40380575
Conc: 24.47 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#17 4,4'-DDT

R.T.: 5.971 min
Delta R.T.: 0.000 min
Response: 27443287
Conc: 23.49 ng/ml




#18 Endrin aldehyde

R.T.: 6.878 min
Delta R.T.: 0.000 min
Response: 37591364
Conc: 25.50 ng/ml



#18 Endrin aldehyde


R.T.: 6.038 min
Delta R.T.: 0.000 min
Response: 24485547
Conc: 24.95 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.114 min
Delta R.T.: 0.000 min
Response: 45625215
Conc: 25.46 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#19 Endosulfan Sulfate

R.T.: 6.263 min
Delta R.T.: 0.000 min
Response: 28578651
Conc: 24.20 ng/ml




#20 Methoxychlor

R.T.: 7.466 min
Delta R.T.: 0.000 min
Response: 22667644
Conc: 25.85 ng/ml



#20 Methoxychlor


R.T.: 6.556 min
Delta R.T.: 0.000 min
Response: 16585617
Conc: 25.21 ng/ml



#21 Endrin ketone


R.T.: 7.598 min
Delta R.T.: 0.000 min
Response: 47703021
Conc: 25.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025




#21 Endrin ketone

R.T.: 6.768 min
Delta R.T.: 0.000 min
Response: 35365292
Conc: 24.34 ng/ml




#22 Mirex

R.T.: 8.073 min
Delta R.T.: 0.000 min
Response: 41577245
Conc: 26.67 ng/ml



#22 Mirex


R.T.: 6.948 min
Delta R.T.: 0.000 min
Response: 28855128
Conc: 25.42 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.027 min
Delta R.T.: 0.000 min
Response: 40026940
Conc: 25.87 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC025



#28 Decachlorobiphenyl

R.T.: 7.864 min
Delta R.T.: 0.000 min
Response: 32180312
Conc: 25.25 ng/ml